








XEBC-04EU-E1LM/0.D02 4 600x400 ONE ELECTRIC COMBI OVEN - LEFT

| Assembly code | Assembly description | Assembly image |
|----------------|----------------------|---|
| ASM1744C/0.D01 | Cooking chamber |  |
| ASM1770C/0.D02 | External cover |  |
| ASM3334A/0.D02 | Electrical system |  |
| ASM3337B/0.D02 | Door |  |



ASM1744C/0.D01 - Cooking chamber


FRONT










ASM1744C/0.D01 - Cooking chamber




REAR








| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--|---|------------|--|--|------|-------------|-----|-----|----------|---|-------|----|----------|-------------------|-------|----|----------|-------------------------|-------|----|----------|----------------------|-------|----|----------|--------------------|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | |
| 0G1599A | XEBC-04EU-E FAN GUARD DIVIDING PLATE |  | 0G1599A0 | XEBC-04EU-E FAN GUARD DIVIDING PLATE | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0H2551A | XBC/XVC ST.STEEL DRAIN COVER |  | K0H2551A | DRAIN COVER KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>0H2551A0</td> <td>XBC/XVC ST.STEEL DRAIN COVER</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | 0H2551A0 | XBC/XVC ST.STEEL DRAIN COVER | 1.000 | PC | | | | | | | | | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0H2551A0 | XBC/XVC ST.STEEL DRAIN COVER | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0H2730A | ZINC PLATED MUFFLE SUPPORT BRACKET |  | 0H2730A1 | ZINC PLATED MUFFLE SUPPORT BRACKET | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0H7449A | MM GAS VENTURI COLLECT PIPE FIXING PLATE |  | 0H7449A0 | MM GAS VENTURI COLLECT PIPE FIXING PLATE | | | | | | | | | | | | | | | | | | | | | | | | | |
| PE1710B | MOTOR REVOLUTION AND DIRECTION SENSO |  | KPE1710B | MOTOR REVOLUTIONS SENSOR KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>CE1119A0</td> <td>AMP/MDU2 4P 4XAWG22 L1500 RAST 4P CABLE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>PE1040A0</td> <td>RAST MOTOR SENSOR</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VE1550A0</td> <td>5X3 MM NEODYMIUM MAGNET</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VI1966A0</td> <td>M4X14 FLATHEAD SCREW</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM1635A0</td> <td>MAGNET HOLDING DIS</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | CE1119A0 | AMP/MDU2 4P 4XAWG22 L1500 RAST 4P CABLE | 1.000 | PC | PE1040A0 | RAST MOTOR SENSOR | 1.000 | PC | VE1550A0 | 5X3 MM NEODYMIUM MAGNET | 1.000 | PC | VI1966A0 | M4X14 FLATHEAD SCREW | 1.000 | PC | VM1635A0 | MAGNET HOLDING DIS | 1.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CE1119A0 | AMP/MDU2 4P 4XAWG22 L1500 RAST 4P CABLE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | |
| PE1040A0 | RAST MOTOR SENSOR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VE1550A0 | 5X3 MM NEODYMIUM MAGNET | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1966A0 | M4X14 FLATHEAD SCREW | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM1635A0 | MAGNET HOLDING DIS | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | |





| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--|---|------------|--|--|------|-------------|-----|-----|----------|--|-------|----|----------|--|-------|----|----------|--|-------|----|----------|---------------------------------|-------|----|----------|----------------------------|-------|----|----------|--------------------------------------|-------|----|----------|--|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VE1550A | 5X3 MM NEODYMIUM MAGNET |  | KPE1710B | MOTOR REVOLUTIONS SENSOR KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>CE1119A0</td> <td>AMPMODU2 4P 4XAWG22 L1500 RAST 4P CABLE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>PE1040A0</td> <td>RAST MOTOR SENSOR</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VE1550A0</td> <td>5X3 MM NEODYMIUM MAGNET</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VI1966A0</td> <td>M4X14 FLATHEAD SCREW</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM1635A0</td> <td>MAGNET HOLDING DIS</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | CE1119A0 | AMPMODU2 4P 4XAWG22 L1500 RAST 4P CABLE | 1.000 | PC | PE1040A0 | RAST MOTOR SENSOR | 1.000 | PC | VE1550A0 | 5X3 MM NEODYMIUM MAGNET | 1.000 | PC | VI1966A0 | M4X14 FLATHEAD SCREW | 1.000 | PC | VM1635A0 | MAGNET HOLDING DIS | 1.000 | PC | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CE1119A0 | AMPMODU2 4P 4XAWG22 L1500 RAST 4P CABLE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| PE1040A0 | RAST MOTOR SENSOR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VE1550A0 | 5X3 MM NEODYMIUM MAGNET | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1966A0 | M4X14 FLATHEAD SCREW | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM1635A0 | MAGNET HOLDING DIS | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RS1225A | 4700W 230V D230 6 TURNS HEATING ELEMENT |  | KRS1225A | 4.7Kw HEATING ELEMENT KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>GN1671A0</td> <td>141X22 G8.5 ELEMENT ARMED GASKET</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>RS1225A1</td> <td>4700W 230V D230 6 TURNS HEATING ELEMENT</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>SL1045A0</td> <td>S57 BLACK SILICONE - 80ml CARTRIDGE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VI1032A0</td> <td>M4x16 TCB+ ST.STEEL SCREW</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VI1075A0</td> <td>NUT M4 H=4 UNI5587 INOX</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VI1220A1</td> <td>4,2x12 TCB SELF-TAPPIN G SCREW</td> <td>6.000</td> <td>PC</td> </tr> <tr> <td>VI1511A0</td> <td>STAINLESS STEEL WASHER 4.2X12X1</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | GN1671A0 | 141X22 G8.5 ELEMENT ARMED GASKET | 1.000 | PC | RS1225A1 | 4700W 230V D230 6 TURNS HEATING ELEMENT | 1.000 | PC | SL1045A0 | S57 BLACK SILICONE - 80ml CARTRIDGE | 1.000 | PC | VI1032A0 | M4x16 TCB+ ST.STEEL SCREW | 1.000 | PC | VI1075A0 | NUT M4 H=4 UNI5587 INOX | 1.000 | PC | VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 6.000 | PC | VI1511A0 | STAINLESS STEEL WASHER 4.2X12X1 | 1.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1671A0 | 141X22 G8.5 ELEMENT ARMED GASKET | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RS1225A1 | 4700W 230V D230 6 TURNS HEATING ELEMENT | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SL1045A0 | S57 BLACK SILICONE - 80ml CARTRIDGE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1032A0 | M4x16 TCB+ ST.STEEL SCREW | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1075A0 | NUT M4 H=4 UNI5587 INOX | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 6.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1511A0 | STAINLESS STEEL WASHER 4.2X12X1 | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1672A | BREAKING ELEMENT GASKET |  | KGN1672A | 71x19 HEATING ELEMENT GASKET 5 PCS KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>GN1672A1</td> <td>BREAKING ELEMENT GASKET</td> <td>5.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | GN1672A1 | BREAKING ELEMENT GASKET | 5.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1672A1 | BREAKING ELEMENT GASKET | 5.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--|--|------------|---|---|------|-------------|-----|-----|----------|---|-------|----|----------|--|-------|----|----------|--|-------|----|----------|--------------------------------------|-------|----|----------|---|-------|----|----------|---|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RS1215B | 1 TURN 147W 105V FLAT ELEMENT |  | KRS1034A | MM 147W MOTOR BRAKING ELEMENT KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>GN1672A1</td> <td>BREAKING ELEMENT GASKET</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>RS1034A0</td> <td>1 TURN 147W 105V FLAT ELEMENT</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>SL1045A0</td> <td>S57 BLACK SILICONE - 80ml CARTRIDGE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VI1220A1</td> <td>4,2x12 TCB SELF-TAPPIN G SCREW</td> <td>2.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | GN1672A1 | BREAKING ELEMENT GASKET | 1.000 | PC | RS1034A0 | 1 TURN 147W 105V FLAT ELEMENT | 1.000 | PC | SL1045A0 | S57 BLACK SILICONE - 80ml CARTRIDGE | 1.000 | PC | VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 2.000 | PC | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1672A1 | BREAKING ELEMENT GASKET | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RS1034A0 | 1 TURN 147W 105V FLAT ELEMENT | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SL1045A0 | S57 BLACK SILICONE - 80ml CARTRIDGE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1285A | NTC TEMPERATURE PROBE SEALING |  | KTR1106B | MIND.Maps L2000 CHAMBER TEMP. PROBE KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>GN1285A0</td> <td>NTC TEMPERATUR E PROBE SEALING</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>SL1045A0</td> <td>S57 BLACK SILICONE - 80ml CARTRIDGE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TR1106B0</td> <td>PT100 L=2000 TEMPERATUR E PROBE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VI1220A1</td> <td>4,2x12 TCB SELF-TAPPIN G SCREW</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VM1464A1</td> <td>CT BT TEMPERATUR E PROBE COVER</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM1465A1</td> <td>CT BT TEMPERATUR E PROBE COVER</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | GN1285A0 | NTC TEMPERATUR E PROBE SEALING | 1.000 | PC | SL1045A0 | S57 BLACK SILICONE - 80ml CARTRIDGE | 1.000 | PC | TR1106B0 | PT100 L=2000 TEMPERATUR E PROBE | 1.000 | PC | VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 2.000 | PC | VM1464A1 | CT BT TEMPERATUR E PROBE COVER | 1.000 | PC | VM1465A1 | CT BT TEMPERATUR E PROBE COVER | 1.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1285A0 | NTC TEMPERATUR E PROBE SEALING | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SL1045A0 | S57 BLACK SILICONE - 80ml CARTRIDGE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TR1106B0 | PT100 L=2000 TEMPERATUR E PROBE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM1464A1 | CT BT TEMPERATUR E PROBE COVER | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM1465A1 | CT BT TEMPERATUR E PROBE COVER | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | KTR1106A | 5-5E S. L2000 CHAMBER TEMP. PROBE KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>GN1285A0</td> <td>NTC TEMPERATUR E PROBE SEALING</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>SL1045A0</td> <td>S57 BLACK SILICONE - 80ml CARTRIDGE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TR1106A3</td> <td>PT100 L=2000 TEMPERATUR E PROBE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VI1220A1</td> <td>4,2x12 TCB SELF-TAPPIN G SCREW</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VM1465A1</td> <td>CT BT TEMPERATUR E PROBE COVER</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | GN1285A0 | NTC TEMPERATUR E PROBE SEALING | 1.000 | PC | SL1045A0 | S57 BLACK SILICONE - 80ml CARTRIDGE | 1.000 | PC | TR1106A3 | PT100 L=2000 TEMPERATUR E PROBE | 1.000 | PC | VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 2.000 | PC | VM1465A1 | CT BT TEMPERATUR E PROBE COVER | 1.000 | PC | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1285A0 | NTC TEMPERATUR E PROBE SEALING | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SL1045A0 | S57 BLACK SILICONE - 80ml CARTRIDGE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TR1106A3 | PT100 L=2000 TEMPERATUR E PROBE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM1465A1 | CT BT TEMPERATUR E PROBE COVER | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |







| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--|--|------------|---|---|------|-------------|-----------------------------------|-------|----------|-----------------------------------|---|-------|----------|---|--|-------|----------|--|---|-------|----------|--------------------------------------|--------------------------------------|-------|----------|--------------------------------------|---|-------|----------|---|-------|----|----------|---|-------|----|----------|-----------------------|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1285A | NTC TEMPERATURE PROBE SEALING |  | KTR1105A | PT100 L1000 TEMPERATURE PROBE KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>GN1120A1</td> <td>NTC TEMPERATUR E PROBE SEAL</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>GN1285A0</td> <td>NTC TEMPERATUR E PROBE SEALING</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>SL1045A0</td> <td>S57 BLACK SILICONE - 80ml CARTRIDGE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TR1105A4</td> <td>L1000 PT100 TEMPERATUR E PROBE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VI1220A1</td> <td>4,2x12 TCB SELF-TAPPIN G SCREW</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VM1464A1</td> <td>CT BT TEMPERATUR E PROBE COVER</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM1465A1</td> <td>CT BT TEMPERATUR E PROBE COVER</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2052A0</td> <td>LM CORE PROBE COVE</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | GN1120A1 | NTC TEMPERATUR E PROBE SEAL | 1.000 | PC | GN1285A0 | NTC TEMPERATUR E PROBE SEALING | 1.000 | PC | SL1045A0 | S57 BLACK SILICONE - 80ml CARTRIDGE | 1.000 | PC | TR1105A4 | L1000 PT100 TEMPERATUR E PROBE | 1.000 | PC | VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 2.000 | PC | VM1464A1 | CT BT TEMPERATUR E PROBE COVER | 1.000 | PC | VM1465A1 | CT BT TEMPERATUR E PROBE COVER | 1.000 | PC | VM2052A0 | LM CORE PROBE COVE | 1.000 | PC |
| | | | Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1120A1 | NTC TEMPERATUR E PROBE SEAL | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1285A0 | NTC TEMPERATUR E PROBE SEALING | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SL1045A0 | S57 BLACK SILICONE - 80ml CARTRIDGE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TR1105A4 | L1000 PT100 TEMPERATUR E PROBE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM1464A1 | CT BT TEMPERATUR E PROBE COVER | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM1465A1 | CT BT TEMPERATUR E PROBE COVER | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2052A0 | LM CORE PROBE COVE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| KTR1096A | NTC 150 L=1500 TEMPERATURE PROBE KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>GN1120A1</td> <td>NTC TEMPERATUR E PROBE SEAL</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>GN1285A0</td> <td>NTC TEMPERATUR E PROBE SEALING</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>SL1045A0</td> <td>S57 BLACK SILICONE - 80ml CARTRIDGE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TR1096A0</td> <td>TEMPERATUR E PROBE NTC 150 L=1500</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VI1220A1</td> <td>4,2x12 TCB SELF-TAPPIN G SCREW</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VM1465A1</td> <td>CT BT TEMPERATUR E PROBE COVER</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | GN1120A1 | NTC TEMPERATUR E PROBE SEAL | 1.000 | PC | GN1285A0 | NTC TEMPERATUR E PROBE SEALING | 2.000 | PC | SL1045A0 | S57 BLACK SILICONE - 80ml CARTRIDGE | 1.000 | PC | TR1096A0 | TEMPERATUR E PROBE NTC 150 L=1500 | 1.000 | PC | VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 2.000 | PC | VM1465A1 | CT BT TEMPERATUR E PROBE COVER | 1.000 | PC | | | | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1120A1 | NTC TEMPERATUR E PROBE SEAL | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1285A0 | NTC TEMPERATUR E PROBE SEALING | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SL1045A0 | S57 BLACK SILICONE - 80ml CARTRIDGE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TR1096A0 | TEMPERATUR E PROBE NTC 150 L=1500 | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM1465A1 | CT BT TEMPERATUR E PROBE COVER | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--------------------------------------|--|------------|---|--|------|-------------|--------------------------------|-------|----------|--------------------------------|-------------------------------------|-------|----------|-------------------------------------|-------|-------|----------|-------------------------------------|--------------------------------|-------|----------|-----------------------------------|--------------------------------|-------|----------|--------------------------------|-------|----|----------|--------------------------------|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1285A | NTC TEMPERATURE PROBE SEALING |  | KTR1095A | NTC 150 L=1050 TEMPERATURE PROBE KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>GN1120A1</td> <td>NTC TEMPERATUR E PROBE SEAL</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>GN1285A0</td> <td>NTC TEMPERATUR E PROBE SEALING</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>SL1045A0</td> <td>S57 BLACK SILICONE - 80ml CARTRIDGE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TR1095A0</td> <td>TEMPERATUR E PROBE NTC 150 L=1050</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VI1220A1</td> <td>4,2x12 TCB SELF-TAPPIN G SCREW</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VM1465A1</td> <td>CT BT TEMPERATUR E PROBE COVER</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | GN1120A1 | NTC TEMPERATUR E PROBE SEAL | 1.000 | PC | GN1285A0 | NTC TEMPERATUR E PROBE SEALING | 1.000 | PC | SL1045A0 | S57 BLACK SILICONE - 80ml CARTRIDGE | 1.000 | PC | TR1095A0 | TEMPERATUR E PROBE NTC 150 L=1050 | 1.000 | PC | VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 2.000 | PC | VM1465A1 | CT BT TEMPERATUR E PROBE COVER | 1.000 | PC |
| | | | Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1120A1 | NTC TEMPERATUR E PROBE SEAL | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1285A0 | NTC TEMPERATUR E PROBE SEALING | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SL1045A0 | S57 BLACK SILICONE - 80ml CARTRIDGE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TR1095A0 | TEMPERATUR E PROBE NTC 150 L=1050 | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM1465A1 | CT BT TEMPERATUR E PROBE COVER | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| KTR1002A | PT100 L1000 UL TEMPERATURE PROBE KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>GN1285A0</td> <td>NTC TEMPERATUR E PROBE SEALING</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>SL1045A0</td> <td>S57 BLACK SILICONE - 80ml CARTRIDGE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TR1002A1</td> <td></td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VI1220A1</td> <td>4,2x12 TCB SELF-TAPPIN G SCREW</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VM1465A1</td> <td>CT BT TEMPERATUR E PROBE COVER</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | GN1285A0 | NTC TEMPERATUR E PROBE SEALING | 2.000 | PC | SL1045A0 | S57 BLACK SILICONE - 80ml CARTRIDGE | 1.000 | PC | TR1002A1 | | 1.000 | PC | VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 2.000 | PC | VM1465A1 | CT BT TEMPERATUR E PROBE COVER | 1.000 | PC | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1285A0 | NTC TEMPERATUR E PROBE SEALING | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SL1045A0 | S57 BLACK SILICONE - 80ml CARTRIDGE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TR1002A1 | | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM1465A1 | CT BT TEMPERATUR E PROBE COVER | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TR1106B | PT100 L=2000 TEMPERATURE PROBE |  | KTR1106B | MIND.Maps L2000 CHAMBER TEMP. PROBE KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>GN1285A0</td> <td>NTC TEMPERATUR E PROBE SEALING</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>SL1045A0</td> <td>S57 BLACK SILICONE - 80ml CARTRIDGE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TR1106B0</td> <td>PT100 L=2000 TEMPERATUR E PROBE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VI1220A1</td> <td>4,2x12 TCB SELF-TAPPIN G SCREW</td> <td>2.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | GN1285A0 | NTC TEMPERATUR E PROBE SEALING | 1.000 | PC | SL1045A0 | S57 BLACK SILICONE - 80ml CARTRIDGE | 1.000 | PC | TR1106B0 | PT100 L=2000 TEMPERATUR E PROBE | 1.000 | PC | VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 2.000 | PC | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1285A0 | NTC TEMPERATUR E PROBE SEALING | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SL1045A0 | S57 BLACK SILICONE - 80ml CARTRIDGE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TR1106B0 | PT100 L=2000 TEMPERATUR E PROBE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |







| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--|---|------------|---|---|------|-------------|-----|-----|----------|---|-------|----|----------|---|-------|----|----------|--|-------|----|----------|---|-------|----|----------|--------------------------------------|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | |
| TR1106B | PT100 L=2000 TEMPERATURE PROBE |  | KTR1106B | MIND.Maps L2000 CHAMBER TEMP. PROBE KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VM1464A1</td> <td>CT BT TEMPERATUR E PROBE COVER</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM1465A1</td> <td>CT BT TEMPERATUR E PROBE COVER</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VM1464A1 | CT BT TEMPERATUR E PROBE COVER | 1.000 | PC | VM1465A1 | CT BT TEMPERATUR E PROBE COVER | 1.000 | PC | | | | | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM1464A1 | CT BT TEMPERATUR E PROBE COVER | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM1465A1 | CT BT TEMPERATUR E PROBE COVER | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM1464A | CT BT TEMPERATURE PROBE COVER |  | KVM1464A | CT BT TEMPERATURE PROBE COVER KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VM1464A1</td> <td>CT BT TEMPERATUR E PROBE COVER</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VM1464A1 | CT BT TEMPERATUR E PROBE COVER | 1.000 | PC | | | | | | | | | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM1464A1 | CT BT TEMPERATUR E PROBE COVER | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0H7030A | THERMOSTAT BULB INLET COVER |  | K0H7030A | THERMOSTAT BULB INLET COVER KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>0H7030A0</td> <td>THERMOSTAT BULB INLET COVER</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | 0H7030A0 | THERMOSTAT BULB INLET COVER | 1.000 | PC | | | | | | | | | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0H7030A0 | THERMOSTAT BULB INLET COVER | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1531A | THERMOSTAT BULB INLET SEALING |  | KTR1136A | 318°C -0/+24 SAFETY THERMOSTAT KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>0H7030A0</td> <td>THERMOSTAT BULB INLET COVER</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>GN1531A0</td> <td>THERMOSTAT BULB INLET SEALING</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>SL1045A0</td> <td>S57 BLACK SILICONE - 80ml CARTRIDGE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TR1136A0</td> <td>318°C -0/+24 POLE SAFETY THERMOSTAT</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VI1220A1</td> <td>4,2x12 TCB SELF-TAPPIN G SCREW</td> <td>3.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | 0H7030A0 | THERMOSTAT BULB INLET COVER | 1.000 | PC | GN1531A0 | THERMOSTAT BULB INLET SEALING | 1.000 | PC | SL1045A0 | S57 BLACK SILICONE - 80ml CARTRIDGE | 1.000 | PC | TR1136A0 | 318°C -0/+24 POLE SAFETY THERMOSTAT | 1.000 | PC | VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 3.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0H7030A0 | THERMOSTAT BULB INLET COVER | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1531A0 | THERMOSTAT BULB INLET SEALING | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SL1045A0 | S57 BLACK SILICONE - 80ml CARTRIDGE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TR1136A0 | 318°C -0/+24 POLE SAFETY THERMOSTAT | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | |




| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | |
|-----------|-------------------------------------|---|------------|--|--|------|-------------|-----|-----|----------|------------------------------------|-------|----|----------|----------------------------|-------|----|----------|-------------------------------------|-------|----|----------|--------------------------------|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | |
| GN1672A | BREAKING ELEMENT GASKET |  | KGN1672A | 71x19 HEATING ELEMENT GASKET 5 PCS KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>GN1672A1</td> <td>BREAKING ELEMENT GASKET</td> <td>5.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | GN1672A1 | BREAKING ELEMENT GASKET | 5.000 | PC | | | | | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | |
| GN1672A1 | BREAKING ELEMENT GASKET | 5.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| RS1274B | 1 TURN 100W 60V FLAT ELEMENT |  | KRS1036A | MM GAS 100W MOTOR BRAKING ELEMENT KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>GN1672A1</td> <td>BREAKING ELEMENT GASKET</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>RS1036A0</td> <td></td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>SL1045A0</td> <td>S57 BLACK SILICONE - 80ml CARTRIDGE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VI1220A1</td> <td>4,2x12 TCB SELF-TAPPIN G SCREW</td> <td>2.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | GN1672A1 | BREAKING ELEMENT GASKET | 1.000 | PC | RS1036A0 | | 1.000 | PC | SL1045A0 | S57 BLACK SILICONE - 80ml CARTRIDGE | 1.000 | PC | VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 2.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | |
| GN1672A1 | BREAKING ELEMENT GASKET | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| RS1036A0 | | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| SL1045A0 | S57 BLACK SILICONE - 80ml CARTRIDGE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| 0H4305A | ST. STEEL MOTOR SHAFT SEALING DIS |  | K0H4305A | SEALING DISC FOR MOTOR SHAFT KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>0H4305A1</td> <td>ST. STEEL MOTOR SHAFT SEALING DISC</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>GN1140A3</td> <td>MOLDED MOTOR HOLDER GASKET</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>SL1045A0</td> <td>S57 BLACK SILICONE - 80ml CARTRIDGE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VI1220A1</td> <td>4,2x12 TCB SELF-TAPPIN G SCREW</td> <td>3.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | 0H4305A1 | ST. STEEL MOTOR SHAFT SEALING DISC | 1.000 | PC | GN1140A3 | MOLDED MOTOR HOLDER GASKET | 1.000 | PC | SL1045A0 | S57 BLACK SILICONE - 80ml CARTRIDGE | 1.000 | PC | VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 3.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | |
| 0H4305A1 | ST. STEEL MOTOR SHAFT SEALING DISC | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| GN1140A3 | MOLDED MOTOR HOLDER GASKET | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| SL1045A0 | S57 BLACK SILICONE - 80ml CARTRIDGE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| 0H7170A | MM MOTOR GLASS WOOL PLATE |  | 0H7170A0 | MM MOTOR GLASS WOOL PLATE | | | | | | | | | | | | | | | | | | | | | |


| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--|---|------------|---|--|------|-------------|-----|-----|----------|------------------------------------|-------|----|----------|------------------------------------|-------|----|----------|---------------------------------|-------|----|----------|--|-------|----|----------|-----------------------------|-------|----|----------|------------------------|-------|----|----------|---------------------------------|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1140A | MOLDED MOTOR HOLDER GASKET |  | KGN1140A | 5 PCS. MOTOR HOLDER GASKET KI | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>GN1140A3</td> <td>MOLDED MOTOR HOLDER GASKET</td> <td>5.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | GN1140A3 | MOLDED MOTOR HOLDER GASKET | 5.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1140A3 | MOLDED MOTOR HOLDER GASKET | 5.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MT1012A | 330W 230V MOTOR |  | KVN1130A | LUX ≤08.2017/L.MISS/S.5/ 5E MOTOR KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>0H4305A1</td> <td>ST. STEEL MOTOR SHAFT SEALING DISC</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>GN1140A3</td> <td>MOLDED MOTOR HOLDER GASKET</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VI1034A0</td> <td>STAINLESS STEEL WASHER 8.4x16x1</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VI1256A0</td> <td>M8 DIN 980M ST. STEEL SELF LOCKING NUT</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2196A0</td> <td>MOTOR NUT FASTENING BUSHING</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VN1130A1</td> <td>330W 230V 50/60HZ MOTO</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | 0H4305A1 | ST. STEEL MOTOR SHAFT SEALING DISC | 1.000 | PC | GN1140A3 | MOLDED MOTOR HOLDER GASKET | 1.000 | PC | VI1034A0 | STAINLESS STEEL WASHER 8.4x16x1 | 1.000 | PC | VI1256A0 | M8 DIN 980M ST. STEEL SELF LOCKING NUT | 1.000 | PC | VM2196A0 | MOTOR NUT FASTENING BUSHING | 1.000 | PC | VN1130A1 | 330W 230V 50/60HZ MOTO | 1.000 | PC | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0H4305A1 | ST. STEEL MOTOR SHAFT SEALING DISC | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1140A3 | MOLDED MOTOR HOLDER GASKET | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1034A0 | STAINLESS STEEL WASHER 8.4x16x1 | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1256A0 | M8 DIN 980M ST. STEEL SELF LOCKING NUT | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2196A0 | MOTOR NUT FASTENING BUSHING | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VN1130A1 | 330W 230V 50/60HZ MOTO | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | KMT1012A | LUX >08.2017 / MIND.MAPS 330W MOTOR KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>0H2842A0</td> <td>MT1012 CENTERING JI</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>0H4305A1</td> <td>ST. STEEL MOTOR SHAFT SEALING DISC</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>GN1140A3</td> <td>MOLDED MOTOR HOLDER GASKET</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>MT1012A0</td> <td>330W 230V MOTOR</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VE1550A0</td> <td>5X3 MM NEODYMIUM MAGNET</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VI1077A1</td> <td>SCREW M6x12 TE INOX</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VI1521A0</td> <td>STAINLESS STEEL WASHER D=6 6592</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | 0H2842A0 | MT1012 CENTERING JI | 1.000 | PC | 0H4305A1 | ST. STEEL MOTOR SHAFT SEALING DISC | 1.000 | PC | GN1140A3 | MOLDED MOTOR HOLDER GASKET | 1.000 | PC | MT1012A0 | 330W 230V MOTOR | 1.000 | PC | VE1550A0 | 5X3 MM NEODYMIUM MAGNET | 1.000 | PC | VI1077A1 | SCREW M6x12 TE INOX | 1.000 | PC | VI1521A0 | STAINLESS STEEL WASHER D=6 6592 | 1.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0H2842A0 | MT1012 CENTERING JI | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0H4305A1 | ST. STEEL MOTOR SHAFT SEALING DISC | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1140A3 | MOLDED MOTOR HOLDER GASKET | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MT1012A0 | 330W 230V MOTOR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VE1550A0 | 5X3 MM NEODYMIUM MAGNET | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1077A1 | SCREW M6x12 TE INOX | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1521A0 | STAINLESS STEEL WASHER D=6 6592 | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | |
|-----------|--|---|------------|---|---|------|-------------|-----|-----|----------|------------------------------|-------|----|----------|---|-------|----|----------|--------------------------------------|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | |
| MT1012A | 330W 230V MOTOR |  | KMT1012A | LUX >08.2017 / MIND.MAPS 330W MOTOR KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VI1966A0</td> <td>M4X14 FLATHEAD SCREW</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM1635A0</td> <td>MAGNET HOLDING DIS</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VI1966A0 | M4X14 FLATHEAD SCREW | 1.000 | PC | VM1635A0 | MAGNET HOLDING DIS | 1.000 | PC | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | |
| VI1966A0 | M4X14 FLATHEAD SCREW | 1.000 | PC | | | | | | | | | | | | | | | | | | |
| VM1635A0 | MAGNET HOLDING DIS | 1.000 | PC | | | | | | | | | | | | | | | | | | |
| VN1170B | D195 H80 8 BLADES FAN+RING |  | KVN1184A | D195 H80 8 CONCAVE BLADES FAN KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VI1122A0</td> <td>A4 316 M6X12 SCREW</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VI1123A0</td> <td>A4 ST. STEEL FLAT WASHER FOR M6</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VN1184A0</td> <td>D195 H80 8 CONCAVE BLADES FAN</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VI1122A0 | A4 316 M6X12 SCREW | 1.000 | PC | VI1123A0 | A4 ST. STEEL FLAT WASHER FOR M6 | 1.000 | PC | VN1184A0 | D195 H80 8 CONCAVE BLADES FAN | 1.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | |
| VI1122A0 | A4 316 M6X12 SCREW | 1.000 | PC | | | | | | | | | | | | | | | | | | |
| VI1123A0 | A4 ST. STEEL FLAT WASHER FOR M6 | 1.000 | PC | | | | | | | | | | | | | | | | | | |
| VN1184A0 | D195 H80 8 CONCAVE BLADES FAN | 1.000 | PC | | | | | | | | | | | | | | | | | | |
| 0G1585B | 0G1585B0 |  | K0G1585B | XEBC-04EU-E COMPLETE FAN GUARD KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>0G1585B0</td> <td>0G1585B0</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB3061A0</td> <td>XEBC-04EU-E INTERNAL HUMIDITY PIP</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VI1220A1</td> <td>4,2x12 TCB SELF-TAPPIN G SCREW</td> <td>2.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | 0G1585B0 | 0G1585B0 | 1.000 | PC | TB3061A0 | XEBC-04EU-E INTERNAL HUMIDITY PIP | 2.000 | PC | VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 2.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | |
| 0G1585B0 | 0G1585B0 | 1.000 | PC | | | | | | | | | | | | | | | | | | |
| TB3061A0 | XEBC-04EU-E INTERNAL HUMIDITY PIP | 2.000 | PC | | | | | | | | | | | | | | | | | | |
| VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 2.000 | PC | | | | | | | | | | | | | | | | | | |
| TB3061A | XEBC-04EU-E INTERNAL HUMIDITY PIPE |  | TB3061A0 | XEBC-04EU-E INTERNAL HUMIDITY PIPE | | | | | | | | | | | | | | | | | |
| GN1584A | CORNER FITTING D30-D16 |  | KG1584A | D30-D16 CORNER FITTING KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>GN1584A0</td> <td>CORNER FITTING D30-D16</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | GN1584A0 | CORNER FITTING D30-D16 | 1.000 | PC | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | |
| GN1584A0 | CORNER FITTING D30-D16 | 1.000 | PC | | | | | | | | | | | | | | | | | | |




| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|---|---|------------------------------|---|--|------------------------------|-------------|---------------------|-------|----------|---------------------|------------------------------|-------|----------|------------------------------|--|-------|----------|--|---|-------|----------|---|-----------------------------|-------|----------|-----------------------------|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1042A | DOUBLE WIRE SPRING CLAMP D21.5-22.6 |  | KTB3074B | XEVC-0711-G VENTURI COLLECTOR PIPE KI | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>GN1544A0</td> <td>AIR INLET GASKET</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>GN1584A0</td> <td>CORNER FITTING D30-D16</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>RC1042A0</td> <td>DOUBLE WIRE SPRING CLAMP D21.5-22.6</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB3074B0</td> <td>XEVC-07EU-G VENTURI COLLECTOR PIPE D30</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM1794A0</td> <td>250x4.8 PA66 BLACK CLAMP</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | GN1544A0 | AIR INLET GASKET | 1.000 | PC | GN1584A0 | CORNER FITTING D30-D16 | 1.000 | PC | RC1042A0 | DOUBLE WIRE SPRING CLAMP D21.5-22.6 | 1.000 | PC | TB3074B0 | XEVC-07EU-G VENTURI COLLECTOR PIPE D30 | 1.000 | PC | VM1794A0 | 250x4.8 PA66 BLACK CLAMP | 1.000 | PC |
| | | | | | Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | |
| | | | | | GN1544A0 | AIR INLET GASKET | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | |
| | | | | | GN1584A0 | CORNER FITTING D30-D16 | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | |
| | | | RC1042A0 | DOUBLE WIRE SPRING CLAMP D21.5-22.6 | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | |
| | | | TB3074B0 | XEVC-07EU-G VENTURI COLLECTOR PIPE D30 | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | |
| | | | VM1794A0 | 250x4.8 PA66 BLACK CLAMP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | |
| | | | KTB3068B | 10FS/EU/2-G VENTURI COLLECTOR PIPE KI | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>GN1544A0</td> <td>AIR INLET GASKET</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>GN1584A0</td> <td>CORNER FITTING D30-D16</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>RC1042A0</td> <td>DOUBLE WIRE SPRING CLAMP D21.5-22.6</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB3068B0</td> <td>XEBC-10 VENTURI AIR COLLECTOR PIPE D30</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM1794A0</td> <td>250x4.8 PA66 BLACK CLAMP</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | GN1544A0 | AIR INLET GASKET | 2.000 | PC | GN1584A0 | CORNER FITTING D30-D16 | 1.000 | PC | RC1042A0 | DOUBLE WIRE SPRING CLAMP D21.5-22.6 | 1.000 | PC | TB3068B0 | XEBC-10 VENTURI AIR COLLECTOR PIPE D30 | 1.000 | PC | VM1794A0 | 250x4.8 PA66 BLACK CLAMP | 1.000 | PC |
| | | | | | Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | |
| | | | | | GN1544A0 | AIR INLET GASKET | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | |
| | | | | | GN1584A0 | CORNER FITTING D30-D16 | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | |
| | | | RC1042A0 | DOUBLE WIRE SPRING CLAMP D21.5-22.6 | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | |
| TB3068B0 | XEBC-10 VENTURI AIR COLLECTOR PIPE D30 | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM1794A0 | 250x4.8 PA66 BLACK CLAMP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | |
| KTB3019A | 20XX/16XX UPPER VENTURI COLLECT PIPE KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>GN1544A0</td> <td>AIR INLET GASKET</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>GN1584A0</td> <td>CORNER FITTING D30-D16</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>RC1042A0</td> <td>DOUBLE WIRE SPRING CLAMP D21.5-22.6</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB3019A1</td> <td>XEVC-2011 UPPER AIR INLET PIPE D3</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM1794A0</td> <td>250x4.8 PA66 BLACK CLAMP</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | GN1544A0 | AIR INLET GASKET | 1.000 | PC | GN1584A0 | CORNER FITTING D30-D16 | 1.000 | PC | RC1042A0 | DOUBLE WIRE SPRING CLAMP D21.5-22.6 | 1.000 | PC | TB3019A1 | XEVC-2011 UPPER AIR INLET PIPE D3 | 1.000 | PC | VM1794A0 | 250x4.8 PA66 BLACK CLAMP | 1.000 | PC | | | |
| | | Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | |
| | | GN1544A0 | AIR INLET GASKET | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | |
| | | GN1584A0 | CORNER FITTING D30-D16 | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1042A0 | DOUBLE WIRE SPRING CLAMP D21.5-22.6 | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3019A1 | XEVC-2011 UPPER AIR INLET PIPE D3 | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM1794A0 | 250x4.8 PA66 BLACK CLAMP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | |
| KTB2979C | XEBC-10XX-E VENTURI COLLECTOR PIPE KI | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>GN1544A0</td> <td>AIR INLET GASKET</td> <td>2.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | GN1544A0 | AIR INLET GASKET | 2.000 | PC | | | | | | | | | | | | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1544A0 | AIR INLET GASKET | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | |



| COMPONENT | | | SPARE PART | | | | | | | | | | |
|---|---|---|---|---|--|---|-------------|------------------------------|---|----------|--|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | |
| RC1042A | DOUBLE WIRE SPRING CLAMP D21.5-22.6 |  | KTB2979C | XEBC-10XX-E VENTURI COLLECTOR PIPE KI | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>GN1584A0</td> <td>CORNER FITTING D30-D16</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | GN1584A0 | CORNER FITTING D30-D16 | 1.000 | PC |
| | | | | | Code | Description | Qty | UOM | | | | | |
| | | | | | GN1584A0 | CORNER FITTING D30-D16 | 1.000 | PC | | | | | |
| | | | | | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>RC1042A0</td> <td>DOUBLE WIRE SPRING CLAMP D21.5-22.6</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | RC1042A0 | DOUBLE WIRE SPRING CLAMP D21.5-22.6 | 1.000 | PC |
| | | | Code | Description | Qty | UOM | | | | | | | |
| | | | RC1042A0 | DOUBLE WIRE SPRING CLAMP D21.5-22.6 | 1.000 | PC | | | | | | | |
| | | | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>TB2979C0</td> <td>XEBC-10 VENTURI AIR COLLECTOR PIPE D30</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | TB2979C0 | XEBC-10 VENTURI AIR COLLECTOR PIPE D30 | 1.000 | PC | | |
| | | | Code | Description | Qty | UOM | | | | | | | |
| | | | TB2979C0 | XEBC-10 VENTURI AIR COLLECTOR PIPE D30 | 1.000 | PC | | | | | | | |
| | | | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VM1794A0</td> <td>250x4.8 PA66 BLACK CLAMP</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VM1794A0 | 250x4.8 PA66 BLACK CLAMP | 1.000 | PC | | |
| | | | Code | Description | Qty | UOM | | | | | | | |
| | | | VM1794A0 | 250x4.8 PA66 BLACK CLAMP | 1.000 | PC | | | | | | | |
| KTB2978B | XEBC-06 VENTURI COLLECTOR PIPE KI | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>GN1544A0</td> <td>AIR INLET GASKET</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | GN1544A0 | AIR INLET GASKET | 1.000 | PC | | | |
| | | Code | Description | Qty | UOM | | | | | | | | |
| | | GN1544A0 | AIR INLET GASKET | 1.000 | PC | | | | | | | | |
| | | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>GN1584A0</td> <td>CORNER FITTING D30-D16</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | GN1584A0 | CORNER FITTING D30-D16 | 1.000 | PC | | | |
| Code | Description | Qty | UOM | | | | | | | | | | |
| GN1584A0 | CORNER FITTING D30-D16 | 1.000 | PC | | | | | | | | | | |
| <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>RC1042A0</td> <td>DOUBLE WIRE SPRING CLAMP D21.5-22.6</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | RC1042A0 | DOUBLE WIRE SPRING CLAMP D21.5-22.6 | 1.000 | PC | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | |
| RC1042A0 | DOUBLE WIRE SPRING CLAMP D21.5-22.6 | 1.000 | PC | | | | | | | | | | |
| <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>TB2978B0</td> <td>XEBC-06 VENTURI AIR COLLECTOR PIPE D30</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | TB2978B0 | XEBC-06 VENTURI AIR COLLECTOR PIPE D30 | 1.000 | PC | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | |
| TB2978B0 | XEBC-06 VENTURI AIR COLLECTOR PIPE D30 | 1.000 | PC | | | | | | | | | | |
| KTB2959B | XEVC-1011-E VENTURI COLLECTOR PIPE KI | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>GN1544A0</td> <td>AIR INLET GASKET</td> <td>2.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | GN1544A0 | AIR INLET GASKET | 2.000 | PC | | | |
| | | Code | Description | Qty | UOM | | | | | | | | |
| | | GN1544A0 | AIR INLET GASKET | 2.000 | PC | | | | | | | | |
| | | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>GN1584A0</td> <td>CORNER FITTING D30-D16</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | GN1584A0 | CORNER FITTING D30-D16 | 1.000 | PC | | | |
| Code | Description | Qty | UOM | | | | | | | | | | |
| GN1584A0 | CORNER FITTING D30-D16 | 1.000 | PC | | | | | | | | | | |
| <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>RC1042A0</td> <td>DOUBLE WIRE SPRING CLAMP D21.5-22.6</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | RC1042A0 | DOUBLE WIRE SPRING CLAMP D21.5-22.6 | 1.000 | PC | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | |
| RC1042A0 | DOUBLE WIRE SPRING CLAMP D21.5-22.6 | 1.000 | PC | | | | | | | | | | |
| <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>TB2959B0</td> <td>XEVC-1011-E VENTURI PIPE</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | TB2959B0 | XEVC-1011-E VENTURI PIPE | 1.000 | PC | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | |
| TB2959B0 | XEVC-1011-E VENTURI PIPE | 1.000 | PC | | | | | | | | | | |
| KTB2958B | XEVC-0711-E VENTURI COLLECTOR PIPE KI | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VM1794A0</td> <td>250x4.8 PA66 BLACK CLAMP</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VM1794A0 | 250x4.8 PA66 BLACK CLAMP | 1.000 | PC | | | |
| | | Code | Description | Qty | UOM | | | | | | | | |
| VM1794A0 | 250x4.8 PA66 BLACK CLAMP | 1.000 | PC | | | | | | | | | | |
| <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>GN1544A0</td> <td>AIR INLET GASKET</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | GN1544A0 | AIR INLET GASKET | 1.000 | PC | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | |
| GN1544A0 | AIR INLET GASKET | 1.000 | PC | | | | | | | | | | |
| | | | | | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>GN1584A0</td> <td>CORNER FITTING D30-D16</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | GN1584A0 | CORNER FITTING D30-D16 | 1.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | |
| GN1584A0 | CORNER FITTING D30-D16 | 1.000 | PC | | | | | | | | | | |








| COMPONENT | | | SPARE PART | | | | | | | | | | |
|---|--|---|--|--|--|--|-------------|--|--------|----------|--|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | |
| RC1042A | DOUBLE WIRE SPRING CLAMP D21.5-22.6 |  | KTB2958B | XEVC-0711-E VENTURI COLLECTOR PIPE KI | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>RC1042A0</td> <td>DOUBLE WIRE SPRING CLAMP D21.5-22.6</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | RC1042A0 | DOUBLE WIRE SPRING CLAMP D21.5-22.6 | 1.000 | PC |
| | | | | | Code | Description | Qty | UOM | | | | | |
| | | | | | RC1042A0 | DOUBLE WIRE SPRING CLAMP D21.5-22.6 | 1.000 | PC | | | | | |
| | | | <table border="1"> <tbody> <tr> <td>TB2958B0</td> <td>XEVC-0711-E VENTURI PIPE</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | TB2958B0 | XEVC-0711-E VENTURI PIPE | 1.000 | PC | | | | | | |
| | | | TB2958B0 | XEVC-0711-E VENTURI PIPE | 1.000 | PC | | | | | | | |
| | | | <table border="1"> <tbody> <tr> <td>VM1794A0</td> <td>250x4.8 PA66 BLACK CLAMP</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | VM1794A0 | 250x4.8 PA66 BLACK CLAMP | 1.000 | PC | | | | | | |
| | | | VM1794A0 | 250x4.8 PA66 BLACK CLAMP | 1.000 | PC | | | | | | | |
| | | | KTB2957B | 0511/04EU-E VENTURI COLLECTOR PIPE KI | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>GN1544A0</td> <td>AIR INLET GASKET</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | GN1544A0 | AIR INLET GASKET | 1.000 | PC |
| | | | | | Code | Description | Qty | UOM | | | | | |
| | | | | | GN1544A0 | AIR INLET GASKET | 1.000 | PC | | | | | |
| <table border="1"> <tbody> <tr> <td>GN1584A0</td> <td>CORNER FITTING D30-D16</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | GN1584A0 | CORNER FITTING D30-D16 | | | 1.000 | PC | | | | | | | |
| GN1584A0 | CORNER FITTING D30-D16 | 1.000 | PC | | | | | | | | | | |
| <table border="1"> <tbody> <tr> <td>RC1042A0</td> <td>DOUBLE WIRE SPRING CLAMP D21.5-22.6</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | RC1042A0 | DOUBLE WIRE SPRING CLAMP D21.5-22.6 | 1.000 | PC | | | | | | | | | |
| RC1042A0 | DOUBLE WIRE SPRING CLAMP D21.5-22.6 | 1.000 | PC | | | | | | | | | | |
| <table border="1"> <tbody> <tr> <td>TB2957B0</td> <td>XEVC-0511-E VENTURI PIPE</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | TB2957B0 | XEVC-0511-E VENTURI PIPE | 1.000 | PC | | | | | | | | | |
| TB2957B0 | XEVC-0511-E VENTURI PIPE | 1.000 | PC | | | | | | | | | | |
| KTB2956A | XEVC-0311-E VENTURI COLLECTOR PIPE KI | <table border="1"> <tbody> <tr> <td>GN1544A0</td> <td>AIR INLET GASKET</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | GN1544A0 | AIR INLET GASKET | 1.000 | PC | | | | | | | |
| | | GN1544A0 | AIR INLET GASKET | 1.000 | PC | | | | | | | | |
| <table border="1"> <tbody> <tr> <td>RC1042A0</td> <td>DOUBLE WIRE SPRING CLAMP D21.5-22.6</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | RC1042A0 | DOUBLE WIRE SPRING CLAMP D21.5-22.6 | 1.000 | PC | | | | | | | | | |
| RC1042A0 | DOUBLE WIRE SPRING CLAMP D21.5-22.6 | 1.000 | PC | | | | | | | | | | |
| KTB2944A | 20XX/16XX LOWER VENTURI COLLECT PIPE KIT | <table border="1"> <tbody> <tr> <td>GN1544A0</td> <td>AIR INLET GASKET</td> <td>2.000</td> <td>PC</td> </tr> </tbody> </table> | GN1544A0 | AIR INLET GASKET | 2.000 | PC | | | | | | | |
| | | GN1544A0 | AIR INLET GASKET | 2.000 | PC | | | | | | | | |
| | | <table border="1"> <tbody> <tr> <td>GN1584A0</td> <td>CORNER FITTING D30-D16</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | GN1584A0 | CORNER FITTING D30-D16 | 1.000 | PC | | | | | | | |
| | | GN1584A0 | CORNER FITTING D30-D16 | 1.000 | PC | | | | | | | | |
| | | <table border="1"> <tbody> <tr> <td>RC1042A0</td> <td>DOUBLE WIRE SPRING CLAMP D21.5-22.6</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | RC1042A0 | DOUBLE WIRE SPRING CLAMP D21.5-22.6 | 1.000 | PC | | | | | | | |
| RC1042A0 | DOUBLE WIRE SPRING CLAMP D21.5-22.6 | 1.000 | PC | | | | | | | | | | |
| <table border="1"> <tbody> <tr> <td>TB2944A1</td> <td>XEVC-2011 AIR INLET PIPE D3</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | TB2944A1 | XEVC-2011 AIR INLET PIPE D3 | 1.000 | PC | | | | | | | | | |
| TB2944A1 | XEVC-2011 AIR INLET PIPE D3 | 1.000 | PC | | | | | | | | | | |
| <table border="1"> <tbody> <tr> <td>VM1794A0</td> <td>250x4.8 PA66 BLACK CLAMP</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | VM1794A0 | 250x4.8 PA66 BLACK CLAMP | 1.000 | PC | | | | | | | | | |
| VM1794A0 | 250x4.8 PA66 BLACK CLAMP | 1.000 | PC | | | | | | | | | | |
| KRC1042A | 10PCS CLAMP BIFIL SPRING D21.5-22.6 KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>RC1042A0</td> <td>DOUBLE WIRE SPRING CLAMP D21.5-22.6</td> <td>10.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | RC1042A0 | DOUBLE WIRE SPRING CLAMP D21.5-22.6 | 10.000 | PC | | | |
| Code | Description | Qty | UOM | | | | | | | | | | |
| RC1042A0 | DOUBLE WIRE SPRING CLAMP D21.5-22.6 | 10.000 | PC | | | | | | | | | | |





| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | |
|-----------|--|--|------------|--|--|------|-------------|--|---------|----------|------------|--|-------|----------|--|--------------------------------|-------|----------|----------|-------|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | |
| RC1378A | HOSE CLAMP |  | KVM2379A | MM 200V VENTURI ACTUATOR SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>RC1378A0</td> <td>HOSE CLAMP</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>TB1520A0</td> <td>Int. Ø=38 TH=4 DRAIN BLACK RUBBER PIPE</td> <td>0.120</td> <td>M</td> </tr> <tr> <td>VM2379A1</td> <td></td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | RC1378A0 | HOSE CLAMP | 3.000 | PC | TB1520A0 | Int. Ø=38 TH=4 DRAIN BLACK RUBBER PIPE | 0.120 | M | VM2379A1 | | 1.000 | PC | |
| | | | Code | Description | Qty | UOM | | | | | | | | | | | | | | | | |
| | | | RC1378A0 | HOSE CLAMP | 3.000 | PC | | | | | | | | | | | | | | | | |
| | | | TB1520A0 | Int. Ø=38 TH=4 DRAIN BLACK RUBBER PIPE | 0.120 | M | | | | | | | | | | | | | | | | |
| VM2379A1 | | 1.000 | PC | | | | | | | | | | | | | | | | | | | |
| KVM2378A | MM 240V VENTURI ACTUATOR SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>RC1378A0</td> <td>HOSE CLAMP</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>TB1520A0</td> <td>Int. Ø=38 TH=4 DRAIN BLACK RUBBER PIPE</td> <td>0.120</td> <td>M</td> </tr> <tr> <td>VM2378A1</td> <td></td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | RC1378A0 | HOSE CLAMP | 3.000 | PC | TB1520A0 | Int. Ø=38 TH=4 DRAIN BLACK RUBBER PIPE | 0.120 | M | VM2378A1 | | 1.000 | PC | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | |
| RC1378A0 | HOSE CLAMP | 3.000 | PC | | | | | | | | | | | | | | | | | | | |
| TB1520A0 | Int. Ø=38 TH=4 DRAIN BLACK RUBBER PIPE | 0.120 | M | | | | | | | | | | | | | | | | | | | |
| VM2378A1 | | 1.000 | PC | | | | | | | | | | | | | | | | | | | |
| KVM2377A | MM 220 V VENTURI ACTUATOR SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>RC1378A0</td> <td>HOSE CLAMP</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>TB1520A0</td> <td>Int. Ø=38 TH=4 DRAIN BLACK RUBBER PIPE</td> <td>0.120</td> <td>M</td> </tr> <tr> <td>VM2377A1</td> <td>220 V 50/60 HZ EUR VENTURI SET</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | RC1378A0 | HOSE CLAMP | 3.000 | PC | TB1520A0 | Int. Ø=38 TH=4 DRAIN BLACK RUBBER PIPE | 0.120 | M | VM2377A1 | 220 V 50/60 HZ EUR VENTURI SET | 1.000 | PC | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | |
| RC1378A0 | HOSE CLAMP | 3.000 | PC | | | | | | | | | | | | | | | | | | | |
| TB1520A0 | Int. Ø=38 TH=4 DRAIN BLACK RUBBER PIPE | 0.120 | M | | | | | | | | | | | | | | | | | | | |
| VM2377A1 | 220 V 50/60 HZ EUR VENTURI SET | 1.000 | PC | | | | | | | | | | | | | | | | | | | |
| KVE1140A | S.5/5E JAPAN VERSION VENTURI COIL KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>RC1378A0</td> <td>HOSE CLAMP</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>TB1520A0</td> <td>Int. Ø=38 TH=4 DRAIN BLACK RUBBER PIPE</td> <td>0.050</td> <td>M</td> </tr> <tr> <td>VI1220A1</td> <td>4,2x12 TCB SELF-TAPPIN G SCREW</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2632A0</td> <td></td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | RC1378A0 | HOSE CLAMP | 2.000 | PC | TB1520A0 | Int. Ø=38 TH=4 DRAIN BLACK RUBBER PIPE | 0.050 | M | VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 1.000 | PC | VM2632A0 | | 1.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | |
| RC1378A0 | HOSE CLAMP | 2.000 | PC | | | | | | | | | | | | | | | | | | | |
| TB1520A0 | Int. Ø=38 TH=4 DRAIN BLACK RUBBER PIPE | 0.050 | M | | | | | | | | | | | | | | | | | | | |
| VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 1.000 | PC | | | | | | | | | | | | | | | | | | | |
| VM2632A0 | | 1.000 | PC | | | | | | | | | | | | | | | | | | | |
| TB1956A | TB1520A-GREY SILICONE PIPE L=0,04M |  | KVE1014A | US VERSION SERIES 5 VENTURI COIL KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>RC1378A0</td> <td>HOSE CLAMP</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>TB1520A0</td> <td>Int. Ø=38 TH=4 DRAIN BLACK RUBBER PIPE</td> <td>0.050</td> <td>M</td> </tr> <tr> <td>VM2633A0</td> <td></td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | RC1378A0 | HOSE CLAMP | 2.000 | PC | TB1520A0 | Int. Ø=38 TH=4 DRAIN BLACK RUBBER PIPE | 0.050 | M | VM2633A0 | | 1.000 | PC | |
| | | | Code | Description | Qty | UOM | | | | | | | | | | | | | | | | |
| | | | RC1378A0 | HOSE CLAMP | 2.000 | PC | | | | | | | | | | | | | | | | |
| TB1520A0 | Int. Ø=38 TH=4 DRAIN BLACK RUBBER PIPE | 0.050 | M | | | | | | | | | | | | | | | | | | | |
| VM2633A0 | | 1.000 | PC | | | | | | | | | | | | | | | | | | | |
| KRC1378A | HOSE CLAMP 10 PCS KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>RC1378A0</td> <td>HOSE CLAMP</td> <td>10.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | RC1378A0 | HOSE CLAMP | 10.000 | PC | | | | | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | |
| RC1378A0 | HOSE CLAMP | 10.000 | PC | | | | | | | | | | | | | | | | | | | |
| KTB1002A | BLACK TUBE KIT EPDM 240MT TB1520A | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>TB1520A0</td> <td>Int. Ø=38 TH=4 DRAIN BLACK RUBBER PIPE</td> <td>240.000</td> <td>M</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | TB1520A0 | Int. Ø=38 TH=4 DRAIN BLACK RUBBER PIPE | 240.000 | M | | | | | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | |
| TB1520A0 | Int. Ø=38 TH=4 DRAIN BLACK RUBBER PIPE | 240.000 | M | | | | | | | | | | | | | | | | | | | |
| KTB1001A | BLACK TUBE KIT EPDM 10MT TB1520 | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>TB1520A0</td> <td>Int. Ø=38 TH=4 DRAIN BLACK RUBBER PIPE</td> <td>10.000</td> <td>M</td> </tr> <tr> <td>VM1794A0</td> <td>250x4,8 PA66 BLACK CLAMP</td> <td>3.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | TB1520A0 | Int. Ø=38 TH=4 DRAIN BLACK RUBBER PIPE | 10.000 | M | VM1794A0 | 250x4,8 PA66 BLACK CLAMP | 3.000 | PC | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | |
| TB1520A0 | Int. Ø=38 TH=4 DRAIN BLACK RUBBER PIPE | 10.000 | M | | | | | | | | | | | | | | | | | | | |
| VM1794A0 | 250x4,8 PA66 BLACK CLAMP | 3.000 | PC | | | | | | | | | | | | | | | | | | | |

| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--|---|------------|--|--|--|-------------|-----|-----|----------|---|--------|----|----------|--|-------|----|----------|--|-------|----|----------|-----------------------------|-------|----|----------|-----------------------------|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | |
| TB1956A | TB1520A-GREY SILICONE PIPE L=0,04M |  | KTB1000A | EPDM BLACK TUBE TB1520A 2MT KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>RC1055A0</td> <td>Ø25-40 H12 STAINLESS STEEL PIPE CLIP</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>TB1520A0</td> <td>Int. Ø=38 TH=4 DRAIN BLACK RUBBER PIPE</td> <td>2.000</td> <td>M</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | RC1055A0 | Ø25-40 H12 STAINLESS STEEL PIPE CLIP | 2.000 | PC | TB1520A0 | Int. Ø=38 TH=4 DRAIN BLACK RUBBER PIPE | 2.000 | M | | | | | | | | | | | | |
| | | | | | Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | |
| RC1055A0 | Ø25-40 H12 STAINLESS STEEL PIPE CLIP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB1520A0 | Int. Ø=38 TH=4 DRAIN BLACK RUBBER PIPE | 2.000 | M | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB2957B | XEVC-0511-E VENTURI PIPE |  | KTB2957B | 0511/04EU-E VENTURI COLLECTOR PIPE KI | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>GN1544A0</td> <td>AIR INLET GASKET</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>GN1584A0</td> <td>CORNER FITTING D30-D16</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>RC1042A0</td> <td>DOUBLE WIRE SPRING CLAMP D21.5-22.6</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB2957B0</td> <td>XEVC-0511-E VENTURI PIPE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM1794A0</td> <td>250x4.8 PA66 BLACK CLAMP</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | GN1544A0 | AIR INLET GASKET | 1.000 | PC | GN1584A0 | CORNER FITTING D30-D16 | 1.000 | PC | RC1042A0 | DOUBLE WIRE SPRING CLAMP D21.5-22.6 | 1.000 | PC | TB2957B0 | XEVC-0511-E VENTURI PIPE | 1.000 | PC | VM1794A0 | 250x4.8 PA66 BLACK CLAMP | 1.000 | PC |
| | | | | | Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | |
| | | | | | GN1544A0 | AIR INLET GASKET | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | |
| | | | | | GN1584A0 | CORNER FITTING D30-D16 | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | |
| | | | | | RC1042A0 | DOUBLE WIRE SPRING CLAMP D21.5-22.6 | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | |
| | | | | | TB2957B0 | XEVC-0511-E VENTURI PIPE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | |
| VM1794A0 | 250x4.8 PA66 BLACK CLAMP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2377A | 220 V 50/60 HZ EUR VENTURI SET |  | KVM2377A | MM 220 V VENTURI ACTUATOR SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>RC1378A0</td> <td>HOSE CLAMP</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>TB1520A0</td> <td>Int. Ø=38 TH=4 DRAIN BLACK RUBBER PIPE</td> <td>0.120</td> <td>M</td> </tr> <tr> <td>VM2377A1</td> <td>220 V 50/60 HZ EUR VENTURI SET</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | RC1378A0 | HOSE CLAMP | 3.000 | PC | TB1520A0 | Int. Ø=38 TH=4 DRAIN BLACK RUBBER PIPE | 0.120 | M | VM2377A1 | 220 V 50/60 HZ EUR VENTURI SET | 1.000 | PC | | | | | | | | |
| | | | | | Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | |
| | | | | | RC1378A0 | HOSE CLAMP | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | |
| TB1520A0 | Int. Ø=38 TH=4 DRAIN BLACK RUBBER PIPE | 0.120 | M | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2377A1 | 220 V 50/60 HZ EUR VENTURI SET | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1170A | M14 H=7 CH=22 STAINLESS STEEL NUT |  | KRC1170A | M14 H8 CH22 NUT - 10 PCS. KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>RC1170A1</td> <td>M14 H=7 CH=22 STAINLESS STEEL NUT</td> <td>10.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | RC1170A1 | M14 H=7 CH=22 STAINLESS STEEL NUT | 10.000 | PC | | | | | | | | | | | | | | | | |
| | | | | | Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | |
| RC1170A1 | M14 H=7 CH=22 STAINLESS STEEL NUT | 10.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB1379C | XEBC-04 LEFT EXTERNAL WATER PIPE+FITTING |  | TB1379C0 | XEBC-04 LEFT EXTERNAL WATER PIPE+FITTING | | | | | | | | | | | | | | | | | | | | | | | | | |





| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--|---|------------|--|--|------|-------------|-----|-----|----------|--|--------|----|----------|----------------------------|-------|----|----------|--|-------|----|----------|----------|-------|----|----------|--------------------------------------|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1170A | M14 H=7 CH=22 STAINLESS STEEL NUT |  | KRC1170A | M14 H8 CH22 NUT - 10 PCS. KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>RC1170A1</td> <td>M14 H=7 CH=22 STAINLESS STEEL NUT</td> <td>10.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | RC1170A1 | M14 H=7 CH=22 STAINLESS STEEL NUT | 10.000 | PC | | | | | | | | | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1170A1 | M14 H=7 CH=22 STAINLESS STEEL NUT | 10.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB1381C | XEBC-04 RIGHT EXT WATER PIPE+FITTIN |  | TB1381C0 | XEBC-04 RIGHT EXT WATER PIPE+FITTIN | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1127A | 6mm BARBED T-SHAPED FITTING |  | KVL1127A | 6mm BARBED T-SHAPED FITTING 10 PCS KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VL1127A1</td> <td>6mm BARBED T-SHAPED FITTING</td> <td>10.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VL1127A1 | 6mm BARBED T-SHAPED FITTING | 10.000 | PC | | | | | | | | | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1127A1 | 6mm BARBED T-SHAPED FITTING | 10.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3256A | WHITE-BLUE EPDM 6x12 4cm HOSE-TB3132A |  | TB3256A0 | WHITE-BLUE EPDM 6x12 4cm HOSE-TB3132A | | | | | | | | | | | | | | | | | | | | | | | | | |
| SN1031A | SN1031A1 |  | KSN1031A | SINGLE POINT CORE PROBE KIT L2000 | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>0H7030A0</td> <td>THERMOSTAT BULB INLET COVER</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>GN1632A0</td> <td>CORE PROBE INLET GASKET</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>SL1045A0</td> <td>S57 BLACK SILICONE - 80ml CARTRIDGE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>SN1031A1</td> <td>SN1031A1</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VI1220A1</td> <td>4,2x12 TCB SELF-TAPPIN G SCREW</td> <td>3.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | 0H7030A0 | THERMOSTAT BULB INLET COVER | 1.000 | PC | GN1632A0 | CORE PROBE INLET GASKET | 1.000 | PC | SL1045A0 | S57 BLACK SILICONE - 80ml CARTRIDGE | 1.000 | PC | SN1031A1 | SN1031A1 | 1.000 | PC | VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 3.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0H7030A0 | THERMOSTAT BULB INLET COVER | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1632A0 | CORE PROBE INLET GASKET | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SL1045A0 | S57 BLACK SILICONE - 80ml CARTRIDGE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SN1031A1 | SN1031A1 | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | |



| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--|---|------------|---|--|------|-------------|-----|-----|----------|---|-------|----|----------|--|-------|----|-----------|-----------|-------|----|-----------|-----------|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | |
| GRL1436B | GRL1436B0 |  | KGRL1437B | MM 4TG 600X400 LATERAL SUPPORTS KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>0H2127A1</td> <td>XEBC 4x600x400 LEFT LAT SUPP FLAT PLATE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>0H2128A1</td> <td>XEBC 4x600x400 RIGHT LAT SUPP FLAT PLATE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>GRL1436B0</td> <td>GRL1436B0</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>GRL1437B0</td> <td>GRL1437B0</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | 0H2127A1 | XEBC 4x600x400 LEFT LAT SUPP FLAT PLATE | 1.000 | PC | 0H2128A1 | XEBC 4x600x400 RIGHT LAT SUPP FLAT PLATE | 1.000 | PC | GRL1436B0 | GRL1436B0 | 1.000 | PC | GRL1437B0 | GRL1437B0 | 1.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | |
| 0H2127A1 | XEBC 4x600x400 LEFT LAT SUPP FLAT PLATE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| 0H2128A1 | XEBC 4x600x400 RIGHT LAT SUPP FLAT PLATE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| GRL1436B0 | GRL1436B0 | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| GRL1437B0 | GRL1437B0 | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| GRL1437B | GRL1437B0 |  | KGRL1437B | MM 4TG 600X400 LATERAL SUPPORTS KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>0H2127A1</td> <td>XEBC 4x600x400 LEFT LAT SUPP FLAT PLATE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>0H2128A1</td> <td>XEBC 4x600x400 RIGHT LAT SUPP FLAT PLATE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>GRL1436B0</td> <td>GRL1436B0</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>GRL1437B0</td> <td>GRL1437B0</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | 0H2127A1 | XEBC 4x600x400 LEFT LAT SUPP FLAT PLATE | 1.000 | PC | 0H2128A1 | XEBC 4x600x400 RIGHT LAT SUPP FLAT PLATE | 1.000 | PC | GRL1436B0 | GRL1436B0 | 1.000 | PC | GRL1437B0 | GRL1437B0 | 1.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | |
| 0H2127A1 | XEBC 4x600x400 LEFT LAT SUPP FLAT PLATE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| 0H2128A1 | XEBC 4x600x400 RIGHT LAT SUPP FLAT PLATE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| GRL1436B0 | GRL1436B0 | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| GRL1437B0 | GRL1437B0 | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| 0H7030A | THERMOSTAT BULB INLET COVER |  | K0H7030A | THERMOSTAT BULB INLET COVER KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>0H7030A0</td> <td>THERMOSTAT BULB INLET COVER</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | 0H7030A0 | THERMOSTAT BULB INLET COVER | 1.000 | PC | | | | | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | |
| 0H7030A0 | THERMOSTAT BULB INLET COVER | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| GN1632A | CORE PROBE INLET GASKET |  | GN1632A0 | CORE PROBE INLET GASKET | | | | | | | | | | | | | | | | | | | | | |



| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--|--|------------|---|--|------|-------------|-----|-----|----------|-----------------------------------|--------|----|----------|--|-------|----|----------|---|-------|----|----------|--|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | |
| GN1658A | GN1626A- XEBC-04EU GASKET MM |  | KGN1658A | XEBC-04XX DOOR GASKET KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>GN1626A0</td> <td>DOUBLE LIP-TYPE FRONT GASKE</td> <td>2.210</td> <td>M</td> </tr> <tr> <td>SL1025A0</td> <td>CLEAR SILICON DOW CORNING 734</td> <td>0.012</td> <td>PC</td> </tr> <tr> <td>VM2277A0</td> <td>DOOR SEAL KIT INTERNAL CONNECTION</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | GN1626A0 | DOUBLE LIP-TYPE FRONT GASKE | 2.210 | M | SL1025A0 | CLEAR SILICON DOW CORNING 734 | 0.012 | PC | VM2277A0 | DOOR SEAL KIT INTERNAL CONNECTION | 1.000 | PC | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | |
| GN1626A0 | DOUBLE LIP-TYPE FRONT GASKE | 2.210 | M | | | | | | | | | | | | | | | | | | | | | | |
| SL1025A0 | CLEAR SILICON DOW CORNING 734 | 0.012 | PC | | | | | | | | | | | | | | | | | | | | | | |
| VM2277A0 | DOOR SEAL KIT INTERNAL CONNECTION | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| RC1378A | HOSE CLAMP |  | KVM2379A | MM 200V VENTURI ACTUATOR SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>RC1378A0</td> <td>HOSE CLAMP</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>TB1520A0</td> <td>Int. Ø=38 TH=4 DRAIN BLACK RUBBER PIPE</td> <td>0.120</td> <td>M</td> </tr> <tr> <td>VM2379A1</td> <td></td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | RC1378A0 | HOSE CLAMP | 3.000 | PC | TB1520A0 | Int. Ø=38 TH=4 DRAIN BLACK RUBBER PIPE | 0.120 | M | VM2379A1 | | 1.000 | PC | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | |
| RC1378A0 | HOSE CLAMP | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| TB1520A0 | Int. Ø=38 TH=4 DRAIN BLACK RUBBER PIPE | 0.120 | M | | | | | | | | | | | | | | | | | | | | | | |
| VM2379A1 | | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| | | | KVM2378A | MM 240V VENTURI ACTUATOR SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>RC1378A0</td> <td>HOSE CLAMP</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>TB1520A0</td> <td>Int. Ø=38 TH=4 DRAIN BLACK RUBBER PIPE</td> <td>0.120</td> <td>M</td> </tr> <tr> <td>VM2378A1</td> <td></td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | RC1378A0 | HOSE CLAMP | 3.000 | PC | TB1520A0 | Int. Ø=38 TH=4 DRAIN BLACK RUBBER PIPE | 0.120 | M | VM2378A1 | | 1.000 | PC | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | |
| RC1378A0 | HOSE CLAMP | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| TB1520A0 | Int. Ø=38 TH=4 DRAIN BLACK RUBBER PIPE | 0.120 | M | | | | | | | | | | | | | | | | | | | | | | |
| VM2378A1 | | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| | | | KVM2377A | MM 220 V VENTURI ACTUATOR SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>RC1378A0</td> <td>HOSE CLAMP</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>TB1520A0</td> <td>Int. Ø=38 TH=4 DRAIN BLACK RUBBER PIPE</td> <td>0.120</td> <td>M</td> </tr> <tr> <td>VM2377A1</td> <td>220 V 50/60 HZ EUR VENTURI SET</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | RC1378A0 | HOSE CLAMP | 3.000 | PC | TB1520A0 | Int. Ø=38 TH=4 DRAIN BLACK RUBBER PIPE | 0.120 | M | VM2377A1 | 220 V 50/60 HZ EUR VENTURI SET | 1.000 | PC | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | |
| RC1378A0 | HOSE CLAMP | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| TB1520A0 | Int. Ø=38 TH=4 DRAIN BLACK RUBBER PIPE | 0.120 | M | | | | | | | | | | | | | | | | | | | | | | |
| VM2377A1 | 220 V 50/60 HZ EUR VENTURI SET | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| | | | KVE1140A | S.5/5E JAPAN VERSION VENTURI COIL KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>RC1378A0</td> <td>HOSE CLAMP</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>TB1520A0</td> <td>Int. Ø=38 TH=4 DRAIN BLACK RUBBER PIPE</td> <td>0.050</td> <td>M</td> </tr> <tr> <td>VI1220A1</td> <td>4,2x12 TCB SELF-TAPPIN G SCREW</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2632A0</td> <td></td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | RC1378A0 | HOSE CLAMP | 2.000 | PC | TB1520A0 | Int. Ø=38 TH=4 DRAIN BLACK RUBBER PIPE | 0.050 | M | VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 1.000 | PC | VM2632A0 | | 1.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | |
| RC1378A0 | HOSE CLAMP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| TB1520A0 | Int. Ø=38 TH=4 DRAIN BLACK RUBBER PIPE | 0.050 | M | | | | | | | | | | | | | | | | | | | | | | |
| VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| VM2632A0 | | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| | | | KVE1014A | US VERSION SERIES 5 VENTURI COIL KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>RC1378A0</td> <td>HOSE CLAMP</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>TB1520A0</td> <td>Int. Ø=38 TH=4 DRAIN BLACK RUBBER PIPE</td> <td>0.050</td> <td>M</td> </tr> <tr> <td>VM2633A0</td> <td></td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | RC1378A0 | HOSE CLAMP | 2.000 | PC | TB1520A0 | Int. Ø=38 TH=4 DRAIN BLACK RUBBER PIPE | 0.050 | M | VM2633A0 | | 1.000 | PC | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | |
| RC1378A0 | HOSE CLAMP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| TB1520A0 | Int. Ø=38 TH=4 DRAIN BLACK RUBBER PIPE | 0.050 | M | | | | | | | | | | | | | | | | | | | | | | |
| VM2633A0 | | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| | | | KRC1378A | HOSE CLAMP 10 PCS KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>RC1378A0</td> <td>HOSE CLAMP</td> <td>10.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | RC1378A0 | HOSE CLAMP | 10.000 | PC | | | | | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | |
| RC1378A0 | HOSE CLAMP | 10.000 | PC | | | | | | | | | | | | | | | | | | | | | | |




| COMPONENT | | | SPARE PART | | | | | | | | | | |
|-----------|--|---|------------|--|---|------|-------------|-----|-----|----------|--|--------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | |
| TB1389A | TB1520A-VENTURI PIPE FAN XEBC-04 |  | TB1389A0 | TB1520A-VENTURI PIPE FAN XEBC-04 | | | | | | | | | |
| TB3033A | XEBC-10 CHAMBER CHIMNEY PIPE D50 |  | TB3033A0 | XEBC-10 CHAMBER CHIMNEY PIPE D50 | | | | | | | | | |
| VL1037A | WASHING SYSTEM ROTOR ARM |  | KVL1037A | WASHING SYSTEM ROTOR ARM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VL1037A3</td> <td>WASHING SYSTEM ROTOR ARM</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VL1037A3 | WASHING SYSTEM ROTOR ARM | 1.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | |
| VL1037A3 | WASHING SYSTEM ROTOR ARM | 1.000 | PC | | | | | | | | | | |
| VM1820A | LATERAL SUPPORTS M6 FIXING BOLT |  | KVM1820A | THUMB SCREW 10PCS KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VM1820A0</td> <td>LATERAL SUPPORTS M6 FIXING BOLT</td> <td>10.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VM1820A0 | LATERAL SUPPORTS M6 FIXING BOLT | 10.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | |
| VM1820A0 | LATERAL SUPPORTS M6 FIXING BOLT | 10.000 | PC | | | | | | | | | | |
| VM2331A | FAN GUARD-TRAYS HOLDER PIN |  | KVM2331A | FAN GUARD-TRAYS HOLDER PIN 4 PCS KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VM2331A0</td> <td>FAN GUARD-TRAY S HOLDER PIN</td> <td>4.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VM2331A0 | FAN GUARD-TRAY S HOLDER PIN | 4.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | |
| VM2331A0 | FAN GUARD-TRAY S HOLDER PIN | 4.000 | PC | | | | | | | | | | |



ASM1770C/0.D02 - External cover


FRONT










ASM1770C/0.D02 - External cover

REAR







| COMPONENT | | | SPARE PART | | |
|-----------|--------------------------------------|---|------------|--------------------------------------|----------------|
| Code | Description | Image | Code | Description | Kit components |
| 0D2305B | XEBC-04EU-E EXTERNAL TOP COVER |  | 0D2305B1 | XEBC-04EU-E EXTERNAL TOP COVER | |
| 0D2306A | XEBC-04EU-E LEFT SIDE PANEL |  | 0D2306A1 | XEBC-04EU-E LEFT SIDE PANEL | |
| 0D2307A | XEBC-04EU-E RIGHT SIDE PANEL |  | 0D2307A1 | XEBC-04EU-E RIGHT SIDE PANEL | |
| 0E1351C | XEBC EXTERNAL BOTTOM PANEL |  | 0E1351C0 | XEBC EXTERNAL BOTTOM PANEL | |
| 0F1503A | XEBC-04EU-E BACK PANEL |  | 0F1503A0 | XEBC-04EU-E BACK PANEL | |







| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | |
|-----------|---------------------------------|---|------------|---------------------------------------|--|------|-------------|-----|-----|----------|---------------------------------|-------|----|----------|---------------------------------|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | |
| VM1750A | BRASS COMB CLAM |  | KVM1750A | COMB TERMINAL BLOCK KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>V11040A0</td> <td>INDENTED INTERNAL WASHER D=6 ZN</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VM1750A0</td> <td>BRASS COMB CLAMP</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | V11040A0 | INDENTED INTERNAL WASHER D=6 ZN | 2.000 | PC | VM1750A0 | BRASS COMB CLAMP | 1.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | |
| V11040A0 | INDENTED INTERNAL WASHER D=6 ZN | 2.000 | PC | | | | | | | | | | | | | | |
| VM1750A0 | BRASS COMB CLAMP | 1.000 | PC | | | | | | | | | | | | | | |
| SB1015A | 4L DETERGENT TAN |  | KSB1015A | 4L DETERGENT TANK KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>SB1015A3</td> <td>4L COMPLETE DETERGENT TANK</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | SB1015A3 | 4L COMPLETE DETERGENT TANK | 1.000 | PC | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | |
| SB1015A3 | 4L COMPLETE DETERGENT TANK | 1.000 | PC | | | | | | | | | | | | | | |
| VM1118A | DET&Rinse PLUS TANK LEFT GUIDE |  | KVM1118A | DET&RINSE TANK LEFT GUIDE KIT FOR MM | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>V11220A1</td> <td>4,2x12 TCB SELF-TAPPIN G SCREW</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VM1118A0</td> <td>DET&Rinse PLUS TANK LEFT GUIDE</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | V11220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 2.000 | PC | VM1118A0 | DET&Rinse PLUS TANK LEFT GUIDE | 1.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | |
| V11220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 2.000 | PC | | | | | | | | | | | | | | |
| VM1118A0 | DET&Rinse PLUS TANK LEFT GUIDE | 1.000 | PC | | | | | | | | | | | | | | |
| VM1119A | DET&Rinse PLUS TANK RIGHT GUIDE |  | KVM1119A | DET&RINSE TANK RIGHT GUIDE KIT FOR MM | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>V11220A1</td> <td>4,2x12 TCB SELF-TAPPIN G SCREW</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VM1119A0</td> <td>DET&Rinse PLUS TANK RIGHT GUIDE</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | V11220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 2.000 | PC | VM1119A0 | DET&Rinse PLUS TANK RIGHT GUIDE | 1.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | |
| V11220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 2.000 | PC | | | | | | | | | | | | | | |
| VM1119A0 | DET&Rinse PLUS TANK RIGHT GUIDE | 1.000 | PC | | | | | | | | | | | | | | |
| 0H8038A | MM REDUCER SUPPORT PLATE |  | 0H8038A0 | MM REDUCER SUPPORT PLATE | | | | | | | | | | | | | |

| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--|--|------------|---|---|------|-------------|-----|-----|----------|--|-------|----|----------|--|-------|----|----------|--|-------|----|----------|---|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | |
| RC1396A | JG D10-1/4 STRAIGHT END FITTING |  | KVL0014B | ≥2017 MIND.MAPS PRESSURE REDUCER KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>RC1372A0</td> <td>Ø10M-1/4 M CIL. STRAIGHT FITTING</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>RC1396A0</td> <td>JG D10-1/4 STRAIGHT END FITTING</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1014B2</td> <td>PRESSURE REDUCER WITH DISTRIBUTOR</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM1054A0</td> <td>H7.8 PRESSURE REDUCER RING NUT</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | RC1372A0 | Ø10M-1/4 M CIL. STRAIGHT FITTING | 1.000 | PC | RC1396A0 | JG D10-1/4 STRAIGHT END FITTING | 1.000 | PC | VL1014B2 | PRESSURE REDUCER WITH DISTRIBUTOR | 1.000 | PC | VM1054A0 | H7.8 PRESSURE REDUCER RING NUT | 1.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | |
| RC1372A0 | Ø10M-1/4 M CIL. STRAIGHT FITTING | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| RC1396A0 | JG D10-1/4 STRAIGHT END FITTING | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| VL1014B2 | PRESSURE REDUCER WITH DISTRIBUTOR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| VM1054A0 | H7.8 PRESSURE REDUCER RING NUT | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| VL1014B | PRESSURE REDUCER WITH DISTRIBUTOR |  | KVL0020A | PRESS.REDUCER 03-05XX≥OCT18/MM -LUX≥MAR19 | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>RC1396A0</td> <td>JG D10-1/4 STRAIGHT END FITTING</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VL1014B2</td> <td>PRESSURE REDUCER WITH DISTRIBUTOR</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM1054A0</td> <td>H7.8 PRESSURE REDUCER RING NUT</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | RC1396A0 | JG D10-1/4 STRAIGHT END FITTING | 2.000 | PC | VL1014B2 | PRESSURE REDUCER WITH DISTRIBUTOR | 1.000 | PC | VM1054A0 | H7.8 PRESSURE REDUCER RING NUT | 1.000 | PC | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | |
| RC1396A0 | JG D10-1/4 STRAIGHT END FITTING | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| VL1014B2 | PRESSURE REDUCER WITH DISTRIBUTOR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| VM1054A0 | H7.8 PRESSURE REDUCER RING NUT | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| | | | KVL0014B | ≥2017 MIND.MAPS PRESSURE REDUCER KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>RC1372A0</td> <td>Ø10M-1/4 M CIL. STRAIGHT FITTING</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>RC1396A0</td> <td>JG D10-1/4 STRAIGHT END FITTING</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1014B2</td> <td>PRESSURE REDUCER WITH DISTRIBUTOR</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM1054A0</td> <td>H7.8 PRESSURE REDUCER RING NUT</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | RC1372A0 | Ø10M-1/4 M CIL. STRAIGHT FITTING | 1.000 | PC | RC1396A0 | JG D10-1/4 STRAIGHT END FITTING | 1.000 | PC | VL1014B2 | PRESSURE REDUCER WITH DISTRIBUTOR | 1.000 | PC | VM1054A0 | H7.8 PRESSURE REDUCER RING NUT | 1.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | |
| RC1372A0 | Ø10M-1/4 M CIL. STRAIGHT FITTING | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| RC1396A0 | JG D10-1/4 STRAIGHT END FITTING | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| VL1014B2 | PRESSURE REDUCER WITH DISTRIBUTOR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| VM1054A0 | H7.8 PRESSURE REDUCER RING NUT | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| | | | KVL0014A | MM ≤2016 / LUX<2019 PRESSURE REDUCER KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>RC1372A0</td> <td>Ø10M-1/4 M CIL. STRAIGHT FITTING</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VL1014B2</td> <td>PRESSURE REDUCER WITH DISTRIBUTOR</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM1054A0</td> <td>H7.8 PRESSURE REDUCER RING NUT</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | RC1372A0 | Ø10M-1/4 M CIL. STRAIGHT FITTING | 2.000 | PC | VL1014B2 | PRESSURE REDUCER WITH DISTRIBUTOR | 1.000 | PC | VM1054A0 | H7.8 PRESSURE REDUCER RING NUT | 1.000 | PC | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | |
| RC1372A0 | Ø10M-1/4 M CIL. STRAIGHT FITTING | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| VL1014B2 | PRESSURE REDUCER WITH DISTRIBUTOR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| VM1054A0 | H7.8 PRESSURE REDUCER RING NUT | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | |



| COMPONENT | | | SPARE PART | | | | | | | | | | |
|--|--|--|------------|------------------------------------|---|---|---|-------|-----|----------|--------------------------------------|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | |
| VL1014B | PRESSURE REDUCER WITH DISTRIBUTOR |  | KVL0010A | S.4 - 5 WATER PRESSURE REDUCER KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>EL1210A0</td> <td>D8-BSP1/4 JG STRAIGHT END CONNECTION</td> <td>2.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | EL1210A0 | D8-BSP1/4 JG STRAIGHT END CONNECTION | 2.000 | PC |
| | | | | | Code | Description | Qty | UOM | | | | | |
| EL1210A0 | D8-BSP1/4 JG STRAIGHT END CONNECTION | 2.000 | PC | | | | | | | | | | |
| <table border="1"> <tbody> <tr> <td>VL1014B2</td> <td>PRESSURE REDUCER WITH DISTRIBUTOR</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | VL1014B2 | PRESSURE REDUCER WITH DISTRIBUTOR | 1.000 | PC | | | | | | | | | |
| VL1014B2 | PRESSURE REDUCER WITH DISTRIBUTOR | 1.000 | PC | | | | | | | | | | |
| VM1054A | H7.8 PRESSURE REDUCER RING NUT |  | KVM1054A | H7.8 PRESSURE REDUCER DIAL KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VM1054A0</td> <td>H7.8 PRESSURE REDUCER RING NUT</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VM1054A0 | H7.8 PRESSURE REDUCER RING NUT | 1.000 | PC |
| | | | | | Code | Description | Qty | UOM | | | | | |
| | | | | | VM1054A0 | H7.8 PRESSURE REDUCER RING NUT | 1.000 | PC | | | | | |
| | | | | | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>0H7472A1</td> <td>DISTRIBUTOR SUPPORT PLATE</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | 0H7472A1 | DISTRIBUTOR SUPPORT PLATE | 1.000 | PC |
| | | | | | Code | Description | Qty | UOM | | | | | |
| | | | | | 0H7472A1 | DISTRIBUTOR SUPPORT PLATE | 1.000 | PC | | | | | |
| | | | | | <table border="1"> <tbody> <tr> <td>RC1004A0</td> <td>Ø10-Ø8-8 Y CONNECTION</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | RC1004A0 | Ø10-Ø8-8 Y CONNECTION | 1.000 | PC | | | | |
| | | | | | RC1004A0 | Ø10-Ø8-8 Y CONNECTION | 1.000 | PC | | | | | |
| | | | | | <table border="1"> <tbody> <tr> <td>RC1243A0</td> <td>Ø10F-Ø10M ELBOW CONNECTION + JG END KIT</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | RC1243A0 | Ø10F-Ø10M ELBOW CONNECTION + JG END KIT | 1.000 | PC | | | | |
| | | | | | RC1243A0 | Ø10F-Ø10M ELBOW CONNECTION + JG END KIT | 1.000 | PC | | | | | |
| | | | | | <table border="1"> <tbody> <tr> <td>RC1372A0</td> <td>Ø10M-1/4 M CIL. STRAIGHT FITTING</td> <td>2.000</td> <td>PC</td> </tr> </tbody> </table> | RC1372A0 | Ø10M-1/4 M CIL. STRAIGHT FITTING | 2.000 | PC | | | | |
| | | | | | RC1372A0 | Ø10M-1/4 M CIL. STRAIGHT FITTING | 2.000 | PC | | | | | |
| | | | | | <table border="1"> <tbody> <tr> <td>VI1220A1</td> <td>4,2x12 TCB SELF-TAPPING SCREW</td> <td>4.000</td> <td>PC</td> </tr> </tbody> </table> | VI1220A1 | 4,2x12 TCB SELF-TAPPING SCREW | 4.000 | PC | | | | |
| | | | | | VI1220A1 | 4,2x12 TCB SELF-TAPPING SCREW | 4.000 | PC | | | | | |
| | | | | | <table border="1"> <tbody> <tr> <td>VL1014B2</td> <td>PRESSURE REDUCER WITH DISTRIBUTOR</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | VL1014B2 | PRESSURE REDUCER WITH DISTRIBUTOR | 1.000 | PC | | | | |
| VL1014B2 | PRESSURE REDUCER WITH DISTRIBUTOR | 1.000 | PC | | | | | | | | | | |
| <table border="1"> <tbody> <tr> <td>VL1034C0</td> <td>MESH WATER FILTER D10</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | VL1034C0 | MESH WATER FILTER D10 | 1.000 | PC | | | | | | | | | |
| VL1034C0 | MESH WATER FILTER D10 | 1.000 | PC | | | | | | | | | | |
| <table border="1"> <tbody> <tr> <td>VL1062C0</td> <td>PRESSURE REDUCER-FILTER LOCKING FORK</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | VL1062C0 | PRESSURE REDUCER-FILTER LOCKING FORK | 1.000 | PC | | | | | | | | | |
| VL1062C0 | PRESSURE REDUCER-FILTER LOCKING FORK | 1.000 | PC | | | | | | | | | | |
| <table border="1"> <tbody> <tr> <td>VM1054A0</td> <td>H7.8 PRESSURE REDUCER RING NUT</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | VM1054A0 | H7.8 PRESSURE REDUCER RING NUT | 1.000 | PC | | | | | | | | | |
| VM1054A0 | H7.8 PRESSURE REDUCER RING NUT | 1.000 | PC | | | | | | | | | | |
| <table border="1"> <tbody> <tr> <td>KVL1117A</td> <td>EUR MM 2016+LMT FILTER+PRESS. RED. KIT</td> <td></td> <td></td> </tr> </tbody> </table> | KVL1117A | EUR MM 2016+LMT FILTER+PRESS. RED. KIT | | | | | | | | | | | |
| KVL1117A | EUR MM 2016+LMT FILTER+PRESS. RED. KIT | | | | | | | | | | | | |



| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--|---|------------|------------------------------------|--|------|-------------|---|--------|----------|--------------------------|-------|----|----------|----------------------------------|-------|----|----------|--------------------------------|-------|----|----------|---|-------|----|----------|---------------------------------|-------|----|----------|-------------------------|-------|---|----------|-------------------------------|-------|----|----------|--|-------|----|----------|-----------------------------------|-------|----|----------|-------------------------------------|-------|----|----------|--------------------------------|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1243A | Ø10F-Ø10M ELBOW CONNECTION + JG END KIT |  | KVL1163A | MINDMAPS INLET CONNECTING PIPE KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>0H8038A0</td> <td>MM REDUCER SUPPORT PLATE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>0H8039A0</td> <td>MM COMPACT REDUCER SUPPORT PLATE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>CH1026A0</td> <td>UNOX JOHN GUEST SPANNER D8-D10</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>RC1243A0</td> <td>Ø10F-Ø10M ELBOW CONNECTION + JG END KIT</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>RC1396A0</td> <td>JG D10-1/4 STRAIGHT END FITTING</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>TB2243A0</td> <td>D10 PE TRANSPARENT PIPE</td> <td>1.500</td> <td>M</td> </tr> <tr> <td>VI1220A1</td> <td>4,2x12 TCB SELF-TAPPING SCREW</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VI1950A0</td> <td>ST. STEEL 4,2X13 TCB SELF-DRILLING SCREW</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1014B2</td> <td>PRESSURE REDUCER WITH DISTRIBUTOR</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1135A1</td> <td>3/4-JG10 CONNECTOR + FILTER AND NRV</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM1054A0</td> <td>H7.8 PRESSURE REDUCER RING NUT</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | 0H8038A0 | MM REDUCER SUPPORT PLATE | 1.000 | PC | 0H8039A0 | MM COMPACT REDUCER SUPPORT PLATE | 1.000 | PC | CH1026A0 | UNOX JOHN GUEST SPANNER D8-D10 | 1.000 | PC | RC1243A0 | Ø10F-Ø10M ELBOW CONNECTION + JG END KIT | 2.000 | PC | RC1396A0 | JG D10-1/4 STRAIGHT END FITTING | 2.000 | PC | TB2243A0 | D10 PE TRANSPARENT PIPE | 1.500 | M | VI1220A1 | 4,2x12 TCB SELF-TAPPING SCREW | 2.000 | PC | VI1950A0 | ST. STEEL 4,2X13 TCB SELF-DRILLING SCREW | 1.000 | PC | VL1014B2 | PRESSURE REDUCER WITH DISTRIBUTOR | 1.000 | PC | VL1135A1 | 3/4-JG10 CONNECTOR + FILTER AND NRV | 1.000 | PC | VM1054A0 | H7.8 PRESSURE REDUCER RING NUT | 1.000 | PC |
| | | | Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0H8038A0 | MM REDUCER SUPPORT PLATE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0H8039A0 | MM COMPACT REDUCER SUPPORT PLATE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CH1026A0 | UNOX JOHN GUEST SPANNER D8-D10 | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1243A0 | Ø10F-Ø10M ELBOW CONNECTION + JG END KIT | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1396A0 | JG D10-1/4 STRAIGHT END FITTING | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB2243A0 | D10 PE TRANSPARENT PIPE | 1.500 | M | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1220A1 | 4,2x12 TCB SELF-TAPPING SCREW | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1950A0 | ST. STEEL 4,2X13 TCB SELF-DRILLING SCREW | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1014B2 | PRESSURE REDUCER WITH DISTRIBUTOR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1135A1 | 3/4-JG10 CONNECTOR + FILTER AND NRV | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM1054A0 | H7.8 PRESSURE REDUCER RING NUT | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| KRC1243A | Ø10F-Ø10M ELBOW CONN + JG END 10 PCS KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>RC1243A0</td> <td>Ø10F-Ø10M ELBOW CONNECTION + JG END KIT</td> <td>10.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | RC1243A0 | Ø10F-Ø10M ELBOW CONNECTION + JG END KIT | 10.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1243A0 | Ø10F-Ø10M ELBOW CONNECTION + JG END KIT | 10.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | |
|-----------|---|--|------------|--|--|-------------------------------------|-------------|--------------------------------|-------|----------|---|---------|----|----------|--|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | |
| TB1099A | TB3130A-D10 WATER CONNECTING PIPE |  | KTB2599A | Ø10 PET WATER PIPE TB2243A0 100M KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>TB2243A0</td> <td>D10 PE TRANSPAREN T PIPE</td> <td>100.000</td> <td>M</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | TB2243A0 | D10 PE TRANSPAREN T PIPE | 100.000 | M | | | | |
| | | | Code | Description | Qty | UOM | | | | | | | | | | | |
| TB2243A0 | D10 PE TRANSPAREN T PIPE | 100.000 | M | | | | | | | | | | | | | | |
| KTB2598A | D10 PET HUMIDITY PIPE TB2243A0 3 M KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>TB2243A0</td> <td>D10 PE TRANSPAREN T PIPE</td> <td>3.000</td> <td>M</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | TB2243A0 | D10 PE TRANSPAREN T PIPE | 3.000 | M | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | |
| TB2243A0 | D10 PE TRANSPAREN T PIPE | 3.000 | M | | | | | | | | | | | | | | |
| VL1135A | 3/4-JG10 CONNECTOR + FILTER AND NRV |  | KVL1135A | 3/4-JG10 FITTING WITH FILTER AND VNR KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>RC1360A0</td> <td>10 - 10 JG ELBOW FITTING</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1135A1</td> <td>3/4-JG10 CONNECTOR + FILTER AND NRV</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | RC1360A0 | 10 - 10 JG ELBOW FITTING | 1.000 | PC | VL1135A1 | 3/4-JG10 CONNECTOR + FILTER AND NRV | 1.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | |
| RC1360A0 | 10 - 10 JG ELBOW FITTING | 1.000 | PC | | | | | | | | | | | | | | |
| VL1135A1 | 3/4-JG10 CONNECTOR + FILTER AND NRV | 1.000 | PC | | | | | | | | | | | | | | |
| TB3251A | TB3131A-H2O STEAM INLET PIPE |  | KTB3131A | WHITE-BLACK 6X12 STEAM PIPE 3M KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>TB3131A0</td> <td>WHITE-BLACK EPDM TEXTILE BRAID HOSE 6x12</td> <td>3.000</td> <td>M</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | TB3131A0 | WHITE-BLACK EPDM TEXTILE BRAID HOSE 6x12 | 3.000 | M | | | | |
| | | | | | Code | Description | Qty | UOM | | | | | | | | | |
| TB3131A0 | WHITE-BLACK EPDM TEXTILE BRAID HOSE 6x12 | 3.000 | M | | | | | | | | | | | | | | |
| VM1794A0 | 250x4.8 PA66 BLACK CLAMP | 1.000 | PC | | | | | | | | | | | | | | |
| VL1086A | LIMESCALE REMOVER NEODYMIUM MAGNET |  | KVL1086A | NEODYMIUM MAGNET ANTI-LIMESCALE KI | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VL1086A0</td> <td>LIMESCALE REMOVER NEODYMIUM MAGNET</td> <td>2.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VL1086A0 | LIMESCALE REMOVER NEODYMIUM MAGNET | 2.000 | PC | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | |
| VL1086A0 | LIMESCALE REMOVER NEODYMIUM MAGNET | 2.000 | PC | | | | | | | | | | | | | | |
| VL1096A | 2PCS T-SHAPED FIT-D6-D10 HOLD-MAGNET |  | KVL1096A | T - SHAPED FIT-D6-D10 HOLD-2 MAGNETS KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>RC1018A0</td> <td>ZINC PLATED D12 ELASTIC CLAMP</td> <td>2.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 2.000 | PC | | | | |
| | | | | | Code | Description | Qty | UOM | | | | | | | | | |
| | | | | | RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 2.000 | PC | | | | | | | | | |
| VL1086A0 | LIMESCALE REMOVER NEODYMIUM MAGNET | 2.000 | PC | | | | | | | | | | | | | | |
| VL1096A1 | 2PCS T-SHAPED FIT-D6-D10 HOLD-MAGNE | 1.000 | PC | | | | | | | | | | | | | | |



| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--------------------------------------|---|------------|---|---|------|-------------|-----|-----|----------|--------------------------------------|--------|----|----------|--------------------------------|-------|----|----------|------------------------------|-------|----|----------|----------|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | |
| VM1630A | INTERNAL GLASS PUSHING CAP |  | KVM1630A | CAP FOR INTERNAL GLASS 10 PCS KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VM1630A1</td> <td>INTERNAL GLASS PUSHING CAP</td> <td>10.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VM1630A1 | INTERNAL GLASS PUSHING CAP | 10.000 | PC | | | | | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | |
| VM1630A1 | INTERNAL GLASS PUSHING CAP | 10.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| VM2280B | HANDLE LATCH PLATE COVER |  | KVM2280B | VM2280B -M HANDLE LATCH PLATE COVER KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VI1074A0</td> <td>4X16 SCREW FOR PLASTIC</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VM1630A1</td> <td>INTERNAL GLASS PUSHING CAP</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VM2280B0</td> <td>HANDLE LATCH PLATE COVER</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VI1074A0 | 4X16 SCREW FOR PLASTIC | 2.000 | PC | VM1630A1 | INTERNAL GLASS PUSHING CAP | 2.000 | PC | VM2280B0 | HANDLE LATCH PLATE COVER | 1.000 | PC | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | |
| VI1074A0 | 4X16 SCREW FOR PLASTIC | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| VM1630A1 | INTERNAL GLASS PUSHING CAP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| VM2280B0 | HANDLE LATCH PLATE COVER | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| VP1531A | VP1531A0 |  | VP1531A0 | VP1531A0 | | | | | | | | | | | | | | | | | | | | | |
| VM1191A | CT BT LEFT DOOR SPRING LATCH |  | KVM1191A | CHEFTOP/BAKERTO P DOOR LEFT LATCH KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VI0239A1</td> <td>SELF-TAPPIN G SCREW 4.2X25 TCB+ INOX</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VI1220A1</td> <td>4,2x12 TCB SELF-TAPPIN G SCREW</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VM1460A0</td> <td>XBC/XVC RIGHT DOOR LATCH CAP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VP1531A0</td> <td>VP1531A0</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VI0239A1 | SELF-TAPPIN G SCREW 4.2X25 TCB+ INOX | 2.000 | PC | VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 2.000 | PC | VM1460A0 | XBC/XVC RIGHT DOOR LATCH CAP | 1.000 | PC | VP1531A0 | VP1531A0 | 1.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | |
| VI0239A1 | SELF-TAPPIN G SCREW 4.2X25 TCB+ INOX | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| VM1460A0 | XBC/XVC RIGHT DOOR LATCH CAP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| VP1531A0 | VP1531A0 | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| VM1192A | CT BT DOOR SPRING LATCH BACK COVER |  | KVM1191A | CHEFTOP/BAKERTO P DOOR LEFT LATCH KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VI0239A1</td> <td>SELF-TAPPIN G SCREW 4.2X25 TCB+ INOX</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VI1220A1</td> <td>4,2x12 TCB SELF-TAPPIN G SCREW</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VM1460A0</td> <td>XBC/XVC RIGHT DOOR LATCH CAP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VP1531A0</td> <td>VP1531A0</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VI0239A1 | SELF-TAPPIN G SCREW 4.2X25 TCB+ INOX | 2.000 | PC | VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 2.000 | PC | VM1460A0 | XBC/XVC RIGHT DOOR LATCH CAP | 1.000 | PC | VP1531A0 | VP1531A0 | 1.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | |
| VI0239A1 | SELF-TAPPIN G SCREW 4.2X25 TCB+ INOX | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| VM1460A0 | XBC/XVC RIGHT DOOR LATCH CAP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| VP1531A0 | VP1531A0 | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | |






| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|------------|--|---|---|-------------|-----|----------|--------------------------------------|---|-------|----------|------------------------------------|--------------------------------------|-------|----------|----------|------------------------------------|-------|----|----------|----------|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | |
| VM1192A | CT BT DOOR SPRING LATCH BACK COVER |  | KVM1190A | CHEFTOP/BAKERTO P DOOR RIGHT LATCH KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VI0239A1</td> <td>SELF-TAPPIN G SCREW 4.2X25 TCB+ INOX</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VI1220A1</td> <td>4,2x12 TCB SELF-TAPPIN G SCREW</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VM1460A0</td> <td>XBC/XVC RIGHT DOOR LATCH CAP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VP1530A0</td> <td>VP1530A0</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VI0239A1 | SELF-TAPPIN G SCREW 4.2X25 TCB+ INOX | 2.000 | PC | VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 2.000 | PC | VM1460A0 | XBC/XVC RIGHT DOOR LATCH CAP | 1.000 | PC | VP1530A0 | VP1530A0 | 1.000 | PC |
| | | | | | Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | |
| | | | | | VI0239A1 | SELF-TAPPIN G SCREW 4.2X25 TCB+ INOX | 2.000 | PC | | | | | | | | | | | | | | | | | |
| | | | | | VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 2.000 | PC | | | | | | | | | | | | | | | | | |
| VM1460A0 | XBC/XVC RIGHT DOOR LATCH CAP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| VP1530A0 | VP1530A0 | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VM2281A0</td> <td>DOOR LATCH HOLES COVER</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VM2281A0 | DOOR LATCH HOLES COVER | 1.000 | PC | | | | | | | | | | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | |
| VM2281A0 | DOOR LATCH HOLES COVER | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VI0239A1</td> <td>SELF-TAPPIN G SCREW 4.2X25 TCB+ INOX</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VI1220A1</td> <td>4,2x12 TCB SELF-TAPPIN G SCREW</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VM1460A0</td> <td>XBC/XVC RIGHT DOOR LATCH CAP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VP1530A0</td> <td>VP1530A0</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VI0239A1 | SELF-TAPPIN G SCREW 4.2X25 TCB+ INOX | 2.000 | PC | VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 2.000 | PC | VM1460A0 | XBC/XVC RIGHT DOOR LATCH CAP | 1.000 | PC | VP1530A0 | VP1530A0 | 1.000 | PC | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | |
| VI0239A1 | SELF-TAPPIN G SCREW 4.2X25 TCB+ INOX | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| VM1460A0 | XBC/XVC RIGHT DOOR LATCH CAP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| VP1530A0 | VP1530A0 | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VM2281A0</td> <td>DOOR LATCH HOLES COVER</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VM2281A0 | DOOR LATCH HOLES COVER | 1.000 | PC | | | | | | | | | | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | |
| VM2281A0 | DOOR LATCH HOLES COVER | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| VP1530A | VP1530A0 |  | KVM1190A | CHEFTOP/BAKERTO P DOOR RIGHT LATCH KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VI0239A1</td> <td>SELF-TAPPIN G SCREW 4.2X25 TCB+ INOX</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VI1220A1</td> <td>4,2x12 TCB SELF-TAPPIN G SCREW</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VM1460A0</td> <td>XBC/XVC RIGHT DOOR LATCH CAP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VP1530A0</td> <td>VP1530A0</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VI0239A1 | SELF-TAPPIN G SCREW 4.2X25 TCB+ INOX | 2.000 | PC | VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 2.000 | PC | VM1460A0 | XBC/XVC RIGHT DOOR LATCH CAP | 1.000 | PC | VP1530A0 | VP1530A0 | 1.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | |
| VI0239A1 | SELF-TAPPIN G SCREW 4.2X25 TCB+ INOX | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| VM1460A0 | XBC/XVC RIGHT DOOR LATCH CAP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| VP1530A0 | VP1530A0 | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| VM1190A | CT BT RIGHT DOOR SPRING LATCH |  | KVM1190A | CHEFTOP/BAKERTO P DOOR RIGHT LATCH KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VI0239A1</td> <td>SELF-TAPPIN G SCREW 4.2X25 TCB+ INOX</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VI1220A1</td> <td>4,2x12 TCB SELF-TAPPIN G SCREW</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VM1460A0</td> <td>XBC/XVC RIGHT DOOR LATCH CAP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VP1530A0</td> <td>VP1530A0</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VI0239A1 | SELF-TAPPIN G SCREW 4.2X25 TCB+ INOX | 2.000 | PC | VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 2.000 | PC | VM1460A0 | XBC/XVC RIGHT DOOR LATCH CAP | 1.000 | PC | VP1530A0 | VP1530A0 | 1.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | |
| VI0239A1 | SELF-TAPPIN G SCREW 4.2X25 TCB+ INOX | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| VM1460A0 | XBC/XVC RIGHT DOOR LATCH CAP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| VP1530A0 | VP1530A0 | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | |

| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | |
|-----------|---|---|------------|---|---|------|-------------|---|-------|----------|---|--------------------------------------|-------|----------|--------------------------------------|------------------------------------|-------|----------|------------------------------------|----------|-------|----------|----------|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | |
| VM1192A | CT BT DOOR SPRING LATCH BACK COVER |  | KVM1191A | CHEFTOP/BAKERTO P DOOR LEFT LATCH KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VI0239A1</td> <td>SELF-TAPPIN G SCREW 4.2X25 TCB+ INOX</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VI1220A1</td> <td>4,2x12 TCB SELF-TAPPIN G SCREW</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VM1460A0</td> <td>XBC/XVC RIGHT DOOR LATCH CAP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VP1531A0</td> <td>VP1531A0</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VI0239A1 | SELF-TAPPIN G SCREW 4.2X25 TCB+ INOX | 2.000 | PC | VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 2.000 | PC | VM1460A0 | XBC/XVC RIGHT DOOR LATCH CAP | 1.000 | PC | VP1531A0 | VP1531A0 | 1.000 | PC |
| | | | Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | |
| VI0239A1 | SELF-TAPPIN G SCREW 4.2X25 TCB+ INOX | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| VM1460A0 | XBC/XVC RIGHT DOOR LATCH CAP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| VP1531A0 | VP1531A0 | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| KVM1190A | CHEFTOP/BAKERTO P DOOR RIGHT LATCH KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VI0239A1</td> <td>SELF-TAPPIN G SCREW 4.2X25 TCB+ INOX</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VI1220A1</td> <td>4,2x12 TCB SELF-TAPPIN G SCREW</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VM1460A0</td> <td>XBC/XVC RIGHT DOOR LATCH CAP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VP1530A0</td> <td>VP1530A0</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VI0239A1 | SELF-TAPPIN G SCREW 4.2X25 TCB+ INOX | 2.000 | PC | VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 2.000 | PC | VM1460A0 | XBC/XVC RIGHT DOOR LATCH CAP | 1.000 | PC | VP1530A0 | VP1530A0 | 1.000 | PC | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | |
| VI0239A1 | SELF-TAPPIN G SCREW 4.2X25 TCB+ INOX | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| VM1460A0 | XBC/XVC RIGHT DOOR LATCH CAP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| VP1530A0 | VP1530A0 | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| VL1026A | BEND FOR DRAIN PIPE |  | KVL1026A | DRAIN PIPE BEND KI | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>GN1400A0</td> <td>U-TRAP SEAL</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1026A0</td> <td>BEND FOR DRAIN PIPE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2039A0</td> <td>DRAIN BEND FIXING RING</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | GN1400A0 | U-TRAP SEAL | 1.000 | PC | VL1026A0 | BEND FOR DRAIN PIPE | 1.000 | PC | VM2039A0 | DRAIN BEND FIXING RING | 1.000 | PC | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | |
| GN1400A0 | U-TRAP SEAL | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| VL1026A0 | BEND FOR DRAIN PIPE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| VM2039A0 | DRAIN BEND FIXING RING | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| VM2039A | DRAIN BEND FIXING RING |  | KVL1026A | DRAIN PIPE BEND KI | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>GN1400A0</td> <td>U-TRAP SEAL</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1026A0</td> <td>BEND FOR DRAIN PIPE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2039A0</td> <td>DRAIN BEND FIXING RING</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | GN1400A0 | U-TRAP SEAL | 1.000 | PC | VL1026A0 | BEND FOR DRAIN PIPE | 1.000 | PC | VM2039A0 | DRAIN BEND FIXING RING | 1.000 | PC | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | |
| GN1400A0 | U-TRAP SEAL | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| VL1026A0 | BEND FOR DRAIN PIPE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| VM2039A0 | DRAIN BEND FIXING RING | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | |









| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | |
|--|------------------------------------|---|------------|---------------------------------------|---|------------------------------------|-------------|-----|----------|---------------------------|------------------------------------|-------|----------|------------------------|-------------------------------|-------|----|----------|---------------------------------|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | |
| VM1555A | CT BT COOLING FAN SUPPORT |  | KVN1165A | S.5E ADVANCE/MM 230V COOLING FAN KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VI1099A0</td> <td>SELF-DRILLIN G SCREW 4.8X13 TCB+ Z</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>VM1555A2</td> <td>CT BT COOLING FAN SUPPORT</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VN1165A0</td> <td>230Vac 50/60Hz COOLING DOWN FAN</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VI1099A0 | SELF-DRILLIN G SCREW 4.8X13 TCB+ Z | 4.000 | PC | VM1555A2 | CT BT COOLING FAN SUPPORT | 1.000 | PC | VN1165A0 | 230Vac 50/60Hz COOLING DOWN FAN | 1.000 | PC |
| | | | | | Code | Description | Qty | UOM | | | | | | | | | | | | | |
| VI1099A0 | SELF-DRILLIN G SCREW 4.8X13 TCB+ Z | 4.000 | PC | | | | | | | | | | | | | | | | | | |
| VM1555A2 | CT BT COOLING FAN SUPPORT | 1.000 | PC | | | | | | | | | | | | | | | | | | |
| VN1165A0 | 230Vac 50/60Hz COOLING DOWN FAN | 1.000 | PC | | | | | | | | | | | | | | | | | | |
| <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VI1099A0</td> <td>SELF-DRILLIN G SCREW 4.8X13 TCB+ Z</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>VM1555A2</td> <td>CT BT COOLING FAN SUPPORT</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VN1164A0</td> <td>12VDC COOLING DONW FAN</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VI1099A0 | SELF-DRILLIN G SCREW 4.8X13 TCB+ Z | 4.000 | PC | VM1555A2 | CT BT COOLING FAN SUPPORT | 1.000 | PC | VN1164A0 | 12VDC COOLING DONW FAN | 1.000 | PC | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | |
| VI1099A0 | SELF-DRILLIN G SCREW 4.8X13 TCB+ Z | 4.000 | PC | | | | | | | | | | | | | | | | | | |
| VM1555A2 | CT BT COOLING FAN SUPPORT | 1.000 | PC | | | | | | | | | | | | | | | | | | |
| VN1164A0 | 12VDC COOLING DONW FAN | 1.000 | PC | | | | | | | | | | | | | | | | | | |
| VM1556A | XBC-XVC COOLING FAN GUARD |  | KVM1556A | XBC-XVC COOLING FAN GUARD KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VM1556A0</td> <td>XBC-XVC COOLING FAN GUARD</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VM1556A0 | XBC-XVC COOLING FAN GUARD | 1.000 | PC | | | | | | | | |
| | | | | | Code | Description | Qty | UOM | | | | | | | | | | | | | |
| VM1556A0 | XBC-XVC COOLING FAN GUARD | 1.000 | PC | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | |
| VN1165A | 230Vac 50/60Hz COOLING DOWN FA |  | KVN1165A | S.5E ADVANCE/MM 230V COOLING FAN KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VI1099A0</td> <td>SELF-DRILLIN G SCREW 4.8X13 TCB+ Z</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>VM1555A2</td> <td>CT BT COOLING FAN SUPPORT</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VN1165A0</td> <td>230Vac 50/60Hz COOLING DOWN FAN</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VI1099A0 | SELF-DRILLIN G SCREW 4.8X13 TCB+ Z | 4.000 | PC | VM1555A2 | CT BT COOLING FAN SUPPORT | 1.000 | PC | VN1165A0 | 230Vac 50/60Hz COOLING DOWN FAN | 1.000 | PC |
| | | | | | Code | Description | Qty | UOM | | | | | | | | | | | | | |
| VI1099A0 | SELF-DRILLIN G SCREW 4.8X13 TCB+ Z | 4.000 | PC | | | | | | | | | | | | | | | | | | |
| VM1555A2 | CT BT COOLING FAN SUPPORT | 1.000 | PC | | | | | | | | | | | | | | | | | | |
| VN1165A0 | 230Vac 50/60Hz COOLING DOWN FAN | 1.000 | PC | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | |
| EL1438A | BARBED STEAM SOLENOID VALVE 5+9 |  | KEL1438A | 5+9 BARBED 6 STEAM SOLENOID VALVE KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>EL1438A0</td> <td>BARBED STEAM SOLENOID VALVE 5+9</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>RC1018A0</td> <td>ZINC PLATED D12 ELASTIC CLAMP</td> <td>2.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | EL1438A0 | BARBED STEAM SOLENOID VALVE 5+9 | 1.000 | PC | RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 2.000 | PC | | | | |
| | | | | | Code | Description | Qty | UOM | | | | | | | | | | | | | |
| EL1438A0 | BARBED STEAM SOLENOID VALVE 5+9 | 1.000 | PC | | | | | | | | | | | | | | | | | | |
| RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 2.000 | PC | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | |




| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--|---|------------|--|---|------|-------------|-----|-----|----------|--|--------|----|----------|---------------------------------|-------|----|----------|-----------------------------|-------|----|----------|-------------------------------------|-------|----|----------|-----------------------|--------|----|----------|--------------|-------|----|----------|--------------------|-------|----|----------|--------------------------|-------|----|----------|--|-------|----|----------|---|-------|----|----------|---|-------|----|----------|--------------------------------------|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1414A | D12 HOSE CLAMP |  | KRC1414A | D11-12 HOSE SNAP CLAMP 10 PCS KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>RC1414A0</td> <td>D12 HOSE CLAMP</td> <td>50.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | RC1414A0 | D12 HOSE CLAMP | 50.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1414A0 | D12 HOSE CLAMP | 50.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3284A | TB3131A-830MM 6x12 WHITE-BLACK EPDM HOSE |  | TB3284A0 | TB3131A-830MM 6x12 WHITE-BLACK EPDM HOSE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1182A | ONE SINGLE ROTOR ARM WASHING CIRCUIT |  | KVL1182A | ONE 1ROT CLEANING SYSTEM KIT (0311 EXC.) | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>0H2202A1</td> <td>ONE WASHING WITH STEAM VALVE SUPPORT</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>EL1440A0</td> <td>WATER SELF CLEANING VALVE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>GN1526A0</td> <td>INT. D.=6.9 TH=1.8 O-RIN</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>RC1018A0</td> <td>ZINC PLATED D12 ELASTIC CLAMP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>RC1019A0</td> <td>D=10 ELASTIC CLAMP</td> <td>14.000</td> <td>PC</td> </tr> <tr> <td>RC1130A0</td> <td>130x2.6 CLAM</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>RC1242A0</td> <td>D=10 CLOSED CAP</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>TB2821A0</td> <td>EPDM 6X10 L=40MM PIPE</td> <td>6.000</td> <td>PC</td> </tr> <tr> <td>TB3004A0</td> <td>TB2820A L=550mm EPDM BLACK PIPE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB3009B0</td> <td>TB3132A-ONE OVEN WASHING INLET</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB3225B0</td> <td>TB2820A-TAN K-WASHYNG SYS CONNECTION</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VI1220A1</td> <td>4,2x12 TCB SELF-TAPPIN G SCREW</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | 0H2202A1 | ONE WASHING WITH STEAM VALVE SUPPORT | 1.000 | PC | EL1440A0 | WATER SELF CLEANING VALVE | 1.000 | PC | GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 3.000 | PC | RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 1.000 | PC | RC1019A0 | D=10 ELASTIC CLAMP | 14.000 | PC | RC1130A0 | 130x2.6 CLAM | 2.000 | PC | RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | TB2821A0 | EPDM 6X10 L=40MM PIPE | 6.000 | PC | TB3004A0 | TB2820A L=550mm EPDM BLACK PIPE | 1.000 | PC | TB3009B0 | TB3132A-ONE OVEN WASHING INLET | 1.000 | PC | TB3225B0 | TB2820A-TAN K-WASHYNG SYS CONNECTION | 1.000 | PC | VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 1.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0H2202A1 | ONE WASHING WITH STEAM VALVE SUPPORT | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| EL1440A0 | WATER SELF CLEANING VALVE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1019A0 | D=10 ELASTIC CLAMP | 14.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1130A0 | 130x2.6 CLAM | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB2821A0 | EPDM 6X10 L=40MM PIPE | 6.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3004A0 | TB2820A L=550mm EPDM BLACK PIPE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3009B0 | TB3132A-ONE OVEN WASHING INLET | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3225B0 | TB2820A-TAN K-WASHYNG SYS CONNECTION | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |




| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|---|---|------------|--|---|------|-------------|-----|-----|----------|--------------------------|--------|----|----------|-----------------------------------|-------|----|----------|-----------------------------------|-------|----|----------|---|-------|----|----------|-----------------------|-------|----|----------|-------------------|-------|----|----------|----------------------------|-------|----|----------|-------------------------------------|-------|----|----------|--------------------------------|-------|----|----------|------------------------------------|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1182A | ONE SINGLE ROTOR ARM WASHING CIRCUIT |  | KVL1182A | ONE 1ROT CLEANING SYSTEM KIT (0311 EXC.) | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VL1019A0</td> <td>VIBRATION DETERGENT PUMP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1047A1</td> <td>D6 PIPE HOLDER - D8 J.G. TERMINAL</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1054B0</td> <td>ONE WASHING SYS INLET DISTRIBUTOR</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1102A1</td> <td>DETERGENT LINE FILTER + BARBED VNR 6 MM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1128A1</td> <td>D6 BARBED CHECK VALVE</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VL1166A0</td> <td>BB6-AR6 L FITTING</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1174C0</td> <td>D1.2 MM CALIBRATED D1.2 MM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1191A0</td> <td>ONE WASHING DISTRIBUTOR OUTLETS KIT</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1214A0</td> <td>BAYONET - 6mm BARBED NRV VALVE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2172A0</td> <td>LOCKING CLIP FOR PUMP WITH CIRCUIT</td> <td>2.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC | VL1047A1 | D6 PIPE HOLDER - D8 J.G. TERMINAL | 1.000 | PC | VL1054B0 | ONE WASHING SYS INLET DISTRIBUTOR | 1.000 | PC | VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | 1.000 | PC | VL1128A1 | D6 BARBED CHECK VALVE | 2.000 | PC | VL1166A0 | BB6-AR6 L FITTING | 1.000 | PC | VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC | VL1191A0 | ONE WASHING DISTRIBUTOR OUTLETS KIT | 1.000 | PC | VL1214A0 | BAYONET - 6mm BARBED NRV VALVE | 1.000 | PC | VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 2.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1047A1 | D6 PIPE HOLDER - D8 J.G. TERMINAL | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1054B0 | ONE WASHING SYS INLET DISTRIBUTOR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1128A1 | D6 BARBED CHECK VALVE | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1166A0 | BB6-AR6 L FITTING | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1191A0 | ONE WASHING DISTRIBUTOR OUTLETS KIT | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1214A0 | BAYONET - 6mm BARBED NRV VALVE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0H2202A | ONE WASHING WITH STEAM VALVE SUPPORT |  | 0H2202A1 | ONE WASHING WITH STEAM VALVE SUPPORT | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1526A | INT. D.=6.9 TH=1.8 O-RING |  | KGN1526A | O-RING INT D6.9 THICK1.8 10PCS KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>GN1526A0</td> <td>INT. D.=6.9 TH=1.8 O-RIN</td> <td>10.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 10.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 10.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |


| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--------------------------------------|---|------------|--|---|------|-------------|-----|-----|----------|--------------------------------------|--------|----|----------|--------------------------------------|-------|----|----------|-----------------------|-------|----|----------|------------------------------|-------|---|----------|-------------------------------|-------|---|----------|----------------------------|-------|----|----------|---------------------------|-------|----|----------|-----------------------------------|-------|----|----------|---------------------------|-------|----|----------|--------------------------|-------|----|----------|-------------------------------|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1019A | D=10 ELASTIC CLAM |  | KRC1019A | Ø10 ZINC PLATED ELASTIC CLAMP 15 PCS KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>RC1019A0</td> <td>D=10 ELASTIC CLAMP</td> <td>15.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | RC1019A0 | D=10 ELASTIC CLAMP | 15.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1019A0 | D=10 ELASTIC CLAMP | 15.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1242A | D=10 CLOSED CAP |  | KRC1242A | Ø10 CLOSED CONNECTION 20PCS KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>RC1242A0</td> <td>D=10 CLOSED CAP</td> <td>20.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | RC1242A0 | D=10 CLOSED CAP | 20.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1242A0 | D=10 CLOSED CAP | 20.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1019A | VIBRATION DETERGENT PUMP |  | KVL2618A | 2 ROTOR ARMS ONE CLEANING SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>0H2202A1</td> <td>ONE WASHING WITH STEAM VALVE SUPPORT</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>CE1030A0</td> <td>FEMALE FASTON COVER 6.3X0.8 0.5-1mmg</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>CE1395A0</td> <td>6,3 X 0,8 iMALE FASTO</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>CE1545A0</td> <td>BLUE UNIP AWG18 ST.3135 WIRE</td> <td>2.000</td> <td>M</td> </tr> <tr> <td>CE1570A0</td> <td>WHITE UNIP AWG18 ST.3135 WIRE</td> <td>2.000</td> <td>M</td> </tr> <tr> <td>CE1660A0</td> <td>6,3x0,8 FEMALE FASTON COVE</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>CE1661A0</td> <td>MALE FASTON COVER 6,3x0,8</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>EL1020A1</td> <td>D8 INTERMEDIAT E T-SHAPED FITTING</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>EL1440A0</td> <td>WATER SELF CLEANING VALVE</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>GN1526A0</td> <td>INT. D.=6.9 TH=1.8 O-RIN</td> <td>6.000</td> <td>PC</td> </tr> <tr> <td>RC1018A0</td> <td>ZINC PLATED D12 ELASTIC CLAMP</td> <td>2.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | 0H2202A1 | ONE WASHING WITH STEAM VALVE SUPPORT | 2.000 | PC | CE1030A0 | FEMALE FASTON COVER 6.3X0.8 0.5-1mmg | 4.000 | PC | CE1395A0 | 6,3 X 0,8 iMALE FASTO | 2.000 | PC | CE1545A0 | BLUE UNIP AWG18 ST.3135 WIRE | 2.000 | M | CE1570A0 | WHITE UNIP AWG18 ST.3135 WIRE | 2.000 | M | CE1660A0 | 6,3x0,8 FEMALE FASTON COVE | 4.000 | PC | CE1661A0 | MALE FASTON COVER 6,3x0,8 | 2.000 | PC | EL1020A1 | D8 INTERMEDIAT E T-SHAPED FITTING | 1.000 | PC | EL1440A0 | WATER SELF CLEANING VALVE | 2.000 | PC | GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 6.000 | PC | RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 2.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0H2202A1 | ONE WASHING WITH STEAM VALVE SUPPORT | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CE1030A0 | FEMALE FASTON COVER 6.3X0.8 0.5-1mmg | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CE1395A0 | 6,3 X 0,8 iMALE FASTO | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CE1545A0 | BLUE UNIP AWG18 ST.3135 WIRE | 2.000 | M | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CE1570A0 | WHITE UNIP AWG18 ST.3135 WIRE | 2.000 | M | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CE1660A0 | 6,3x0,8 FEMALE FASTON COVE | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CE1661A0 | MALE FASTON COVER 6,3x0,8 | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| EL1020A1 | D8 INTERMEDIAT E T-SHAPED FITTING | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| EL1440A0 | WATER SELF CLEANING VALVE | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 6.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--|---|------------|--|---|------|-------------|-----|-----|----------|-----------------------|--------|----|----------|--------------|-------|----|----------|--------------------|-------|----|----------|--------------------------|--------|----|----------|--|-------|----|----------|---|-------|----|----------|---|-------|----|----------|--------------------------------------|-------|----|----------|--------------------------------|-------|----|----------|---|-------|----|----------|--|-------|----|----------|--|-------|----|----------|-----------------------------------|-------|----|----------|--------------------------|-------|----|----------|----------------------|-------|----|----------|----------------------------------|-------|----|----------|--|-------|----|----------|--------------------------------------|-------|----|----------|--|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1019A | VIBRATION DETERGENT PUMP |  | KVL2618A | 2 ROTOR ARMS ONE CLEANING SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>RC1019A0</td> <td>D=10 ELASTIC CLAMP</td> <td>28.000</td> <td>PC</td> </tr> <tr> <td>RC1130A0</td> <td>130x2,6 CLAM</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>RC1242A0</td> <td>D=10 CLOSED CAP</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>TB2821A0</td> <td>EPDM 6X10 L=40MM PIPE</td> <td>12.000</td> <td>PC</td> </tr> <tr> <td>TB3004A0</td> <td>TB2820A L=550mm EPDM BLACK PIPE</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>TB3009B0</td> <td>TB3132A-ONE OVEN WASHING INLET</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>TB3225B0</td> <td>TB2820A-TAN K-WASHYNG SYS CONNECTION</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VI1220A1</td> <td>4,2x12 TCB SELF-TAPPIN G SCREW</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VL1019A0</td> <td>VIBRATION DETERGENT PUMP</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VL1047A1</td> <td>D6 PIPE HOLDER - D8 J.G. TERMINAL</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VL1054B0</td> <td>ONE WASHING SYS INLET DISTRIBUTOR</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VL1102A1</td> <td>DETERGENT LINE FILTER + BARBED VNR 6 MM</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VL1127A1</td> <td>6mm BARBED T-SHAPED FITTING</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1128A1</td> <td>D6 BARBED CHECK VALVE</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>VL1166A0</td> <td>BB6-AR6 L FITTING</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VL1174C0</td> <td>D1.2 MM CALIBRATED D1.2 MM</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VL1191A0</td> <td>ONE WASHING DISTRIBUTOR OUTLETS KIT</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VL1214A0</td> <td>BAYONET - 6mm BARBED NRV VALVE</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VM2172A0</td> <td>LOCKING CLIP FOR PUMP WITH CIRCUIT</td> <td>4.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | RC1019A0 | D=10 ELASTIC CLAMP | 28.000 | PC | RC1130A0 | 130x2,6 CLAM | 4.000 | PC | RC1242A0 | D=10 CLOSED CAP | 4.000 | PC | TB2821A0 | EPDM 6X10 L=40MM PIPE | 12.000 | PC | TB3004A0 | TB2820A L=550mm EPDM BLACK PIPE | 2.000 | PC | TB3009B0 | TB3132A-ONE OVEN WASHING INLET | 2.000 | PC | TB3225B0 | TB2820A-TAN K-WASHYNG SYS CONNECTION | 2.000 | PC | VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 2.000 | PC | VL1019A0 | VIBRATION DETERGENT PUMP | 2.000 | PC | VL1047A1 | D6 PIPE HOLDER - D8 J.G. TERMINAL | 2.000 | PC | VL1054B0 | ONE WASHING SYS INLET DISTRIBUTOR | 2.000 | PC | VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | 2.000 | PC | VL1127A1 | 6mm BARBED T-SHAPED FITTING | 1.000 | PC | VL1128A1 | D6 BARBED CHECK VALVE | 4.000 | PC | VL1166A0 | BB6-AR6 L FITTING | 2.000 | PC | VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 2.000 | PC | VL1191A0 | ONE WASHING DISTRIBUTOR OUTLETS KIT | 2.000 | PC | VL1214A0 | BAYONET - 6mm BARBED NRV VALVE | 2.000 | PC | VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 4.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1019A0 | D=10 ELASTIC CLAMP | 28.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1130A0 | 130x2,6 CLAM | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1242A0 | D=10 CLOSED CAP | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB2821A0 | EPDM 6X10 L=40MM PIPE | 12.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3004A0 | TB2820A L=550mm EPDM BLACK PIPE | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3009B0 | TB3132A-ONE OVEN WASHING INLET | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3225B0 | TB2820A-TAN K-WASHYNG SYS CONNECTION | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1019A0 | VIBRATION DETERGENT PUMP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1047A1 | D6 PIPE HOLDER - D8 J.G. TERMINAL | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1054B0 | ONE WASHING SYS INLET DISTRIBUTOR | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1127A1 | 6mm BARBED T-SHAPED FITTING | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1128A1 | D6 BARBED CHECK VALVE | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1166A0 | BB6-AR6 L FITTING | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1191A0 | ONE WASHING DISTRIBUTOR OUTLETS KIT | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1214A0 | BAYONET - 6mm BARBED NRV VALVE | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |




| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--|---|------------|-------------------------------|--|------|-------------|-----|-----|----------|----------------------------|-------|----|----------|---|-------|----|----------|-----------------------------|-------|----|----------|-------------------------------------|-------|----|----------|-----------------------|--------|----|----------|------------------------|-------|----|----------|--------------------|-------|----|----------|--------------------------|-------|----|----------|---------------------------|-------|----|----------|--|-------|----|----------|--------------------------------------|-------|----|----------|--------------------------------|-------|----|----------|---|-------|----|----------|--|-------|----|----------|--|-------|----|----------|-----------------------------------|-------|----|----------|--------------------------|-------|----|----------|--------------------------------|-------|----|----------|----------------------|-------|----|----------|----------------------------------|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1019A | VIBRATION DETERGENT PUMP |  | KVL1225A | US HOOD WASHING SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>0H2213A1</td> <td>HOOD WATER CIRCUIT PLAT</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>EL1450A0</td> <td>US SELF-CLEANIN G WATER SOLENOID</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>GN1526A0</td> <td>INT. D.=6.9 TH=1.8 O-RIN</td> <td>5.000</td> <td>PC</td> </tr> <tr> <td>RC1018A0</td> <td>ZINC PLATED D12 ELASTIC CLAMP</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>RC1019A0</td> <td>D=10 ELASTIC CLAMP</td> <td>16.000</td> <td>PC</td> </tr> <tr> <td>RC1131A0</td> <td>200x2.6 BLACK CLAMP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>RC1242A0</td> <td>D=10 CLOSED CAP</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>TB2821A0</td> <td>EPDM 6X10 L=40MM PIPE</td> <td>6.000</td> <td>PC</td> </tr> <tr> <td>TB2994A0</td> <td>HOOD DETERGENT PIPE</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>TB3252A0</td> <td></td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VI1220A1</td> <td>4,2x12 TCB SELF-TAPPIN G SCREW</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>VL1019A0</td> <td>VIBRATION DETERGENT PUMP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1047A1</td> <td>D6 PIPE HOLDER - D6 J.G. TERMINAL</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1054B0</td> <td>ONE WASHING SYS INLET DISTRIBUTOR</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1102A1</td> <td>DETERGENT LINE FILTER + BARBED VNR 6 MM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1127A1</td> <td>6mm BARBED T-SHAPED FITTING</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1128A1</td> <td>D6 BARBED CHECK VALVE</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VL1165A0</td> <td>BAM-BB6 STRAIGHT FITTING</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1166A0</td> <td>BB6-AR6 L FITTING</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VL1174C0</td> <td>D1.2 MM CALIBRATED D1.2 MM</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | 0H2213A1 | HOOD WATER CIRCUIT PLAT | 1.000 | PC | EL1450A0 | US SELF-CLEANIN G WATER SOLENOID | 2.000 | PC | GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 5.000 | PC | RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 4.000 | PC | RC1019A0 | D=10 ELASTIC CLAMP | 16.000 | PC | RC1131A0 | 200x2.6 BLACK CLAMP | 1.000 | PC | RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | TB2821A0 | EPDM 6X10 L=40MM PIPE | 6.000 | PC | TB2994A0 | HOOD DETERGENT PIPE | 2.000 | PC | TB3252A0 | | 2.000 | PC | VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 3.000 | PC | VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC | VL1047A1 | D6 PIPE HOLDER - D6 J.G. TERMINAL | 1.000 | PC | VL1054B0 | ONE WASHING SYS INLET DISTRIBUTOR | 1.000 | PC | VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | 1.000 | PC | VL1127A1 | 6mm BARBED T-SHAPED FITTING | 1.000 | PC | VL1128A1 | D6 BARBED CHECK VALVE | 2.000 | PC | VL1165A0 | BAM-BB6 STRAIGHT FITTING | 1.000 | PC | VL1166A0 | BB6-AR6 L FITTING | 2.000 | PC | VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0H2213A1 | HOOD WATER CIRCUIT PLAT | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| EL1450A0 | US SELF-CLEANIN G WATER SOLENOID | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 5.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1019A0 | D=10 ELASTIC CLAMP | 16.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1131A0 | 200x2.6 BLACK CLAMP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB2821A0 | EPDM 6X10 L=40MM PIPE | 6.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB2994A0 | HOOD DETERGENT PIPE | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3252A0 | | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1047A1 | D6 PIPE HOLDER - D6 J.G. TERMINAL | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1054B0 | ONE WASHING SYS INLET DISTRIBUTOR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1127A1 | 6mm BARBED T-SHAPED FITTING | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1128A1 | D6 BARBED CHECK VALVE | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1165A0 | BAM-BB6 STRAIGHT FITTING | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1166A0 | BB6-AR6 L FITTING | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |





| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|---|---|------------|-------------------------------|--|------|-------------|---------------------------------|-------|----------|--|---------------------------------|-------|----------|--------------------------------------|-----------------------------|-------|----------|--|-------------------------------------|-------|----------|--|-----------------------|--------|----|----------|--------------------|-------|----|----------|--------------------------|-------|----|----------|--|-------|----|----------|---|-------|----|----------|---|-------|----|----------|--------------------------------------|-------|----|----------|--------------------------------|-------|----|----------|---|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1019A | VIBRATION DETERGENT PUMP |  | KVL1225A | US HOOD WASHING SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VL1191A0</td> <td>ONE WASHING DISTRIBUTOR OUTLETS KIT</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1214A0</td> <td>BAYONET - 6mm BARBED NRV VALVE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM1605A0</td> <td>CLIP TWIST LOCK DIAM. 10,2-12,7 MM</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VM2172A0</td> <td>LOCKING CLIP FOR PUMP WITH CIRCUIT</td> <td>3.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VL1191A0 | ONE WASHING DISTRIBUTOR OUTLETS KIT | 1.000 | PC | VL1214A0 | BAYONET - 6mm BARBED NRV VALVE | 1.000 | PC | VM1605A0 | CLIP TWIST LOCK DIAM. 10,2-12,7 MM | 2.000 | PC | VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1191A0 | ONE WASHING DISTRIBUTOR OUTLETS KIT | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1214A0 | BAYONET - 6mm BARBED NRV VALVE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM1605A0 | CLIP TWIST LOCK DIAM. 10,2-12,7 MM | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| KVL1222A | EUR 0311 ONE PLUS CLEANING SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>0H2486A0</td> <td>0311 WASHING CIRCUIT PLAT</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>EL1440A0</td> <td>WATER SELF CLEANING VALVE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>GN1526A0</td> <td>INT. D.=6.9 TH=1.8 O-RIN</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>RC1018A0</td> <td>ZINC PLATED D12 ELASTIC CLAMP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>RC1019A0</td> <td>D=10 ELASTIC CLAMP</td> <td>14.000</td> <td>PC</td> </tr> <tr> <td>RC1242A0</td> <td>D=10 CLOSED CAP</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>TB2821A0</td> <td>EPDM 6X10 L=40MM PIPE</td> <td>6.000</td> <td>PC</td> </tr> <tr> <td>TB3004A0</td> <td>TB2820A L=550mm EPDM BLACK PIPE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB3009B0</td> <td>TB3132A-ONE OVEN WASHING INLET</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB3225B0</td> <td>TB2820A-TAN K-WASHYNG SYS CONNECTION</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VI1220A1</td> <td>4,2x12 TCB SELF-TAPPIN G SCREW</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>VL1019A0</td> <td>VIBRATION DETERGENT PUMP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1047A1</td> <td>D6 PIPE HOLDER - D8 J.G. TERMINAL</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | 0H2486A0 | 0311 WASHING CIRCUIT PLAT | 1.000 | PC | EL1440A0 | WATER SELF CLEANING VALVE | 1.000 | PC | GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 3.000 | PC | RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 1.000 | PC | RC1019A0 | D=10 ELASTIC CLAMP | 14.000 | PC | RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | TB2821A0 | EPDM 6X10 L=40MM PIPE | 6.000 | PC | TB3004A0 | TB2820A L=550mm EPDM BLACK PIPE | 1.000 | PC | TB3009B0 | TB3132A-ONE OVEN WASHING INLET | 1.000 | PC | TB3225B0 | TB2820A-TAN K-WASHYNG SYS CONNECTION | 1.000 | PC | VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 4.000 | PC | VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC | VL1047A1 | D6 PIPE HOLDER - D8 J.G. TERMINAL | 1.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0H2486A0 | 0311 WASHING CIRCUIT PLAT | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| EL1440A0 | WATER SELF CLEANING VALVE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1019A0 | D=10 ELASTIC CLAMP | 14.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB2821A0 | EPDM 6X10 L=40MM PIPE | 6.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3004A0 | TB2820A L=550mm EPDM BLACK PIPE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3009B0 | TB3132A-ONE OVEN WASHING INLET | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3225B0 | TB2820A-TAN K-WASHYNG SYS CONNECTION | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1047A1 | D6 PIPE HOLDER - D8 J.G. TERMINAL | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |




| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--|--|------------|---|--|------|-------------|--------------------------------------|-------|----------|--|---|-------|----------|--|--|-------|----------|--------------------------|-----------------------------|-------|----------|----------------------|-------------------------------------|-------|----------|----------------------------------|-----------------------|--------|----------|--|--------------|-------|----------|--------------------------------------|------------------------|-------|----------|--|--------------------|-------|----|----------|--|-------|----|----------|--------------------------|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1019A | VIBRATION DETERGENT PUMP |  | KVL1222A | EUR 0311 ONE PLUS CLEANING SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VL1054B0</td> <td>ONE WASHING SYS INLET DISTRIBUTOR</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1102A1</td> <td>DETERGENT LINE FILTER + BARBED VNR 6 MM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1128A1</td> <td>D6 BARBED CHECK VALVE</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VL1166A0</td> <td>BB6-AR6 L FITTING</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1174C0</td> <td>D1.2 MM CALIBRATED D1.2 MM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1191A0</td> <td>ONE WASHING DISTRIBUTOR OUTLETS KIT</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1214A0</td> <td>BAYONET - 6mm BARBED NRV VALVE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2172A0</td> <td>LOCKING CLIP FOR PUMP WITH CIRCUIT</td> <td>2.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VL1054B0 | ONE WASHING SYS INLET DISTRIBUTOR | 1.000 | PC | VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | 1.000 | PC | VL1128A1 | D6 BARBED CHECK VALVE | 2.000 | PC | VL1166A0 | BB6-AR6 L FITTING | 1.000 | PC | VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC | VL1191A0 | ONE WASHING DISTRIBUTOR OUTLETS KIT | 1.000 | PC | VL1214A0 | BAYONET - 6mm BARBED NRV VALVE | 1.000 | PC | VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 2.000 | PC | | | | | | | | | |
| | | | Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1054B0 | ONE WASHING SYS INLET DISTRIBUTOR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1128A1 | D6 BARBED CHECK VALVE | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1166A0 | BB6-AR6 L FITTING | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1191A0 | ONE WASHING DISTRIBUTOR OUTLETS KIT | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1214A0 | BAYONET - 6mm BARBED NRV VALVE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| KVL1213A | US PLUS COMPACT WASHING SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>0H2428A2</td> <td>XECC PLUS WASHING CIRCUIT PLAT</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>EL1450A0</td> <td>US SELF-CLEANIN G WATER SOLENOID</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>GN1312A0</td> <td>RUBBER CABLE-PASSI NG DE=26 DI=15 SP=10</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>GN1526A0</td> <td>INT. D.=6.9 TH=1.8 O-RIN</td> <td>7.000</td> <td>PC</td> </tr> <tr> <td>RC1018A0</td> <td>ZINC PLATED D12 ELASTIC CLAMP</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>RC1019A0</td> <td>D=10 ELASTIC CLAMP</td> <td>14.000</td> <td>PC</td> </tr> <tr> <td>RC1130A0</td> <td>130x2.6 CLAM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>RC1131A0</td> <td>200x2.6 BLACK CLAMP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>RC1242A0</td> <td>D=10 CLOSED CAP</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>RC1356A0</td> <td>"STRAIGHT THREADED FEMALE END 8x1/4" BS</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB2821A0</td> <td>EPDM 6X10 L=40MM PIPE</td> <td>6.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | 0H2428A2 | XECC PLUS WASHING CIRCUIT PLAT | 1.000 | PC | EL1450A0 | US SELF-CLEANIN G WATER SOLENOID | 3.000 | PC | GN1312A0 | RUBBER CABLE-PASSI NG DE=26 DI=15 SP=10 | 1.000 | PC | GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 7.000 | PC | RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 2.000 | PC | RC1019A0 | D=10 ELASTIC CLAMP | 14.000 | PC | RC1130A0 | 130x2.6 CLAM | 1.000 | PC | RC1131A0 | 200x2.6 BLACK CLAMP | 1.000 | PC | RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | RC1356A0 | "STRAIGHT THREADED FEMALE END 8x1/4" BS | 1.000 | PC | TB2821A0 | EPDM 6X10 L=40MM PIPE | 6.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0H2428A2 | XECC PLUS WASHING CIRCUIT PLAT | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| EL1450A0 | US SELF-CLEANIN G WATER SOLENOID | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1312A0 | RUBBER CABLE-PASSI NG DE=26 DI=15 SP=10 | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 7.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1019A0 | D=10 ELASTIC CLAMP | 14.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1130A0 | 130x2.6 CLAM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1131A0 | 200x2.6 BLACK CLAMP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1356A0 | "STRAIGHT THREADED FEMALE END 8x1/4" BS | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB2821A0 | EPDM 6X10 L=40MM PIPE | 6.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |




| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--|---|------------|--|--|------|-------------|-----|-----|----------|--|-------|----|----------|--|-------|----|----------|--|-------|----|----------|--------------------------------|-------|----|----------|---|-------|----|----------|--|-------|----|----------|--|-------|----|----------|--------------------------|-------|----|----------|--------------------------------|-------|----|----------|----------------------|-------|----|----------|----------------------------------|-------|----|----------|---------------------------------------|-------|----|----------|--------------------------------------|-------|----|----------|--|-------|----|----------|--|---|------|-------------|-----|-----|----------|--------------------------------------|-------|----|----------|---------------------------------|-------|----|----------|--|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1019A | VIBRATION DETERGENT PUMP |  | KVL1213A | US PLUS COMPACT WASHING SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>TB3004A0</td> <td>TB2820A L=550mm EPDM BLACK PIPE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB3005B0</td> <td>TB3132A L=550mm EPDM WHITE-BLUE PIPE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB3469A0</td> <td></td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1019A0</td> <td>VIBRATION DETERGENT PUMP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1047A1</td> <td>D6 PIPE HOLDER - D8 J.G. TERMINAL</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1054B0</td> <td>ONE WASHING SYS INLET DISTRIBUTOR</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1102A1</td> <td>DETERGENT LINE FILTER + BARBED VNR 6 MM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1128A1</td> <td>D6 BARBED CHECK VALVE</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VL1165A0</td> <td>BAM-BB6 STRAIGHT FITTING</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1166A0</td> <td>BB6-AR6 L FITTING</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>VL1174C0</td> <td>D1.2 MM CALIBRATED D1.2 MM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1185A0</td> <td>2 WAYS PLUS WASHING DISTRIBUTOR</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1398A0</td> <td>1/4 M N.O. CIL PRESSURE SWITCH</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2172A0</td> <td>LOCKING CLIP FOR PUMP WITH CIRCUIT</td> <td>6.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | TB3004A0 | TB2820A L=550mm EPDM BLACK PIPE | 1.000 | PC | TB3005B0 | TB3132A L=550mm EPDM WHITE-BLUE PIPE | 1.000 | PC | TB3469A0 | | 1.000 | PC | VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC | VL1047A1 | D6 PIPE HOLDER - D8 J.G. TERMINAL | 1.000 | PC | VL1054B0 | ONE WASHING SYS INLET DISTRIBUTOR | 1.000 | PC | VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | 1.000 | PC | VL1128A1 | D6 BARBED CHECK VALVE | 2.000 | PC | VL1165A0 | BAM-BB6 STRAIGHT FITTING | 1.000 | PC | VL1166A0 | BB6-AR6 L FITTING | 3.000 | PC | VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC | VL1185A0 | 2 WAYS PLUS WASHING DISTRIBUTOR | 1.000 | PC | VL1398A0 | 1/4 M N.O. CIL PRESSURE SWITCH | 1.000 | PC | VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 6.000 | PC | KVL1212A | EUR COMPACT PLUS CLEANING SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>0H2428A2</td> <td>XECC PLUS WASHING CIRCUIT PLAT</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>EL1440A0</td> <td>WATER SELF CLEANING VALVE</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>GN1312A0</td> <td>RUBBER CABLE-PASSI NG DE=26 DI=15 SP=10</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | 0H2428A2 | XECC PLUS WASHING CIRCUIT PLAT | 1.000 | PC | EL1440A0 | WATER SELF CLEANING VALVE | 3.000 | PC | GN1312A0 | RUBBER CABLE-PASSI NG DE=26 DI=15 SP=10 | 1.000 | PC |
| | | | Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3004A0 | TB2820A L=550mm EPDM BLACK PIPE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3005B0 | TB3132A L=550mm EPDM WHITE-BLUE PIPE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3469A0 | | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1047A1 | D6 PIPE HOLDER - D8 J.G. TERMINAL | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1054B0 | ONE WASHING SYS INLET DISTRIBUTOR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1128A1 | D6 BARBED CHECK VALVE | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1165A0 | BAM-BB6 STRAIGHT FITTING | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1166A0 | BB6-AR6 L FITTING | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1185A0 | 2 WAYS PLUS WASHING DISTRIBUTOR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1398A0 | 1/4 M N.O. CIL PRESSURE SWITCH | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 6.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0H2428A2 | XECC PLUS WASHING CIRCUIT PLAT | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| EL1440A0 | WATER SELF CLEANING VALVE | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1312A0 | RUBBER CABLE-PASSI NG DE=26 DI=15 SP=10 | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |


| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--|---|------------|--|--|------|-------------|-----|-----|----------|-----------------------------|-------|----|----------|-------------------------------------|-------|----|----------|-----------------------|--------|----|----------|--------------|-------|----|----------|------------------------|-------|----|----------|--------------------|-------|----|----------|--|-------|----|----------|--------------------------|-------|----|----------|--|-------|----|----------|--|-------|----|----------|--|-------|----|----------|--------------------------------|--|-------|----|--|--|----------|---|--|-------|----|--|--|----------|--|--|-------|----|--|--|----------|--|--|-------|----|--|--|----------|--------------------------|--|-------|----|--|--|----------|--------------------------------|--|-------|----|--|--|----------|----------------------|--|-------|----|--|--|----------|----------------------------------|--|-------|----|--|--|----------|---------------------------------------|--|-------|----|--|--|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1019A | VIBRATION DETERGENT PUMP |  | KVL1212A | EUR COMPACT PLUS CLEANING SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>GN1526A0</td> <td>INT. D.=6.9 TH=1.8 O-RIN</td> <td>7.000</td> <td>PC</td> </tr> <tr> <td>RC1018A0</td> <td>ZINC PLATED D12 ELASTIC CLAMP</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>RC1019A0</td> <td>D=10 ELASTIC CLAMP</td> <td>14.000</td> <td>PC</td> </tr> <tr> <td>RC1130A0</td> <td>130x2.6 CLAM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>RC1131A0</td> <td>200x2.6 BLACK CLAMP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>RC1242A0</td> <td>D=10 CLOSED CAP</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>RC1356A0</td> <td>"STRAIGHT THREADED FEMALE END 8x1/4" BS</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB2821A0</td> <td>EPDM 6X10 L=40MM PIPE</td> <td>6.000</td> <td>PC</td> </tr> <tr> <td>TB3004A0</td> <td>TB2820A L=550mm EPDM BLACK PIPE</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>TB3005B0</td> <td>TB3132A L=550mm EPDM WHITE-BLUE PIPE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB3469A0</td> <td></td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1019A0</td> <td>VIBRATION DETERGENT PUMP</td> <td></td> <td>1.000</td> <td>PC</td> <td></td> <td></td> </tr> <tr> <td>VL1047A1</td> <td>D6 PIPE HOLDER - D8 J.G. TERMINAL</td> <td></td> <td>1.000</td> <td>PC</td> <td></td> <td></td> </tr> <tr> <td>VL1054B0</td> <td>ONE WASHING SYS INLET DISTRIBUTOR</td> <td></td> <td>1.000</td> <td>PC</td> <td></td> <td></td> </tr> <tr> <td>VL1102A1</td> <td>DETERGENT LINE FILTER + BARBED VNR 6 MM</td> <td></td> <td>1.000</td> <td>PC</td> <td></td> <td></td> </tr> <tr> <td>VL1128A1</td> <td>D6 BARBED CHECK VALVE</td> <td></td> <td>2.000</td> <td>PC</td> <td></td> <td></td> </tr> <tr> <td>VL1165A0</td> <td>BAM-BB6 STRAIGHT FITTING</td> <td></td> <td>1.000</td> <td>PC</td> <td></td> <td></td> </tr> <tr> <td>VL1166A0</td> <td>BB6-AR6 L FITTING</td> <td></td> <td>3.000</td> <td>PC</td> <td></td> <td></td> </tr> <tr> <td>VL1174C0</td> <td>D1.2 MM CALIBRATED D1.2 MM</td> <td></td> <td>1.000</td> <td>PC</td> <td></td> <td></td> </tr> <tr> <td>VL1185A0</td> <td>2 WAYS PLUS WASHING DISTRIBUTOR</td> <td></td> <td>1.000</td> <td>PC</td> <td></td> <td></td> </tr> </tbody> </table> | Code | Description | Qty | UOM | GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 7.000 | PC | RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 2.000 | PC | RC1019A0 | D=10 ELASTIC CLAMP | 14.000 | PC | RC1130A0 | 130x2.6 CLAM | 1.000 | PC | RC1131A0 | 200x2.6 BLACK CLAMP | 1.000 | PC | RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | RC1356A0 | "STRAIGHT THREADED FEMALE END 8x1/4" BS | 1.000 | PC | TB2821A0 | EPDM 6X10 L=40MM PIPE | 6.000 | PC | TB3004A0 | TB2820A L=550mm EPDM BLACK PIPE | 2.000 | PC | TB3005B0 | TB3132A L=550mm EPDM WHITE-BLUE PIPE | 1.000 | PC | TB3469A0 | | 1.000 | PC | VL1019A0 | VIBRATION DETERGENT PUMP | | 1.000 | PC | | | VL1047A1 | D6 PIPE HOLDER - D8 J.G. TERMINAL | | 1.000 | PC | | | VL1054B0 | ONE WASHING SYS INLET DISTRIBUTOR | | 1.000 | PC | | | VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | | 1.000 | PC | | | VL1128A1 | D6 BARBED CHECK VALVE | | 2.000 | PC | | | VL1165A0 | BAM-BB6 STRAIGHT FITTING | | 1.000 | PC | | | VL1166A0 | BB6-AR6 L FITTING | | 3.000 | PC | | | VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | | 1.000 | PC | | | VL1185A0 | 2 WAYS PLUS WASHING DISTRIBUTOR | | 1.000 | PC | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 7.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1019A0 | D=10 ELASTIC CLAMP | 14.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1130A0 | 130x2.6 CLAM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1131A0 | 200x2.6 BLACK CLAMP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1356A0 | "STRAIGHT THREADED FEMALE END 8x1/4" BS | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB2821A0 | EPDM 6X10 L=40MM PIPE | 6.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3004A0 | TB2820A L=550mm EPDM BLACK PIPE | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3005B0 | TB3132A L=550mm EPDM WHITE-BLUE PIPE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3469A0 | | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1019A0 | VIBRATION DETERGENT PUMP | | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1047A1 | D6 PIPE HOLDER - D8 J.G. TERMINAL | | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1054B0 | ONE WASHING SYS INLET DISTRIBUTOR | | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1128A1 | D6 BARBED CHECK VALVE | | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1165A0 | BAM-BB6 STRAIGHT FITTING | | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1166A0 | BB6-AR6 L FITTING | | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1185A0 | 2 WAYS PLUS WASHING DISTRIBUTOR | | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--|--|------------|--|---|------|-------------|--|-------|----------|--------------------------------------|---------------------------------|-------|----------|--|-----------------------------|-------|----|----------|-------------------------------------|-------|----|----------|-----------------------|--------|----|----------|--------------|-------|----|----------|--------------------|-------|----|----------|--|-------|----|----------|--------------------------|-------|----|----------|--|-------|----|----------|--|-------|----|----------|--------------------------------------|-------|----|----------|--------------------------------|-------|----|----------|---|-------|----|----------|--|-------|----|----------|--|-------|----|----------|--------------------------|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1019A | VIBRATION DETERGENT PUMP |  | KVL1212A | EUR COMPACT PLUS CLEANING SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VL1398A0</td> <td>1/4 M N.O. CIL PRESSURE SWITCH</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2172A0</td> <td>LOCKING CLIP FOR PUMP WITH CIRCUIT</td> <td>6.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VL1398A0 | 1/4 M N.O. CIL PRESSURE SWITCH | 1.000 | PC | VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 6.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1398A0 | 1/4 M N.O. CIL PRESSURE SWITCH | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 6.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| KVL1211A | ONE COMPACT AND 0523-EP WASH. SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>0H2427A0</td> <td>XECC WASHING CIRCUIT HOLDING PLATE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>EL1440A0</td> <td>WATER SELF CLEANING VALVE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>GN1526A0</td> <td>INT. D.=6.9 TH=1.8 O-RIN</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>RC1018A0</td> <td>ZINC PLATED D12 ELASTIC CLAMP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>RC1019A0</td> <td>D=10 ELASTIC CLAMP</td> <td>14.000</td> <td>PC</td> </tr> <tr> <td>RC1130A0</td> <td>130x2.6 CLAM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>RC1242A0</td> <td>D=10 CLOSED CAP</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>TB1402A0</td> <td>TB2820A-DETE RGENT CIRCUIT-FILTE R PIPE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB2821A0</td> <td>EPDM 6X10 L=40MM PIPE</td> <td>6.000</td> <td>PC</td> </tr> <tr> <td>TB3004A0</td> <td>TB2820A L=550mm EPDM BLACK PIPE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB3469A0</td> <td></td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VI1220A1</td> <td>4,2x12 TCB SELF-TAPPIN G SCREW</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>VL1019A0</td> <td>VIBRATION DETERGENT PUMP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1047A1</td> <td>D6 PIPE HOLDER - D8 J.G. TERMINAL</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1054B0</td> <td>ONE WASHING SYS INLET DISTRIBUTOR</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1102A1</td> <td>DETERGENT LINE FILTER + BARBED VNR 6 MM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1128A1</td> <td>D6 BARBED CHECK VALVE</td> <td>2.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | 0H2427A0 | XECC WASHING CIRCUIT HOLDING PLATE | 1.000 | PC | EL1440A0 | WATER SELF CLEANING VALVE | 1.000 | PC | GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 3.000 | PC | RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 1.000 | PC | RC1019A0 | D=10 ELASTIC CLAMP | 14.000 | PC | RC1130A0 | 130x2.6 CLAM | 1.000 | PC | RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | TB1402A0 | TB2820A-DETE RGENT CIRCUIT-FILTE R PIPE | 1.000 | PC | TB2821A0 | EPDM 6X10 L=40MM PIPE | 6.000 | PC | TB3004A0 | TB2820A L=550mm EPDM BLACK PIPE | 1.000 | PC | TB3469A0 | | 1.000 | PC | VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 4.000 | PC | VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC | VL1047A1 | D6 PIPE HOLDER - D8 J.G. TERMINAL | 1.000 | PC | VL1054B0 | ONE WASHING SYS INLET DISTRIBUTOR | 1.000 | PC | VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | 1.000 | PC | VL1128A1 | D6 BARBED CHECK VALVE | 2.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0H2427A0 | XECC WASHING CIRCUIT HOLDING PLATE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| EL1440A0 | WATER SELF CLEANING VALVE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1019A0 | D=10 ELASTIC CLAMP | 14.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1130A0 | 130x2.6 CLAM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB1402A0 | TB2820A-DETE RGENT CIRCUIT-FILTE R PIPE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB2821A0 | EPDM 6X10 L=40MM PIPE | 6.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3004A0 | TB2820A L=550mm EPDM BLACK PIPE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3469A0 | | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1047A1 | D6 PIPE HOLDER - D8 J.G. TERMINAL | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1054B0 | ONE WASHING SYS INLET DISTRIBUTOR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1128A1 | D6 BARBED CHECK VALVE | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |




| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--|---|------------|--|---|------|-------------|--|-------|----------|--------------------------------|---|-------|----------|----------------------|-----------------------------|-------|----------|----------------------------------|-------------------------------------|-------|----------|--|-----------------------|-------|----------|--|--------------|-------|----|----------|------------------------|-------|----|----------|--------------------|-------|----|----------|--|-------|----|----------|--------------------------|-------|----|----------|---------------------------|-------|----|----------|--|-------|----|----------|--|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1019A | VIBRATION DETERGENT PUMP |  | KVL1211A | ONE COMPACT AND 0523-EP WASH. SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VL1165A0</td> <td>BAM-BB6 STRAIGHT FITTING</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1166A0</td> <td>BB6-AR6 L FITTING</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1174C0</td> <td>D1.2 MM CALIBRATED D1.2 MM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1191A0</td> <td>ONE WASHING DISTRIBUTOR OUTLETS KIT</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2172A0</td> <td>LOCKING CLIP FOR PUMP WITH CIRCUIT</td> <td>2.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VL1165A0 | BAM-BB6 STRAIGHT FITTING | 1.000 | PC | VL1166A0 | BB6-AR6 L FITTING | 1.000 | PC | VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC | VL1191A0 | ONE WASHING DISTRIBUTOR OUTLETS KIT | 1.000 | PC | VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1165A0 | BAM-BB6 STRAIGHT FITTING | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1166A0 | BB6-AR6 L FITTING | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1191A0 | ONE WASHING DISTRIBUTOR OUTLETS KIT | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| KVL1208A | US PLUS 2 ROTOR ARMS WASHING SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>0H2354A1</td> <td>XEVC-XEVL PLUS WASHING CIRCUIT PLAT</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>EL1450A0</td> <td>US SELF-CLEANIN G WATER SOLENOID</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>GN1526A0</td> <td>INT. D.=6.9 TH=1.8 O-RIN</td> <td>9.000</td> <td>PC</td> </tr> <tr> <td>RC1018A0</td> <td>ZINC PLATED D12 ELASTIC CLAMP</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>RC1019A0</td> <td>D=10 ELASTIC CLAMP</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>RC1130A0</td> <td>130x2.6 CLAM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>RC1131A0</td> <td>200x2.6 BLACK CLAMP</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>RC1242A0</td> <td>D=10 CLOSED CAP</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>RC1356A0</td> <td>"STRAIGHT THREADED FEMALE END 8x1/4" BS</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB2821A0</td> <td>EPDM 6X10 L=40MM PIPE</td> <td>6.000</td> <td>PC</td> </tr> <tr> <td>TB2994A0</td> <td>HOOD DETERGENT PIPE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB3004A0</td> <td>TB2820A L=550mm EPDM BLACK PIPE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB3005B0</td> <td>TB3132A L=550mm EPDM WHITE-BLUE PIPE</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | 0H2354A1 | XEVC-XEVL PLUS WASHING CIRCUIT PLAT | 1.000 | PC | EL1450A0 | US SELF-CLEANIN G WATER SOLENOID | 4.000 | PC | GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 9.000 | PC | RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 3.000 | PC | RC1019A0 | D=10 ELASTIC CLAMP | 2.000 | PC | RC1130A0 | 130x2.6 CLAM | 1.000 | PC | RC1131A0 | 200x2.6 BLACK CLAMP | 3.000 | PC | RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | RC1356A0 | "STRAIGHT THREADED FEMALE END 8x1/4" BS | 1.000 | PC | TB2821A0 | EPDM 6X10 L=40MM PIPE | 6.000 | PC | TB2994A0 | HOOD DETERGENT PIPE | 1.000 | PC | TB3004A0 | TB2820A L=550mm EPDM BLACK PIPE | 1.000 | PC | TB3005B0 | TB3132A L=550mm EPDM WHITE-BLUE PIPE | 1.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0H2354A1 | XEVC-XEVL PLUS WASHING CIRCUIT PLAT | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| EL1450A0 | US SELF-CLEANIN G WATER SOLENOID | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 9.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1019A0 | D=10 ELASTIC CLAMP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1130A0 | 130x2.6 CLAM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1131A0 | 200x2.6 BLACK CLAMP | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1356A0 | "STRAIGHT THREADED FEMALE END 8x1/4" BS | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB2821A0 | EPDM 6X10 L=40MM PIPE | 6.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB2994A0 | HOOD DETERGENT PIPE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3004A0 | TB2820A L=550mm EPDM BLACK PIPE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3005B0 | TB3132A L=550mm EPDM WHITE-BLUE PIPE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |




| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|---|---|------------|---|---|-------------|-------------|-----|-----|----------|---|-------|----|----------|--------------------------------|-------|----|----------|---|-------|----|----------|--|-------|----|----------|--------------------------|-------|----|----------|-----------------------------------|-------|----|----------|----------------------|-------|----|----------|----------------------------------|-------|----|----------|---------------------------------------|-------|----|----------|---|-------|----|----------|--------------------------------------|-------|----|----------|--------------------------------------|-------|----|----------|--|-------|----|----------|--|-------|----|----------|--|--|------|-------------|-----|-----|----------|--|-------|----|----------|---|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1019A | VIBRATION DETERGENT PUMP |  | KVL1208A | US PLUS 2 ROTOR ARMS WASHING SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>TB3440A0</td> <td>TB3132A L=1050mm EPDM WHITE-BLUE PIPE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1019A0</td> <td>VIBRATION DETERGENT PUMP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1047A1</td> <td>D6 PIPE HOLDER - D8 J.G. TERMINAL</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1102A1</td> <td>DETERGENT LINE FILTER + BARBED VNR 6 MM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1128A1</td> <td>D6 BARBED CHECK VALVE</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VL1141A1</td> <td>BB6-BB6 STRAIGHT CONNECTION</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1166A0</td> <td>BB6-AR6 L FITTING</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>VL1174C0</td> <td>D1.2 MM CALIBRATED D1.2 MM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1186A0</td> <td>3 WAYS PLUS WASHING DISTRIBUTOR</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1190A0</td> <td>PLUS WASHING SYSTEM INLET DISTRIBUTOR</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1214A0</td> <td>BAYONET - 6mm BARBED NRV VALVE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1398A0</td> <td>1/4 M N.O. CIL PRESSURE SWITCH</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM1605A0</td> <td>CLIP TWIST LOCK DIAM. 10.2-12.7 MM</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>VM2172A0</td> <td>LOCKING CLIP FOR PUMP WITH CIRCUIT</td> <td>5.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | TB3440A0 | TB3132A L=1050mm EPDM WHITE-BLUE PIPE | 1.000 | PC | VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC | VL1047A1 | D6 PIPE HOLDER - D8 J.G. TERMINAL | 1.000 | PC | VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | 1.000 | PC | VL1128A1 | D6 BARBED CHECK VALVE | 2.000 | PC | VL1141A1 | BB6-BB6 STRAIGHT CONNECTION | 1.000 | PC | VL1166A0 | BB6-AR6 L FITTING | 4.000 | PC | VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC | VL1186A0 | 3 WAYS PLUS WASHING DISTRIBUTOR | 1.000 | PC | VL1190A0 | PLUS WASHING SYSTEM INLET DISTRIBUTOR | 1.000 | PC | VL1214A0 | BAYONET - 6mm BARBED NRV VALVE | 1.000 | PC | VL1398A0 | 1/4 M N.O. CIL PRESSURE SWITCH | 1.000 | PC | VM1605A0 | CLIP TWIST LOCK DIAM. 10.2-12.7 MM | 3.000 | PC | VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 5.000 | PC | KVL1207A | US PLUS 1 ROTOR ARM WASHING SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>0H2354A1</td> <td>XEVC-XEVL PLUS WASHING CIRCUIT PLAT</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>EL1450A0</td> <td>US SELF-CLEANIN G WATER SOLENOID</td> <td>3.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | 0H2354A1 | XEVC-XEVL PLUS WASHING CIRCUIT PLAT | 1.000 | PC | EL1450A0 | US SELF-CLEANIN G WATER SOLENOID | 3.000 | PC |
| | | | | | Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3440A0 | TB3132A L=1050mm EPDM WHITE-BLUE PIPE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1047A1 | D6 PIPE HOLDER - D8 J.G. TERMINAL | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1128A1 | D6 BARBED CHECK VALVE | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1141A1 | BB6-BB6 STRAIGHT CONNECTION | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1166A0 | BB6-AR6 L FITTING | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1186A0 | 3 WAYS PLUS WASHING DISTRIBUTOR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1190A0 | PLUS WASHING SYSTEM INLET DISTRIBUTOR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1214A0 | BAYONET - 6mm BARBED NRV VALVE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1398A0 | 1/4 M N.O. CIL PRESSURE SWITCH | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM1605A0 | CLIP TWIST LOCK DIAM. 10.2-12.7 MM | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 5.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0H2354A1 | XEVC-XEVL PLUS WASHING CIRCUIT PLAT | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| EL1450A0 | US SELF-CLEANIN G WATER SOLENOID | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |





| COMPONENT | | | SPARE PART | | | | | |
|-----------|-----------------------------|---|------------|--|----------------|--|------------|------------|
| Code | Description | Image | Code | Description | Kit components | | | |
| VL1019A | VIBRATION DETERGENT PUMP |  | KVL1207A | US PLUS 1 ROTOR ARM WASHING SYSTEM KIT | Code | Description | Qty | UOM |
| | | | | | GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 7.000 | PC |
| | | | | | RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 2.000 | PC |
| | | | | | RC1019A0 | D=10 ELASTIC CLAMP | 14.000 | PC |
| | | | | | RC1130A0 | 130x2.6 CLAM | 1.000 | PC |
| | | | | | RC1131A0 | 200x2.6 BLACK CLAMP | 2.000 | PC |
| | | | | | RC1242A0 | D=10 CLOSED CAP | 2.000 | PC |
| | | | | | RC1356A0 | "STRAIGHT THREADED FEMALE END 8x1/4" BS | 1.000 | PC |
| | | | | | TB2821A0 | EPDM 6X10 L=40MM PIPE | 6.000 | PC |
| | | | | | TB3004A0 | TB2820A L=550mm EPDM BLACK PIPE | 1.000 | PC |
| | | | | | TB3005B0 | TB3132A L=550mm EPDM WHITE-BLUE PIPE | 1.000 | PC |
| | | | | | TB3225B0 | TB2820A-TAN K-WASHYNG SYS CONNECTION | 1.000 | PC |
| | | | | | TB3252A0 | | 1.000 | PC |
| | | | | | VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC |
| | | | | | VL1047A1 | D6 PIPE HOLDER - D6 J.G. TERMINAL | 1.000 | PC |
| | | | | | VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | 1.000 | PC |
| | | | | | VL1128A1 | D6 BARBED CHECK VALVE | 2.000 | PC |
| | | | | | VL1166A0 | BB6-AR6 L FITTING | 3.000 | PC |
| | | | | | VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC |
| | | | | | VL1185A0 | 2 WAYS PLUS WASHING DISTRIBUTOR | 1.000 | PC |




| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|---|---|------------|--|--|------|-------------|----------------------------|-------|----------|---|---------------------------------|-------|----------|--------------------------------------|-----------------------------|-------|----------|--------------------------------------|-------------------------------------|-------|----------|--|-----------------------|--------|----------|--|------------------------|-------|----|----------|--------------------|-------|----|----------|--------------------------|-------|----|----------|---------------------------|-------|----|----------|--|-------|----|----------|--------------------------------------|-------|----|----------|--------------------------------|-------|----|----------|---|-------|----|----------|--|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1019A | VIBRATION DETERGENT PUMP |  | KVL1207A | US PLUS 1 ROTOR ARM WASHING SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VL1190A0</td> <td>PLUS WASHING SYSTEM INLET DISTRIBUTOR</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1214A0</td> <td>BAYONET - 6mm BARBED NRV VALVE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1398A0</td> <td>1/4 M N.O. CIL PRESSURE SWITCH</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM1605A0</td> <td>CLIP TWIST LOCK DIAM. 10,2-12,7 MM</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>VM2172A0</td> <td>LOCKING CLIP FOR PUMP WITH CIRCUIT</td> <td>3.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VL1190A0 | PLUS WASHING SYSTEM INLET DISTRIBUTOR | 1.000 | PC | VL1214A0 | BAYONET - 6mm BARBED NRV VALVE | 1.000 | PC | VL1398A0 | 1/4 M N.O. CIL PRESSURE SWITCH | 1.000 | PC | VM1605A0 | CLIP TWIST LOCK DIAM. 10,2-12,7 MM | 3.000 | PC | VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1190A0 | PLUS WASHING SYSTEM INLET DISTRIBUTOR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1214A0 | BAYONET - 6mm BARBED NRV VALVE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1398A0 | 1/4 M N.O. CIL PRESSURE SWITCH | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM1605A0 | CLIP TWIST LOCK DIAM. 10,2-12,7 MM | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| KVL1198A | MM EU HOOD CLEANING SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>0H2213A1</td> <td>HOOD WATER CIRCUIT PLAT</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>EL1440A0</td> <td>WATER SELF CLEANING VALVE</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>GN1526A0</td> <td>INT. D.=6.9 TH=1.8 O-RIN</td> <td>5.000</td> <td>PC</td> </tr> <tr> <td>RC1018A0</td> <td>ZINC PLATED D12 ELASTIC CLAMP</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>RC1019A0</td> <td>D=10 ELASTIC CLAMP</td> <td>16.000</td> <td>PC</td> </tr> <tr> <td>RC1131A0</td> <td>200x2.6 BLACK CLAMP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>RC1242A0</td> <td>D=10 CLOSED CAP</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>TB2821A0</td> <td>EPDM 6X10 L=40MM PIPE</td> <td>6.000</td> <td>PC</td> </tr> <tr> <td>TB2994A0</td> <td>HOOD DETERGENT PIPE</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>TB3252A0</td> <td></td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VI1220A1</td> <td>4,2x12 TCB SELF-TAPPIN G SCREW</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>VL1019A0</td> <td>VIBRATION DETERGENT PUMP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1047A1</td> <td>D6 PIPE HOLDER - D8 J.G. TERMINAL</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VL1054B0</td> <td>ONE WASHING SYS INLET DISTRIBUTOR</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | 0H2213A1 | HOOD WATER CIRCUIT PLAT | 1.000 | PC | EL1440A0 | WATER SELF CLEANING VALVE | 2.000 | PC | GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 5.000 | PC | RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 4.000 | PC | RC1019A0 | D=10 ELASTIC CLAMP | 16.000 | PC | RC1131A0 | 200x2.6 BLACK CLAMP | 1.000 | PC | RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | TB2821A0 | EPDM 6X10 L=40MM PIPE | 6.000 | PC | TB2994A0 | HOOD DETERGENT PIPE | 2.000 | PC | TB3252A0 | | 2.000 | PC | VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 3.000 | PC | VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC | VL1047A1 | D6 PIPE HOLDER - D8 J.G. TERMINAL | 2.000 | PC | VL1054B0 | ONE WASHING SYS INLET DISTRIBUTOR | 1.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0H2213A1 | HOOD WATER CIRCUIT PLAT | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| EL1440A0 | WATER SELF CLEANING VALVE | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 5.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1019A0 | D=10 ELASTIC CLAMP | 16.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1131A0 | 200x2.6 BLACK CLAMP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB2821A0 | EPDM 6X10 L=40MM PIPE | 6.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB2994A0 | HOOD DETERGENT PIPE | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3252A0 | | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1047A1 | D6 PIPE HOLDER - D8 J.G. TERMINAL | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1054B0 | ONE WASHING SYS INLET DISTRIBUTOR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |




| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--|---|------------|--------------------------------------|--|------|-------------|--|-------|----------|--|---------------------------------|-------|----------|-----------------------------------|-----------------------------|-------|----------|--------------------------|-------------------------------------|--------|----------|--------------------------------|-----------------------|--------|----------|----------------------|--------------|-------|----------|----------------------------------|------------------------|-------|----------|--|--------------------|-------|----------|--------------------------------------|--|-------|----------|--|-------|-------|----------|--|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1019A | VIBRATION DETERGENT PUMP |  | KVL1198A | MM EU HOOD CLEANING SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VL1102A1</td> <td>DETERGENT LINE FILTER + BARBED VNR 6 MM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1127A1</td> <td>6mm BARBED T-SHAPED FITTING</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1128A1</td> <td>D6 BARBED CHECK VALVE</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VL1165A0</td> <td>BAM-BB6 STRAIGHT FITTING</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1166A0</td> <td>BB6-AR6 L FITTING</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VL1174C0</td> <td>D1.2 MM CALIBRATED D1.2 MM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1191A0</td> <td>ONE WASHING DISTRIBUTOR OUTLETS KIT</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1214A0</td> <td>BAYONET - 6mm BARBED NRV VALVE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM1605A0</td> <td>CLIP TWIST LOCK DIAM. 10.2-12.7 MM</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VM2172A0</td> <td>LOCKING CLIP FOR PUMP WITH CIRCUIT</td> <td>5.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | 1.000 | PC | VL1127A1 | 6mm BARBED T-SHAPED FITTING | 1.000 | PC | VL1128A1 | D6 BARBED CHECK VALVE | 2.000 | PC | VL1165A0 | BAM-BB6 STRAIGHT FITTING | 1.000 | PC | VL1166A0 | BB6-AR6 L FITTING | 2.000 | PC | VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC | VL1191A0 | ONE WASHING DISTRIBUTOR OUTLETS KIT | 1.000 | PC | VL1214A0 | BAYONET - 6mm BARBED NRV VALVE | 1.000 | PC | VM1605A0 | CLIP TWIST LOCK DIAM. 10.2-12.7 MM | 2.000 | PC | VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 5.000 | PC |
| | | | Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1127A1 | 6mm BARBED T-SHAPED FITTING | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1128A1 | D6 BARBED CHECK VALVE | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1165A0 | BAM-BB6 STRAIGHT FITTING | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1166A0 | BB6-AR6 L FITTING | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1191A0 | ONE WASHING DISTRIBUTOR OUTLETS KIT | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1214A0 | BAYONET - 6mm BARBED NRV VALVE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM1605A0 | CLIP TWIST LOCK DIAM. 10.2-12.7 MM | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 5.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| KVL1187A | 3 ROTOR ARMS PLUS EU CLEANING SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>0H2354A1</td> <td>XEVC-XEVL PLUS WASHING CIRCUIT PLAT</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>EL1440A0</td> <td>WATER SELF CLEANING VALVE</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>GN1526A0</td> <td>INT. D.=6.9 TH=1.8 O-RIN</td> <td>9.000</td> <td>PC</td> </tr> <tr> <td>RC1018A0</td> <td>ZINC PLATED D12 ELASTIC CLAMP</td> <td>11.000</td> <td>PC</td> </tr> <tr> <td>RC1019A0</td> <td>D=10 ELASTIC CLAMP</td> <td>16.000</td> <td>PC</td> </tr> <tr> <td>RC1130A0</td> <td>130x2.6 CLAM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>RC1131A0</td> <td>200x2.6 BLACK CLAMP</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>RC1242A0</td> <td>D=10 CLOSED CAP</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>RC1356A0</td> <td>"STRAIGHT THREADED FEMALE END 8x1/4" BS</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB2652A0</td> <td></td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | 0H2354A1 | XEVC-XEVL PLUS WASHING CIRCUIT PLAT | 1.000 | PC | EL1440A0 | WATER SELF CLEANING VALVE | 4.000 | PC | GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 9.000 | PC | RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 11.000 | PC | RC1019A0 | D=10 ELASTIC CLAMP | 16.000 | PC | RC1130A0 | 130x2.6 CLAM | 1.000 | PC | RC1131A0 | 200x2.6 BLACK CLAMP | 3.000 | PC | RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | RC1356A0 | "STRAIGHT THREADED FEMALE END 8x1/4" BS | 1.000 | PC | TB2652A0 | | 1.000 | PC | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0H2354A1 | XEVC-XEVL PLUS WASHING CIRCUIT PLAT | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| EL1440A0 | WATER SELF CLEANING VALVE | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 9.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 11.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1019A0 | D=10 ELASTIC CLAMP | 16.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1130A0 | 130x2.6 CLAM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1131A0 | 200x2.6 BLACK CLAMP | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1356A0 | "STRAIGHT THREADED FEMALE END 8x1/4" BS | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB2652A0 | | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|---|---|------------|--|--|------|-------------|-----|-----|----------|--|-------|----|----------|--------------------------|-------|----|----------|--|-------|----|----------|--|-------|----|----------|--|-------|----|----------|---|-------|----|----------|--------------------------------|-------|----|----------|---|-------|----|----------|--|-------|----|----------|-----------------------------------|-------|----|----------|--------------------------|-------|----|----------|----------------------|-------|----|----------|--|-------|----|----------|----------------------------------|-------|----|----------|---------------------------------------|-------|----|----------|---|-------|----|----------|--------------------------------------|-------|----|----------|--------------------------------------|-------|----|----------|--|-------|----|----------|--|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1019A | VIBRATION DETERGENT PUMP |  | KVL1187A | 3 ROTOR ARMS PLUS EU CLEANING SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>TB2677A0</td> <td></td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB2821A0</td> <td>EPDM 6X10 L=40MM PIPE</td> <td>6.000</td> <td>PC</td> </tr> <tr> <td>TB3004A0</td> <td>TB2820A L=550mm EPDM BLACK PIPE</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>TB3024C0</td> <td></td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>TB3226A0</td> <td></td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB3440A0</td> <td>TB3132A L=1050mm EPDM WHITE-BLUE PIPE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1019A0</td> <td>VIBRATION DETERGENT PUMP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1047A1</td> <td>D6 PIPE HOLDER - D6 J.G. TERMINAL</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1102A1</td> <td>DETERGENT LINE FILTER + BARBED VNR 6 MM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1127A1</td> <td>6mm BARBED T-SHAPED FITTING</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VL1128A1</td> <td>D6 BARBED CHECK VALVE</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>VL1166A0</td> <td>BB6-AR6 L FITTING</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>VL1167A2</td> <td>GN21 3 ROTOR ARMS B-B FLOW RESTRICTOR</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1174C0</td> <td>D1.2 MM CALIBRATED D1.2 MM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1186A0</td> <td>3 WAYS PLUS WASHING DISTRIBUTOR</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1190A0</td> <td>PLUS WASHING SYSTEM INLET DISTRIBUTOR</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1214A0</td> <td>BAYONET - 6mm BARBED NRV VALVE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1398A0</td> <td>1/4 M N.O. CIL PRESSURE SWITCH</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM1605A0</td> <td>CLIP TWIST LOCK DIAM. 10.2-12.7 MM</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>VM2172A0</td> <td>LOCKING CLIP FOR PUMP WITH CIRCUIT</td> <td>5.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | TB2677A0 | | 1.000 | PC | TB2821A0 | EPDM 6X10 L=40MM PIPE | 6.000 | PC | TB3004A0 | TB2820A L=550mm EPDM BLACK PIPE | 2.000 | PC | TB3024C0 | | 3.000 | PC | TB3226A0 | | 1.000 | PC | TB3440A0 | TB3132A L=1050mm EPDM WHITE-BLUE PIPE | 1.000 | PC | VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC | VL1047A1 | D6 PIPE HOLDER - D6 J.G. TERMINAL | 1.000 | PC | VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | 1.000 | PC | VL1127A1 | 6mm BARBED T-SHAPED FITTING | 2.000 | PC | VL1128A1 | D6 BARBED CHECK VALVE | 3.000 | PC | VL1166A0 | BB6-AR6 L FITTING | 4.000 | PC | VL1167A2 | GN21 3 ROTOR ARMS B-B FLOW RESTRICTOR | 1.000 | PC | VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC | VL1186A0 | 3 WAYS PLUS WASHING DISTRIBUTOR | 1.000 | PC | VL1190A0 | PLUS WASHING SYSTEM INLET DISTRIBUTOR | 1.000 | PC | VL1214A0 | BAYONET - 6mm BARBED NRV VALVE | 1.000 | PC | VL1398A0 | 1/4 M N.O. CIL PRESSURE SWITCH | 1.000 | PC | VM1605A0 | CLIP TWIST LOCK DIAM. 10.2-12.7 MM | 3.000 | PC | VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 5.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB2677A0 | | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB2821A0 | EPDM 6X10 L=40MM PIPE | 6.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3004A0 | TB2820A L=550mm EPDM BLACK PIPE | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3024C0 | | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3226A0 | | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3440A0 | TB3132A L=1050mm EPDM WHITE-BLUE PIPE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1047A1 | D6 PIPE HOLDER - D6 J.G. TERMINAL | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1127A1 | 6mm BARBED T-SHAPED FITTING | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1128A1 | D6 BARBED CHECK VALVE | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1166A0 | BB6-AR6 L FITTING | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1167A2 | GN21 3 ROTOR ARMS B-B FLOW RESTRICTOR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1186A0 | 3 WAYS PLUS WASHING DISTRIBUTOR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1190A0 | PLUS WASHING SYSTEM INLET DISTRIBUTOR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1214A0 | BAYONET - 6mm BARBED NRV VALVE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1398A0 | 1/4 M N.O. CIL PRESSURE SWITCH | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM1605A0 | CLIP TWIST LOCK DIAM. 10.2-12.7 MM | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 5.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |




| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|---|---|------------|--|---|------|-------------|-----|-----|----------|--|-------|----|----------|---------------------------------|-------|----|----------|-----------------------------|-------|----|----------|-------------------------------------|-------|----|----------|-----------------------|--------|----|----------|--------------|-------|----|----------|------------------------|-------|----|----------|--------------------|-------|----|----------|--|-------|----|----------|--------------------------|-------|----|----------|---------------------------|-------|----|----------|--|-------|----|----------|--|-------|----|----------|---|-------|----|----------|--------------------------------|--|--|--|-------------|----------|---|--|--|--|-------------|----------|--|--|--|--|-------------|----------|--------------------------|--|--|--|-------------|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1019A | VIBRATION DETERGENT PUMP |  | KVL1184A | 2 ROTOR ARMS PLUS EU CLEANING SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>0H2354A1</td> <td>XEVC-XEVL PLUS WASHING CIRCUIT PLAT</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>EL1440A0</td> <td>WATER SELF CLEANING VALVE</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>GN1526A0</td> <td>INT. D.=6.9 TH=1.8 O-RIN</td> <td>9.000</td> <td>PC</td> </tr> <tr> <td>RC1018A0</td> <td>ZINC PLATED D12 ELASTIC CLAMP</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>RC1019A0</td> <td>D=10 ELASTIC CLAMP</td> <td>15.000</td> <td>PC</td> </tr> <tr> <td>RC1130A0</td> <td>130x2.6 CLAM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>RC1131A0</td> <td>200x2.6 BLACK CLAMP</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>RC1242A0</td> <td>D=10 CLOSED CAP</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>RC1356A0</td> <td>"STRAIGHT THREADED FEMALE END 8x1/4" BS</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB2821A0</td> <td>EPDM 6X10 L=40MM PIPE</td> <td>6.000</td> <td>PC</td> </tr> <tr> <td>TB2994A0</td> <td>HOOD DETERGENT PIPE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB3004A0</td> <td>TB2820A L=550mm EPDM BLACK PIPE</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>TB3005B0</td> <td>TB3132A L=550mm EPDM WHITE-BLUE PIPE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB3440A0</td> <td>TB3132A L=1050mm EPDM WHITE-BLUE PIPE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1019A0</td> <td>VIBRATION DETERGENT PUMP</td> <td></td> <td></td> <td></td> <td>1.000 PC</td> </tr> <tr> <td>VL1047A1</td> <td>D6 PIPE HOLDER - D8 J.G. TERMINAL</td> <td></td> <td></td> <td></td> <td>1.000 PC</td> </tr> <tr> <td>VL1102A1</td> <td>DETERGENT LINE FILTER + BARBED VNR 6 MM</td> <td></td> <td></td> <td></td> <td>1.000 PC</td> </tr> <tr> <td>VL1128A1</td> <td>D6 BARBED CHECK VALVE</td> <td></td> <td></td> <td></td> <td>2.000 PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | 0H2354A1 | XEVC-XEVL PLUS WASHING CIRCUIT PLAT | 1.000 | PC | EL1440A0 | WATER SELF CLEANING VALVE | 4.000 | PC | GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 9.000 | PC | RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 3.000 | PC | RC1019A0 | D=10 ELASTIC CLAMP | 15.000 | PC | RC1130A0 | 130x2.6 CLAM | 1.000 | PC | RC1131A0 | 200x2.6 BLACK CLAMP | 3.000 | PC | RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | RC1356A0 | "STRAIGHT THREADED FEMALE END 8x1/4" BS | 1.000 | PC | TB2821A0 | EPDM 6X10 L=40MM PIPE | 6.000 | PC | TB2994A0 | HOOD DETERGENT PIPE | 1.000 | PC | TB3004A0 | TB2820A L=550mm EPDM BLACK PIPE | 2.000 | PC | TB3005B0 | TB3132A L=550mm EPDM WHITE-BLUE PIPE | 1.000 | PC | TB3440A0 | TB3132A L=1050mm EPDM WHITE-BLUE PIPE | 1.000 | PC | VL1019A0 | VIBRATION DETERGENT PUMP | | | | 1.000 PC | VL1047A1 | D6 PIPE HOLDER - D8 J.G. TERMINAL | | | | 1.000 PC | VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | | | | 1.000 PC | VL1128A1 | D6 BARBED CHECK VALVE | | | | 2.000 PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0H2354A1 | XEVC-XEVL PLUS WASHING CIRCUIT PLAT | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| EL1440A0 | WATER SELF CLEANING VALVE | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 9.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1019A0 | D=10 ELASTIC CLAMP | 15.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1130A0 | 130x2.6 CLAM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1131A0 | 200x2.6 BLACK CLAMP | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1356A0 | "STRAIGHT THREADED FEMALE END 8x1/4" BS | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB2821A0 | EPDM 6X10 L=40MM PIPE | 6.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB2994A0 | HOOD DETERGENT PIPE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3004A0 | TB2820A L=550mm EPDM BLACK PIPE | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3005B0 | TB3132A L=550mm EPDM WHITE-BLUE PIPE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3440A0 | TB3132A L=1050mm EPDM WHITE-BLUE PIPE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1019A0 | VIBRATION DETERGENT PUMP | | | | 1.000 PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1047A1 | D6 PIPE HOLDER - D8 J.G. TERMINAL | | | | 1.000 PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | | | | 1.000 PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1128A1 | D6 BARBED CHECK VALVE | | | | 2.000 PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |




| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|---|---|------------|--|---|------|-------------|--|-------|----------|-----------------------------------|---------------------------------|-------|----------|----------------------|-----------------------------|-------|----------|----------------------------------|-------------------------------------|-------|----------|---------------------------------------|-----------------------|--------|----------|---|--------------|-------|----------|--------------------------------------|------------------------|-------|----------|--------------------------------------|--------------------|-------|----------|--|--|-------|----------|--|--------------------------|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1019A | VIBRATION DETERGENT PUMP |  | KVL1184A | 2 ROTOR ARMS PLUS EU CLEANING SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VL1141A1</td> <td>BB6-BB6 STRAIGHT CONNECTION</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1166A0</td> <td>BB6-AR6 L FITTING</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>VL1174C0</td> <td>D1.2 MM CALIBRATED D1.2 MM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1186A0</td> <td>3 WAYS PLUS WASHING DISTRIBUTOR</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1190A0</td> <td>PLUS WASHING SYSTEM INLET DISTRIBUTOR</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1214A0</td> <td>BAYONET - 6mm BARBED NRV VALVE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1398A0</td> <td>1/4 M N.O. CIL PRESSURE SWITCH</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM1605A0</td> <td>CLIP TWIST LOCK DIAM. 10,2-12,7 MM</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>VM2172A0</td> <td>LOCKING CLIP FOR PUMP WITH CIRCUIT</td> <td>5.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VL1141A1 | BB6-BB6 STRAIGHT CONNECTION | 1.000 | PC | VL1166A0 | BB6-AR6 L FITTING | 4.000 | PC | VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC | VL1186A0 | 3 WAYS PLUS WASHING DISTRIBUTOR | 1.000 | PC | VL1190A0 | PLUS WASHING SYSTEM INLET DISTRIBUTOR | 1.000 | PC | VL1214A0 | BAYONET - 6mm BARBED NRV VALVE | 1.000 | PC | VL1398A0 | 1/4 M N.O. CIL PRESSURE SWITCH | 1.000 | PC | VM1605A0 | CLIP TWIST LOCK DIAM. 10,2-12,7 MM | 3.000 | PC | VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 5.000 | PC | |
| | | | Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1141A1 | BB6-BB6 STRAIGHT CONNECTION | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1166A0 | BB6-AR6 L FITTING | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1186A0 | 3 WAYS PLUS WASHING DISTRIBUTOR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1190A0 | PLUS WASHING SYSTEM INLET DISTRIBUTOR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1214A0 | BAYONET - 6mm BARBED NRV VALVE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1398A0 | 1/4 M N.O. CIL PRESSURE SWITCH | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM1605A0 | CLIP TWIST LOCK DIAM. 10,2-12,7 MM | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 5.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| KVL1183A | 1 ROTOR ARM PLUS CLEANING SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>0H2354A1</td> <td>XEVC-XEVL PLUS WASHING CIRCUIT PLAT</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>EL1440A0</td> <td>WATER SELF CLEANING VALVE</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>GN1526A0</td> <td>INT. D.=6.9 TH=1.8 O-RIN</td> <td>7.000</td> <td>PC</td> </tr> <tr> <td>RC1018A0</td> <td>ZINC PLATED D12 ELASTIC CLAMP</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>RC1019A0</td> <td>D=10 ELASTIC CLAMP</td> <td>14.000</td> <td>PC</td> </tr> <tr> <td>RC1130A0</td> <td>130x2.6 CLAM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>RC1131A0</td> <td>200x2.6 BLACK CLAMP</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>RC1242A0</td> <td>D=10 CLOSED CAP</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>RC1356A0</td> <td>"STRAIGHT THREADED FEMALE END 8x1/4" BS</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB2821A0</td> <td>EPDM 6X10 L=40MM PIPE</td> <td>6.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | 0H2354A1 | XEVC-XEVL PLUS WASHING CIRCUIT PLAT | 1.000 | PC | EL1440A0 | WATER SELF CLEANING VALVE | 3.000 | PC | GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 7.000 | PC | RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 2.000 | PC | RC1019A0 | D=10 ELASTIC CLAMP | 14.000 | PC | RC1130A0 | 130x2.6 CLAM | 1.000 | PC | RC1131A0 | 200x2.6 BLACK CLAMP | 2.000 | PC | RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | RC1356A0 | "STRAIGHT THREADED FEMALE END 8x1/4" BS | 1.000 | PC | TB2821A0 | EPDM 6X10 L=40MM PIPE | 6.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0H2354A1 | XEVC-XEVL PLUS WASHING CIRCUIT PLAT | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| EL1440A0 | WATER SELF CLEANING VALVE | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 7.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1019A0 | D=10 ELASTIC CLAMP | 14.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1130A0 | 130x2.6 CLAM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1131A0 | 200x2.6 BLACK CLAMP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1356A0 | "STRAIGHT THREADED FEMALE END 8x1/4" BS | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB2821A0 | EPDM 6X10 L=40MM PIPE | 6.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |





| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|---|---|------------|--|--|------|-------------|-----|-----|----------|--|-------|----|----------|--|-------|----|----------|---|-------|----|----------|--|-------|----|----------|--------------------------------|-------|----|----------|---|-------|----|----------|--|-------|----|----------|--------------------------|-------|----|----------|----------------------|-------|----|----------|----------------------------------|-------|----|----------|---------------------------------------|-------|----|----------|---|-------|----|----------|--------------------------------------|-------|----|----------|--------------------------------------|-------|----|----------|--|-------|----|----------|--|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1019A | VIBRATION DETERGENT PUMP |  | KVL1183A | 1 ROTOR ARM PLUS CLEANING SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>TB3004A0</td> <td>TB2820A L=550mm EPDM BLACK PIPE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB3005B0</td> <td>TB3132A L=550mm EPDM WHITE-BLUE PIPE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB3225B0</td> <td>TB2820A-TAN K-WASHYNG SYS CONNECTION</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB3252A0</td> <td></td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1019A0</td> <td>VIBRATION DETERGENT PUMP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1047A1</td> <td>D6 PIPE HOLDER - D6 J.G. TERMINAL</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1102A1</td> <td>DETERGENT LINE FILTER + BARBED VNR 6 MM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1128A1</td> <td>D6 BARBED CHECK VALVE</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VL1166A0</td> <td>BB6-AR6 L FITTING</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>VL1174C0</td> <td>D1.2 MM CALIBRATED D1.2 MM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1185A0</td> <td>2 WAYS PLUS WASHING DISTRIBUTOR</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1190A0</td> <td>PLUS WASHING SYSTEM INLET DISTRIBUTOR</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1214A0</td> <td>BAYONET - 6mm BARBED NRV VALVE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1398A0</td> <td>1/4 M N.O. CIL PRESSURE SWITCH</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM1605A0</td> <td>CLIP TWIST LOCK DIAM. 10,2-12,7 MM</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>VM2172A0</td> <td>LOCKING CLIP FOR PUMP WITH CIRCUIT</td> <td>4.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | TB3004A0 | TB2820A L=550mm EPDM BLACK PIPE | 1.000 | PC | TB3005B0 | TB3132A L=550mm EPDM WHITE-BLUE PIPE | 1.000 | PC | TB3225B0 | TB2820A-TAN K-WASHYNG SYS CONNECTION | 1.000 | PC | TB3252A0 | | 1.000 | PC | VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC | VL1047A1 | D6 PIPE HOLDER - D6 J.G. TERMINAL | 1.000 | PC | VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | 1.000 | PC | VL1128A1 | D6 BARBED CHECK VALVE | 2.000 | PC | VL1166A0 | BB6-AR6 L FITTING | 3.000 | PC | VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC | VL1185A0 | 2 WAYS PLUS WASHING DISTRIBUTOR | 1.000 | PC | VL1190A0 | PLUS WASHING SYSTEM INLET DISTRIBUTOR | 1.000 | PC | VL1214A0 | BAYONET - 6mm BARBED NRV VALVE | 1.000 | PC | VL1398A0 | 1/4 M N.O. CIL PRESSURE SWITCH | 1.000 | PC | VM1605A0 | CLIP TWIST LOCK DIAM. 10,2-12,7 MM | 3.000 | PC | VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 4.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3004A0 | TB2820A L=550mm EPDM BLACK PIPE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3005B0 | TB3132A L=550mm EPDM WHITE-BLUE PIPE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3225B0 | TB2820A-TAN K-WASHYNG SYS CONNECTION | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3252A0 | | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1047A1 | D6 PIPE HOLDER - D6 J.G. TERMINAL | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1128A1 | D6 BARBED CHECK VALVE | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1166A0 | BB6-AR6 L FITTING | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1185A0 | 2 WAYS PLUS WASHING DISTRIBUTOR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1190A0 | PLUS WASHING SYSTEM INLET DISTRIBUTOR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1214A0 | BAYONET - 6mm BARBED NRV VALVE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1398A0 | 1/4 M N.O. CIL PRESSURE SWITCH | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM1605A0 | CLIP TWIST LOCK DIAM. 10,2-12,7 MM | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |




| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--|---|------------|--|--|------|-------------|-----|-----|----------|--|-------|----|----------|---------------------------------|-------|----|----------|-----------------------------|-------|----|----------|-------------------------------------|-------|----|----------|-----------------------|--------|----|----------|--------------|-------|----|----------|--------------------|-------|----|----------|--------------------------|-------|----|----------|--|-------|----|----------|---|-------|----|----------|---|-------|----|----------|--------------------------------------|-------|----|----------|--------------------------------|-------|----|----------|---|-------|----|----------|--|-------|----|----------|--|-------|----|----------|--------------------------|-------|----|----------|----------------------|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1019A | VIBRATION DETERGENT PUMP |  | KVL1182A | ONE 1ROT CLEANING SYSTEM KIT (0311 EXC.) | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>0H2202A1</td> <td>ONE WASHING WITH STEAM VALVE SUPPORT</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>EL1440A0</td> <td>WATER SELF CLEANING VALVE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>GN1526A0</td> <td>INT. D.=6.9 TH=1.8 O-RIN</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>RC1018A0</td> <td>ZINC PLATED D12 ELASTIC CLAMP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>RC1019A0</td> <td>D=10 ELASTIC CLAMP</td> <td>14.000</td> <td>PC</td> </tr> <tr> <td>RC1130A0</td> <td>130x2,6 CLAM</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>RC1242A0</td> <td>D=10 CLOSED CAP</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>TB2821A0</td> <td>EPDM 6X10 L=40MM PIPE</td> <td>6.000</td> <td>PC</td> </tr> <tr> <td>TB3004A0</td> <td>TB2820A L=550mm EPDM BLACK PIPE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB3009B0</td> <td>TB3132A-ONE OVEN WASHING INLET</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB3225B0</td> <td>TB2820A-TAN K-WASHYNG SYS CONNECTION</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VI1220A1</td> <td>4,2x12 TCB SELF-TAPPIN G SCREW</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1019A0</td> <td>VIBRATION DETERGENT PUMP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1047A1</td> <td>D6 PIPE HOLDER - D8 J.G. TERMINAL</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1054B0</td> <td>ONE WASHING SYS INLET DISTRIBUTOR</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1102A1</td> <td>DETERGENT LINE FILTER + BARBED VNR 6 MM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1128A1</td> <td>D6 BARBED CHECK VALVE</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VL1166A0</td> <td>BB6-AR6 L FITTING</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | 0H2202A1 | ONE WASHING WITH STEAM VALVE SUPPORT | 1.000 | PC | EL1440A0 | WATER SELF CLEANING VALVE | 1.000 | PC | GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 3.000 | PC | RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 1.000 | PC | RC1019A0 | D=10 ELASTIC CLAMP | 14.000 | PC | RC1130A0 | 130x2,6 CLAM | 2.000 | PC | RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | TB2821A0 | EPDM 6X10 L=40MM PIPE | 6.000 | PC | TB3004A0 | TB2820A L=550mm EPDM BLACK PIPE | 1.000 | PC | TB3009B0 | TB3132A-ONE OVEN WASHING INLET | 1.000 | PC | TB3225B0 | TB2820A-TAN K-WASHYNG SYS CONNECTION | 1.000 | PC | VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 1.000 | PC | VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC | VL1047A1 | D6 PIPE HOLDER - D8 J.G. TERMINAL | 1.000 | PC | VL1054B0 | ONE WASHING SYS INLET DISTRIBUTOR | 1.000 | PC | VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | 1.000 | PC | VL1128A1 | D6 BARBED CHECK VALVE | 2.000 | PC | VL1166A0 | BB6-AR6 L FITTING | 1.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0H2202A1 | ONE WASHING WITH STEAM VALVE SUPPORT | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| EL1440A0 | WATER SELF CLEANING VALVE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1019A0 | D=10 ELASTIC CLAMP | 14.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1130A0 | 130x2,6 CLAM | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB2821A0 | EPDM 6X10 L=40MM PIPE | 6.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3004A0 | TB2820A L=550mm EPDM BLACK PIPE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3009B0 | TB3132A-ONE OVEN WASHING INLET | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3225B0 | TB2820A-TAN K-WASHYNG SYS CONNECTION | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1047A1 | D6 PIPE HOLDER - D8 J.G. TERMINAL | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1054B0 | ONE WASHING SYS INLET DISTRIBUTOR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1128A1 | D6 BARBED CHECK VALVE | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1166A0 | BB6-AR6 L FITTING | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |





| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|---|---|------------|--|--|------|-------------|-----------------------------|-------|----------|----------------------------------|-----------------------|-------|----------|--|--------------|-------|----------|--------------------------------------|------------------------|-------|----------|--|--------------------|-------|----|----------|--------------------------|-------|----|----------|--------------------------------|-------|----|----------|--------------------------|-------|----|----------|----------------------------------|-------|----|----------|---------------------------------------|-------|----|----------|---|-------|----|----------|--|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1019A | VIBRATION DETERGENT PUMP |  | KVL1182A | ONE 1ROT CLEANING SYSTEM KIT (0311 EXC.) | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VL1174C0</td> <td>D1.2 MM CALIBRATED D1.2 MM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1191A0</td> <td>ONE WASHING DISTRIBUTOR OUTLETS KIT</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1214A0</td> <td>BAYONET - 6mm BARBED NRV VALVE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2172A0</td> <td>LOCKING CLIP FOR PUMP WITH CIRCUIT</td> <td>2.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC | VL1191A0 | ONE WASHING DISTRIBUTOR OUTLETS KIT | 1.000 | PC | VL1214A0 | BAYONET - 6mm BARBED NRV VALVE | 1.000 | PC | VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1191A0 | ONE WASHING DISTRIBUTOR OUTLETS KIT | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1214A0 | BAYONET - 6mm BARBED NRV VALVE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| KVL0684A | >12/2019 2-3ROTOR ARM PLUS WASH PUMP KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>GN1526A0</td> <td>INT. D.=6.9 TH=1.8 O-RIN</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>RC1019A0</td> <td>D=10 ELASTIC CLAMP</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>RC1130A0</td> <td>130x2.6 CLAM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>RC1131A0</td> <td>200x2.6 BLACK CLAMP</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>RC1242A0</td> <td>D=10 CLOSED CAP</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>TB2821A0</td> <td>EPDM 6X10 L=40MM PIPE</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>VL1019A0</td> <td>VIBRATION DETERGENT PUMP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1128A1</td> <td>D6 BARBED CHECK VALVE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1174C0</td> <td>D1.2 MM CALIBRATED D1.2 MM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1186A0</td> <td>3 WAYS PLUS WASHING DISTRIBUTOR</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1190A0</td> <td>PLUS WASHING SYSTEM INLET DISTRIBUTOR</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2172A0</td> <td>LOCKING CLIP FOR PUMP WITH CIRCUIT</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 3.000 | PC | RC1019A0 | D=10 ELASTIC CLAMP | 4.000 | PC | RC1130A0 | 130x2.6 CLAM | 1.000 | PC | RC1131A0 | 200x2.6 BLACK CLAMP | 3.000 | PC | RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | TB2821A0 | EPDM 6X10 L=40MM PIPE | 3.000 | PC | VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC | VL1128A1 | D6 BARBED CHECK VALVE | 1.000 | PC | VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC | VL1186A0 | 3 WAYS PLUS WASHING DISTRIBUTOR | 1.000 | PC | VL1190A0 | PLUS WASHING SYSTEM INLET DISTRIBUTOR | 1.000 | PC | VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 1.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1019A0 | D=10 ELASTIC CLAMP | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1130A0 | 130x2.6 CLAM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1131A0 | 200x2.6 BLACK CLAMP | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB2821A0 | EPDM 6X10 L=40MM PIPE | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1128A1 | D6 BARBED CHECK VALVE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1186A0 | 3 WAYS PLUS WASHING DISTRIBUTOR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1190A0 | PLUS WASHING SYSTEM INLET DISTRIBUTOR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| KVL0683A | >12/2019 1 ROTOR ARM PLUS WASH PUMP KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>GN1526A0</td> <td>INT. D.=6.9 TH=1.8 O-RIN</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>RC1019A0</td> <td>D=10 ELASTIC CLAMP</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>RC1130A0</td> <td>130x2.6 CLAM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>RC1131A0</td> <td>200x2.6 BLACK CLAMP</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>RC1242A0</td> <td>D=10 CLOSED CAP</td> <td>2.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 2.000 | PC | RC1019A0 | D=10 ELASTIC CLAMP | 4.000 | PC | RC1130A0 | 130x2.6 CLAM | 1.000 | PC | RC1131A0 | 200x2.6 BLACK CLAMP | 2.000 | PC | RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1019A0 | D=10 ELASTIC CLAMP | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1130A0 | 130x2.6 CLAM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1131A0 | 200x2.6 BLACK CLAMP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|---|---|------------|---|---|------|-------------|------------------------------|-------|----------|--------------------------|-----------------------|-------|----------|--------------------------------|--------------------|-------|----------|--------------------------|--------------------------|-------|----------|----------------------------------|--------------------------------|-------|----------|---------------------------------------|--|-------|----------|---|--------------------------|-------|----------|--|----------------------------------|-------|----|----------|--|-------|----|----------|--|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1019A | VIBRATION DETERGENT PUMP |  | KVL0683A | >12/2019 1 ROTOR ARM PLUS WASH PUMP KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>TB2821A0</td> <td>EPDM 6X10 L=40MM PIPE</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>VL1019A0</td> <td>VIBRATION DETERGENT PUMP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1128A1</td> <td>D6 BARBED CHECK VALVE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1174C0</td> <td>D1.2 MM CALIBRATED D1.2 MM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1185A0</td> <td>2 WAYS PLUS WASHING DISTRIBUTOR</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1190A0</td> <td>PLUS WASHING SYSTEM INLET DISTRIBUTOR</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2172A0</td> <td>LOCKING CLIP FOR PUMP WITH CIRCUIT</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | TB2821A0 | EPDM 6X10 L=40MM PIPE | 3.000 | PC | VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC | VL1128A1 | D6 BARBED CHECK VALVE | 1.000 | PC | VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC | VL1185A0 | 2 WAYS PLUS WASHING DISTRIBUTOR | 1.000 | PC | VL1190A0 | PLUS WASHING SYSTEM INLET DISTRIBUTOR | 1.000 | PC | VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 1.000 | PC | | | | | | | | | |
| | | | Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB2821A0 | EPDM 6X10 L=40MM PIPE | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1128A1 | D6 BARBED CHECK VALVE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1185A0 | 2 WAYS PLUS WASHING DISTRIBUTOR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1190A0 | PLUS WASHING SYSTEM INLET DISTRIBUTOR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| KVL0682A | >12/2019 ONE/HOODS WASHING SYST PUMP KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>GN1526A0</td> <td>INT. D.=6.9 TH=1.8 O-RING</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>RC1019A0</td> <td>D=10 ELASTIC CLAMP</td> <td>6.000</td> <td>PC</td> </tr> <tr> <td>RC1242A0</td> <td>D=10 CLOSED CAP</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>TB2821A0</td> <td>EPDM 6X10 L=40MM PIPE</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>VL1019A0</td> <td>VIBRATION DETERGENT PUMP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1054B0</td> <td>ONE WASHING SYS INLET DISTRIBUTOR</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1128A1</td> <td>D6 BARBED CHECK VALVE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1174C0</td> <td>D1.2 MM CALIBRATED D1.2 MM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1191A0</td> <td>ONE WASHING DISTRIBUTOR OUTLETS KIT</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2172A0</td> <td>LOCKING CLIP FOR PUMP WITH CIRCUIT</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | GN1526A0 | INT. D.=6.9 TH=1.8 O-RING | 1.000 | PC | RC1019A0 | D=10 ELASTIC CLAMP | 6.000 | PC | RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | TB2821A0 | EPDM 6X10 L=40MM PIPE | 3.000 | PC | VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC | VL1054B0 | ONE WASHING SYS INLET DISTRIBUTOR | 1.000 | PC | VL1128A1 | D6 BARBED CHECK VALVE | 1.000 | PC | VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC | VL1191A0 | ONE WASHING DISTRIBUTOR OUTLETS KIT | 1.000 | PC | VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 1.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1526A0 | INT. D.=6.9 TH=1.8 O-RING | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1019A0 | D=10 ELASTIC CLAMP | 6.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB2821A0 | EPDM 6X10 L=40MM PIPE | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1054B0 | ONE WASHING SYS INLET DISTRIBUTOR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1128A1 | D6 BARBED CHECK VALVE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1191A0 | ONE WASHING DISTRIBUTOR OUTLETS KIT | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |




| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--|---|------------|-------------------------------|--|------|-------------|-----|-----|----------|---|-------|----|----------|---|-------|----|----------|--|-------|----|----------|-----------------------------|-------|----|----------|-----------------------|-------|----|----------|--------------------|-------|----|----------|----------------------------|-------|----|----------|--|-------|----|----------|---|-------|----|----------|--------------------------|-------|----|----------|--------------------------------------|-------|----|----------|--------------------------------|-------|----|----------|---|-------|----|----------|--|-------|----|----------|--|-------|----|----------|---|-------|----|----------|------------------------------------|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1019A | VIBRATION DETERGENT PUMP |  | KVL0001A | LM TOP CLEANING SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>0H1226B0</td> <td>LineMissTop WASHING SYTEM CIRCUIT COVE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>EL1436B0</td> <td>JG D8-BARBED D6 NRV WATER SOLENOID</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>GN1312A0</td> <td>RUBBER CABLE-PASSI NG DE=26 DI=15 SP=10</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>GN1526A0</td> <td>INT. D.=6.9 TH=1.8 O-RIN</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>RC1019A0</td> <td>D=10 ELASTIC CLAMP</td> <td>5.000</td> <td>PC</td> </tr> <tr> <td>RC1242A0</td> <td>D=10 CLOSED CAP</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>RC1381A0</td> <td>BIFILAR PIPE CLIP D10.7</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>TB1114A1</td> <td>TB2820A-LM TOP DETERGENT PIPE COIL ROTOR</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB1116A0</td> <td>TB2343A-DETE RGENT HOLD DOWN WEIGHT PIPE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB2821A0</td> <td>EPDM 6X10 L=40MM PIPE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VH1220A1</td> <td>4,2x12 TCB SELF-TAPPIN G SCREW</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1019A0</td> <td>VIBRATION DETERGENT PUMP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1047A1</td> <td>D6 PIPE HOLDER - D8 J.G. TERMINAL</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1053B0</td> <td>ONE WASHING SYS EXT DISTRIBUTOR</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1054B0</td> <td>ONE WASHING SYS INLET DISTRIBUTOR</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1061A0</td> <td>HOLD DOWN WEIGHT+NET FILTER+NON- RET. V.</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1090A0</td> <td>1LT TANK UNOX.DET&RI NSE CAP</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | 0H1226B0 | LineMissTop WASHING SYTEM CIRCUIT COVE | 1.000 | PC | EL1436B0 | JG D8-BARBED D6 NRV WATER SOLENOID | 1.000 | PC | GN1312A0 | RUBBER CABLE-PASSI NG DE=26 DI=15 SP=10 | 1.000 | PC | GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 1.000 | PC | RC1019A0 | D=10 ELASTIC CLAMP | 5.000 | PC | RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | RC1381A0 | BIFILAR PIPE CLIP D10.7 | 3.000 | PC | TB1114A1 | TB2820A-LM TOP DETERGENT PIPE COIL ROTOR | 1.000 | PC | TB1116A0 | TB2343A-DETE RGENT HOLD DOWN WEIGHT PIPE | 1.000 | PC | TB2821A0 | EPDM 6X10 L=40MM PIPE | 1.000 | PC | VH1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 1.000 | PC | VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC | VL1047A1 | D6 PIPE HOLDER - D8 J.G. TERMINAL | 1.000 | PC | VL1053B0 | ONE WASHING SYS EXT DISTRIBUTOR | 1.000 | PC | VL1054B0 | ONE WASHING SYS INLET DISTRIBUTOR | 1.000 | PC | VL1061A0 | HOLD DOWN WEIGHT+NET FILTER+NON- RET. V. | 1.000 | PC | VL1090A0 | 1LT TANK UNOX.DET&RI NSE CAP | 1.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0H1226B0 | LineMissTop WASHING SYTEM CIRCUIT COVE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| EL1436B0 | JG D8-BARBED D6 NRV WATER SOLENOID | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1312A0 | RUBBER CABLE-PASSI NG DE=26 DI=15 SP=10 | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1019A0 | D=10 ELASTIC CLAMP | 5.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1381A0 | BIFILAR PIPE CLIP D10.7 | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB1114A1 | TB2820A-LM TOP DETERGENT PIPE COIL ROTOR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB1116A0 | TB2343A-DETE RGENT HOLD DOWN WEIGHT PIPE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB2821A0 | EPDM 6X10 L=40MM PIPE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VH1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1047A1 | D6 PIPE HOLDER - D8 J.G. TERMINAL | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1053B0 | ONE WASHING SYS EXT DISTRIBUTOR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1054B0 | ONE WASHING SYS INLET DISTRIBUTOR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1061A0 | HOLD DOWN WEIGHT+NET FILTER+NON- RET. V. | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1090A0 | 1LT TANK UNOX.DET&RI NSE CAP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |




| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--------------------------------------|--|------------|--------------------------------------|---|------|-------------|-----|-----|----------|--------------------------------------|-------|----|----------|--------------------------------------|-------|----|----------|-----------------------------|-------|----|----------|------------------------------------|-------|----|----------|------------------------------------|-------|----|----------|----------------------------|-------|----|----------|---------------------------|-------|----|----------|-----------------------------------|-------|----|----------|---------------------------|-------|----|----------|--------------------------|-------|----|----------|-------------------------------|-------|----|----------|--------------------|--------|----|----------|--------------|-------|----|----------|-----------------|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1019A | VIBRATION DETERGENT PUMP |  | KVL0001A | LM TOP CLEANING SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VL1128A1</td> <td>D6 BARBED CHECK VALVE</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VM1066A0</td> <td>SADDLE CLIP FOR CABLES PASSING</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>VM1088A0</td> <td>NYLON CLICK CLAMP D7.9-D9.2</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM1605A0</td> <td>CLIP TWIST LOCK DIAM. 10.2-12.7 MM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2172A0</td> <td>LOCKING CLIP FOR PUMP WITH CIRCUIT</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VL1128A1 | D6 BARBED CHECK VALVE | 2.000 | PC | VM1066A0 | SADDLE CLIP FOR CABLES PASSING | 3.000 | PC | VM1088A0 | NYLON CLICK CLAMP D7.9-D9.2 | 1.000 | PC | VM1605A0 | CLIP TWIST LOCK DIAM. 10.2-12.7 MM | 1.000 | PC | VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1128A1 | D6 BARBED CHECK VALVE | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM1066A0 | SADDLE CLIP FOR CABLES PASSING | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM1088A0 | NYLON CLICK CLAMP D7.9-D9.2 | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM1605A0 | CLIP TWIST LOCK DIAM. 10.2-12.7 MM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1054B | ONE WASHING SYS INLET DISTRIBUTOR |  | KVL2618A | 2 ROTOR ARMS ONE CLEANING SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>0H2202A1</td> <td>ONE WASHING WITH STEAM VALVE SUPPORT</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>CE1030A0</td> <td>FEMALE FASTON COVER 6.3X0.8 0.5-1mmg</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>CE1395A0</td> <td>6,3 X 0,8 FEMALE FASTON</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>CE1545A0</td> <td>BLUE UNIP AWG18 ST.3135 WIRE</td> <td>2.000</td> <td>M</td> </tr> <tr> <td>CE1570A0</td> <td>WHITE UNIP AWG18 ST.3135 WIRE</td> <td>2.000</td> <td>M</td> </tr> <tr> <td>CE1660A0</td> <td>6,3x0,8 FEMALE FASTON COVE</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>CE1661A0</td> <td>MALE FASTON COVER 6,3x0,8</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>EL1020A1</td> <td>D8 INTERMEDIAT E T-SHAPED FITTING</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>EL1440A0</td> <td>WATER SELF CLEANING VALVE</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>GN1526A0</td> <td>INT. D.=6.9 TH=1.8 O-RIN</td> <td>6.000</td> <td>PC</td> </tr> <tr> <td>RC1018A0</td> <td>ZINC PLATED D12 ELASTIC CLAMP</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>RC1019A0</td> <td>D=10 ELASTIC CLAMP</td> <td>28.000</td> <td>PC</td> </tr> <tr> <td>RC1130A0</td> <td>130x2,6 CLAM</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>RC1242A0</td> <td>D=10 CLOSED CAP</td> <td>4.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | 0H2202A1 | ONE WASHING WITH STEAM VALVE SUPPORT | 2.000 | PC | CE1030A0 | FEMALE FASTON COVER 6.3X0.8 0.5-1mmg | 4.000 | PC | CE1395A0 | 6,3 X 0,8 FEMALE FASTON | 2.000 | PC | CE1545A0 | BLUE UNIP AWG18 ST.3135 WIRE | 2.000 | M | CE1570A0 | WHITE UNIP AWG18 ST.3135 WIRE | 2.000 | M | CE1660A0 | 6,3x0,8 FEMALE FASTON COVE | 4.000 | PC | CE1661A0 | MALE FASTON COVER 6,3x0,8 | 2.000 | PC | EL1020A1 | D8 INTERMEDIAT E T-SHAPED FITTING | 1.000 | PC | EL1440A0 | WATER SELF CLEANING VALVE | 2.000 | PC | GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 6.000 | PC | RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 2.000 | PC | RC1019A0 | D=10 ELASTIC CLAMP | 28.000 | PC | RC1130A0 | 130x2,6 CLAM | 4.000 | PC | RC1242A0 | D=10 CLOSED CAP | 4.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0H2202A1 | ONE WASHING WITH STEAM VALVE SUPPORT | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CE1030A0 | FEMALE FASTON COVER 6.3X0.8 0.5-1mmg | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CE1395A0 | 6,3 X 0,8 FEMALE FASTON | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CE1545A0 | BLUE UNIP AWG18 ST.3135 WIRE | 2.000 | M | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CE1570A0 | WHITE UNIP AWG18 ST.3135 WIRE | 2.000 | M | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CE1660A0 | 6,3x0,8 FEMALE FASTON COVE | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CE1661A0 | MALE FASTON COVER 6,3x0,8 | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| EL1020A1 | D8 INTERMEDIAT E T-SHAPED FITTING | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| EL1440A0 | WATER SELF CLEANING VALVE | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 6.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1019A0 | D=10 ELASTIC CLAMP | 28.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1130A0 | 130x2,6 CLAM | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1242A0 | D=10 CLOSED CAP | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |




| COMPONENT | | | SPARE PART | | | | | |
|-----------|--------------------------------------|---|------------|--|----------------|--|------------|------------|
| Code | Description | Image | Code | Description | Kit components | | | |
| VL1054B | ONE WASHING SYS INLET DISTRIBUTOR |  | KVL2618A | 2 ROTOR ARMS ONE CLEANING SYSTEM KIT | Code | Description | Qty | UOM |
| | | | | | TB2821A0 | EPDM 6X10 L=40MM PIPE | 12.000 | PC |
| | | | | | TB3004A0 | TB2820A L=550mm EPDM BLACK PIPE | 2.000 | PC |
| | | | | | TB3009B0 | TB3132A-ONE OVEN WASHING INLET | 2.000 | PC |
| | | | | | TB3225B0 | TB2820A-TAN K-WASHYNG SYS CONNECTION | 2.000 | PC |
| | | | | | VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 2.000 | PC |
| | | | | | VL1019A0 | VIBRATION DETERGENT PUMP | 2.000 | PC |
| | | | | | VL1047A1 | D6 PIPE HOLDER - D6 J.G. TERMINAL | 2.000 | PC |
| | | | | | VL1054B0 | ONE WASHING SYS INLET DISTRIBUTOR | 2.000 | PC |
| | | | | | VL1102A1 | DETERGENT + LINE FILTER + BARBED VNR 6 MM | 2.000 | PC |
| | | | | | VL1127A1 | 6mm BARBED T-SHAPED FITTING | 1.000 | PC |
| | | | | | VL1128A1 | D6 BARBED CHECK VALVE | 4.000 | PC |
| | | | | | VL1166A0 | BB6-AR6 L FITTING | 2.000 | PC |
| | | | | | VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 2.000 | PC |
| | | | | | VL1191A0 | ONE WASHING DISTRIBUTOR OUTLETS KIT | 2.000 | PC |
| | | | | | VL1214A0 | BAYONET - 6mm BARBED NRV VALVE | 2.000 | PC |
| | | | | | VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 4.000 | PC |




| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--|---|------------|-------------------------------|--|------|-------------|-----|-----|----------|----------------------------|-------|----|----------|---|-------|----|----------|-----------------------------|-------|----|----------|-------------------------------------|-------|----|----------|-----------------------|--------|----|----------|------------------------|-------|----|----------|--------------------|-------|----|----------|--------------------------|-------|----|----------|---------------------------|-------|----|----------|--|-------|----|----------|--------------------------------------|-------|----|----------|--------------------------------|-------|----|----------|---|-------|----|----------|--|-------|----|----------|--|-------|----|----------|-----------------------------------|-------|----|----------|--------------------------|-------|----|----------|--------------------------------|-------|----|----------|----------------------|-------|----|----------|----------------------------------|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1054B | ONE WASHING SYS INLET DISTRIBUTOR |  | KVL1225A | US HOOD WASHING SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>0H2213A1</td> <td>HOOD WATER CIRCUIT PLAT</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>EL1450A0</td> <td>US SELF-CLEANIN G WATER SOLENOID</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>GN1526A0</td> <td>INT. D.=6.9 TH=1.8 O-RIN</td> <td>5.000</td> <td>PC</td> </tr> <tr> <td>RC1018A0</td> <td>ZINC PLATED D12 ELASTIC CLAMP</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>RC1019A0</td> <td>D=10 ELASTIC CLAMP</td> <td>16.000</td> <td>PC</td> </tr> <tr> <td>RC1131A0</td> <td>200x2.6 BLACK CLAMP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>RC1242A0</td> <td>D=10 CLOSED CAP</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>TB2821A0</td> <td>EPDM 6X10 L=40MM PIPE</td> <td>6.000</td> <td>PC</td> </tr> <tr> <td>TB2994A0</td> <td>HOOD DETERGENT PIPE</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>TB3252A0</td> <td></td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VI1220A1</td> <td>4,2x12 TCB SELF-TAPPIN G SCREW</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>VL1019A0</td> <td>VIBRATION DETERGENT PUMP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1047A1</td> <td>D6 PIPE HOLDER - D6 J.G. TERMINAL</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1054B0</td> <td>ONE WASHING SYS INLET DISTRIBUTOR</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1102A1</td> <td>DETERGENT LINE FILTER + BARBED VNR 6 MM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1127A1</td> <td>6mm BARBED T-SHAPED FITTING</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1128A1</td> <td>D6 BARBED CHECK VALVE</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VL1165A0</td> <td>BAM-BB6 STRAIGHT FITTING</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1166A0</td> <td>BB6-AR6 L FITTING</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VL1174C0</td> <td>D1.2 MM CALIBRATED D1.2 MM</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | 0H2213A1 | HOOD WATER CIRCUIT PLAT | 1.000 | PC | EL1450A0 | US SELF-CLEANIN G WATER SOLENOID | 2.000 | PC | GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 5.000 | PC | RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 4.000 | PC | RC1019A0 | D=10 ELASTIC CLAMP | 16.000 | PC | RC1131A0 | 200x2.6 BLACK CLAMP | 1.000 | PC | RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | TB2821A0 | EPDM 6X10 L=40MM PIPE | 6.000 | PC | TB2994A0 | HOOD DETERGENT PIPE | 2.000 | PC | TB3252A0 | | 2.000 | PC | VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 3.000 | PC | VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC | VL1047A1 | D6 PIPE HOLDER - D6 J.G. TERMINAL | 1.000 | PC | VL1054B0 | ONE WASHING SYS INLET DISTRIBUTOR | 1.000 | PC | VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | 1.000 | PC | VL1127A1 | 6mm BARBED T-SHAPED FITTING | 1.000 | PC | VL1128A1 | D6 BARBED CHECK VALVE | 2.000 | PC | VL1165A0 | BAM-BB6 STRAIGHT FITTING | 1.000 | PC | VL1166A0 | BB6-AR6 L FITTING | 2.000 | PC | VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0H2213A1 | HOOD WATER CIRCUIT PLAT | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| EL1450A0 | US SELF-CLEANIN G WATER SOLENOID | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 5.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1019A0 | D=10 ELASTIC CLAMP | 16.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1131A0 | 200x2.6 BLACK CLAMP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB2821A0 | EPDM 6X10 L=40MM PIPE | 6.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB2994A0 | HOOD DETERGENT PIPE | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3252A0 | | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1047A1 | D6 PIPE HOLDER - D6 J.G. TERMINAL | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1054B0 | ONE WASHING SYS INLET DISTRIBUTOR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1127A1 | 6mm BARBED T-SHAPED FITTING | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1128A1 | D6 BARBED CHECK VALVE | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1165A0 | BAM-BB6 STRAIGHT FITTING | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1166A0 | BB6-AR6 L FITTING | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |





| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|---|---|------------|-------------------------------|--|------|-------------|---------------------------------|-------|----------|--|---------------------------------|-------|----------|--------------------------------------|-----------------------------|-------|----------|--|-------------------------------------|-------|----------|--|-----------------------|--------|----|----------|--------------------|-------|----|----------|--------------------------|-------|----|----------|--|-------|----|----------|---|-------|----|----------|---|-------|----|----------|--------------------------------------|-------|----|----------|--------------------------------|-------|----|----------|---|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1054B | ONE WASHING SYS INLET DISTRIBUTOR |  | KVL1225A | US HOOD WASHING SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VL1191A0</td> <td>ONE WASHING DISTRIBUTOR OUTLETS KIT</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1214A0</td> <td>BAYONET - 6mm BARBED NRV VALVE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM1605A0</td> <td>CLIP TWIST LOCK DIAM. 10,2-12,7 MM</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VM2172A0</td> <td>LOCKING CLIP FOR PUMP WITH CIRCUIT</td> <td>3.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VL1191A0 | ONE WASHING DISTRIBUTOR OUTLETS KIT | 1.000 | PC | VL1214A0 | BAYONET - 6mm BARBED NRV VALVE | 1.000 | PC | VM1605A0 | CLIP TWIST LOCK DIAM. 10,2-12,7 MM | 2.000 | PC | VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1191A0 | ONE WASHING DISTRIBUTOR OUTLETS KIT | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1214A0 | BAYONET - 6mm BARBED NRV VALVE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM1605A0 | CLIP TWIST LOCK DIAM. 10,2-12,7 MM | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| KVL1222A | EUR 0311 ONE PLUS CLEANING SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>0H2486A0</td> <td>0311 WASHING CIRCUIT PLAT</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>EL1440A0</td> <td>WATER SELF CLEANING VALVE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>GN1526A0</td> <td>INT. D.=6.9 TH=1.8 O-RIN</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>RC1018A0</td> <td>ZINC PLATED D12 ELASTIC CLAMP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>RC1019A0</td> <td>D=10 ELASTIC CLAMP</td> <td>14.000</td> <td>PC</td> </tr> <tr> <td>RC1242A0</td> <td>D=10 CLOSED CAP</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>TB2821A0</td> <td>EPDM 6X10 L=40MM PIPE</td> <td>6.000</td> <td>PC</td> </tr> <tr> <td>TB3004A0</td> <td>TB2820A L=550mm EPDM BLACK PIPE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB3009B0</td> <td>TB3132A-ONE OVEN WASHING INLET</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB3225B0</td> <td>TB2820A-TAN K-WASHYNG SYS CONNECTION</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VI1220A1</td> <td>4,2x12 TCB SELF-TAPPIN G SCREW</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>VL1019A0</td> <td>VIBRATION DETERGENT PUMP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1047A1</td> <td>D6 PIPE HOLDER - D8 J.G. TERMINAL</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | 0H2486A0 | 0311 WASHING CIRCUIT PLAT | 1.000 | PC | EL1440A0 | WATER SELF CLEANING VALVE | 1.000 | PC | GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 3.000 | PC | RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 1.000 | PC | RC1019A0 | D=10 ELASTIC CLAMP | 14.000 | PC | RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | TB2821A0 | EPDM 6X10 L=40MM PIPE | 6.000 | PC | TB3004A0 | TB2820A L=550mm EPDM BLACK PIPE | 1.000 | PC | TB3009B0 | TB3132A-ONE OVEN WASHING INLET | 1.000 | PC | TB3225B0 | TB2820A-TAN K-WASHYNG SYS CONNECTION | 1.000 | PC | VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 4.000 | PC | VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC | VL1047A1 | D6 PIPE HOLDER - D8 J.G. TERMINAL | 1.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0H2486A0 | 0311 WASHING CIRCUIT PLAT | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| EL1440A0 | WATER SELF CLEANING VALVE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1019A0 | D=10 ELASTIC CLAMP | 14.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB2821A0 | EPDM 6X10 L=40MM PIPE | 6.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3004A0 | TB2820A L=550mm EPDM BLACK PIPE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3009B0 | TB3132A-ONE OVEN WASHING INLET | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3225B0 | TB2820A-TAN K-WASHYNG SYS CONNECTION | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1047A1 | D6 PIPE HOLDER - D8 J.G. TERMINAL | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |





| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--|--|------------|---|--|------|-------------|--------------------------------------|-------|----------|--|---|-------|----------|--|--|-------|----------|--------------------------|-----------------------------|-------|----------|----------------------|-------------------------------------|-------|----------|----------------------------------|-----------------------|--------|----------|--|--------------|-------|----------|--------------------------------------|------------------------|-------|----------|--|--------------------|-------|----|----------|--|-------|----|----------|--------------------------|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1054B | ONE WASHING SYS INLET DISTRIBUTOR |  | KVL1222A | EUR 0311 ONE PLUS CLEANING SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VL1054B0</td> <td>ONE WASHING SYS INLET DISTRIBUTOR</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1102A1</td> <td>DETERGENT LINE FILTER + BARBED VNR 6 MM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1128A1</td> <td>D6 BARBED CHECK VALVE</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VL1166A0</td> <td>BB6-AR6 L FITTING</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1174C0</td> <td>D1.2 MM CALIBRATED D1.2 MM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1191A0</td> <td>ONE WASHING DISTRIBUTOR OUTLETS KIT</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1214A0</td> <td>BAYONET - 6mm BARBED NRV VALVE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2172A0</td> <td>LOCKING CLIP FOR PUMP WITH CIRCUIT</td> <td>2.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VL1054B0 | ONE WASHING SYS INLET DISTRIBUTOR | 1.000 | PC | VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | 1.000 | PC | VL1128A1 | D6 BARBED CHECK VALVE | 2.000 | PC | VL1166A0 | BB6-AR6 L FITTING | 1.000 | PC | VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC | VL1191A0 | ONE WASHING DISTRIBUTOR OUTLETS KIT | 1.000 | PC | VL1214A0 | BAYONET - 6mm BARBED NRV VALVE | 1.000 | PC | VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 2.000 | PC | | | | | | | | | |
| | | | Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1054B0 | ONE WASHING SYS INLET DISTRIBUTOR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1128A1 | D6 BARBED CHECK VALVE | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1166A0 | BB6-AR6 L FITTING | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1191A0 | ONE WASHING DISTRIBUTOR OUTLETS KIT | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1214A0 | BAYONET - 6mm BARBED NRV VALVE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| KVL1213A | US PLUS COMPACT WASHING SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>0H2428A2</td> <td>XECC PLUS WASHING CIRCUIT PLAT</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>EL1450A0</td> <td>US SELF-CLEANIN G WATER SOLENOID</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>GN1312A0</td> <td>RUBBER CABLE-PASSI NG DE=26 DI=15 SP=10</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>GN1526A0</td> <td>INT. D.=6.9 TH=1.8 O-RIN</td> <td>7.000</td> <td>PC</td> </tr> <tr> <td>RC1018A0</td> <td>ZINC PLATED D12 ELASTIC CLAMP</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>RC1019A0</td> <td>D=10 ELASTIC CLAMP</td> <td>14.000</td> <td>PC</td> </tr> <tr> <td>RC1130A0</td> <td>130x2.6 CLAM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>RC1131A0</td> <td>200x2.6 BLACK CLAMP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>RC1242A0</td> <td>D=10 CLOSED CAP</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>RC1356A0</td> <td>"STRAIGHT THREADED FEMALE END 8x1/4" BS</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB2821A0</td> <td>EPDM 6X10 L=40MM PIPE</td> <td>6.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | 0H2428A2 | XECC PLUS WASHING CIRCUIT PLAT | 1.000 | PC | EL1450A0 | US SELF-CLEANIN G WATER SOLENOID | 3.000 | PC | GN1312A0 | RUBBER CABLE-PASSI NG DE=26 DI=15 SP=10 | 1.000 | PC | GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 7.000 | PC | RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 2.000 | PC | RC1019A0 | D=10 ELASTIC CLAMP | 14.000 | PC | RC1130A0 | 130x2.6 CLAM | 1.000 | PC | RC1131A0 | 200x2.6 BLACK CLAMP | 1.000 | PC | RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | RC1356A0 | "STRAIGHT THREADED FEMALE END 8x1/4" BS | 1.000 | PC | TB2821A0 | EPDM 6X10 L=40MM PIPE | 6.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0H2428A2 | XECC PLUS WASHING CIRCUIT PLAT | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| EL1450A0 | US SELF-CLEANIN G WATER SOLENOID | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1312A0 | RUBBER CABLE-PASSI NG DE=26 DI=15 SP=10 | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 7.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1019A0 | D=10 ELASTIC CLAMP | 14.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1130A0 | 130x2.6 CLAM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1131A0 | 200x2.6 BLACK CLAMP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1356A0 | "STRAIGHT THREADED FEMALE END 8x1/4" BS | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB2821A0 | EPDM 6X10 L=40MM PIPE | 6.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |




| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--|---|------------|--|--|------|-------------|-----|-----|----------|--|-------|----|----------|--|-------|----|----------|--|-------|----|----------|--------------------------------|-------|----|----------|---|-------|----|----------|--|-------|----|----------|--|-------|----|----------|--------------------------|-------|----|----------|--------------------------------|-------|----|----------|----------------------|-------|----|----------|----------------------------------|-------|----|----------|---------------------------------------|-------|----|----------|--------------------------------------|-------|----|----------|--|-------|----|----------|--|---|------|-------------|-----|-----|----------|--------------------------------------|-------|----|----------|---------------------------------|-------|----|----------|--|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1054B | ONE WASHING SYS INLET DISTRIBUTOR |  | KVL1213A | US PLUS COMPACT WASHING SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>TB3004A0</td> <td>TB2820A L=550mm EPDM BLACK PIPE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB3005B0</td> <td>TB3132A L=550mm EPDM WHITE-BLUE PIPE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB3469A0</td> <td></td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1019A0</td> <td>VIBRATION DETERGENT PUMP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1047A1</td> <td>D6 PIPE HOLDER - D8 J.G. TERMINAL</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1054B0</td> <td>ONE WASHING SYS INLET DISTRIBUTOR</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1102A1</td> <td>DETERGENT LINE FILTER + BARBED VNR 6 MM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1128A1</td> <td>D6 BARBED CHECK VALVE</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VL1165A0</td> <td>BAM-BB6 STRAIGHT FITTING</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1166A0</td> <td>BB6-AR6 L FITTING</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>VL1174C0</td> <td>D1.2 MM CALIBRATED D1.2 MM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1185A0</td> <td>2 WAYS PLUS WASHING DISTRIBUTOR</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1398A0</td> <td>1/4 M N.O. CIL PRESSURE SWITCH</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2172A0</td> <td>LOCKING CLIP FOR PUMP WITH CIRCUIT</td> <td>6.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | TB3004A0 | TB2820A L=550mm EPDM BLACK PIPE | 1.000 | PC | TB3005B0 | TB3132A L=550mm EPDM WHITE-BLUE PIPE | 1.000 | PC | TB3469A0 | | 1.000 | PC | VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC | VL1047A1 | D6 PIPE HOLDER - D8 J.G. TERMINAL | 1.000 | PC | VL1054B0 | ONE WASHING SYS INLET DISTRIBUTOR | 1.000 | PC | VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | 1.000 | PC | VL1128A1 | D6 BARBED CHECK VALVE | 2.000 | PC | VL1165A0 | BAM-BB6 STRAIGHT FITTING | 1.000 | PC | VL1166A0 | BB6-AR6 L FITTING | 3.000 | PC | VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC | VL1185A0 | 2 WAYS PLUS WASHING DISTRIBUTOR | 1.000 | PC | VL1398A0 | 1/4 M N.O. CIL PRESSURE SWITCH | 1.000 | PC | VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 6.000 | PC | KVL1212A | EUR COMPACT PLUS CLEANING SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>0H2428A2</td> <td>XECC PLUS WASHING CIRCUIT PLAT</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>EL1440A0</td> <td>WATER SELF CLEANING VALVE</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>GN1312A0</td> <td>RUBBER CABLE-PASSI NG DE=26 DI=15 SP=10</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | 0H2428A2 | XECC PLUS WASHING CIRCUIT PLAT | 1.000 | PC | EL1440A0 | WATER SELF CLEANING VALVE | 3.000 | PC | GN1312A0 | RUBBER CABLE-PASSI NG DE=26 DI=15 SP=10 | 1.000 | PC |
| | | | Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3004A0 | TB2820A L=550mm EPDM BLACK PIPE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3005B0 | TB3132A L=550mm EPDM WHITE-BLUE PIPE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3469A0 | | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1047A1 | D6 PIPE HOLDER - D8 J.G. TERMINAL | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1054B0 | ONE WASHING SYS INLET DISTRIBUTOR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1128A1 | D6 BARBED CHECK VALVE | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1165A0 | BAM-BB6 STRAIGHT FITTING | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1166A0 | BB6-AR6 L FITTING | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1185A0 | 2 WAYS PLUS WASHING DISTRIBUTOR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1398A0 | 1/4 M N.O. CIL PRESSURE SWITCH | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 6.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0H2428A2 | XECC PLUS WASHING CIRCUIT PLAT | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| EL1440A0 | WATER SELF CLEANING VALVE | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1312A0 | RUBBER CABLE-PASSI NG DE=26 DI=15 SP=10 | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |


| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--|---|------------|--|--|------|-------------|-----|-----|----------|-----------------------------|-------|----|----------|-------------------------------------|-------|----|----------|-----------------------|--------|----|----------|--------------|-------|----|----------|------------------------|-------|----|----------|--------------------|-------|----|----------|--|-------|----|----------|--------------------------|-------|----|----------|--|-------|----|----------|--|-------|----|----------|--|-------|----|----------|--------------------------------|-------|----|----------|---|-------|----|----------|--|-------|----|----------|--|-------|----|----------|--------------------------|-------|----|----------|--------------------------------|-------|----|----------|----------------------|-------|----|----------|----------------------------------|-------|----|----------|---------------------------------------|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1054B | ONE WASHING SYS INLET DISTRIBUTOR |  | KVL1212A | EUR COMPACT PLUS CLEANING SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>GN1526A0</td> <td>INT. D.=6.9 TH=1.8 O-RIN</td> <td>7.000</td> <td>PC</td> </tr> <tr> <td>RC1018A0</td> <td>ZINC PLATED D12 ELASTIC CLAMP</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>RC1019A0</td> <td>D=10 ELASTIC CLAMP</td> <td>14.000</td> <td>PC</td> </tr> <tr> <td>RC1130A0</td> <td>130x2.6 CLAM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>RC1131A0</td> <td>200x2.6 BLACK CLAMP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>RC1242A0</td> <td>D=10 CLOSED CAP</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>RC1356A0</td> <td>"STRAIGHT THREADED FEMALE END 8x1/4" BS</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB2821A0</td> <td>EPDM 6X10 L=40MM PIPE</td> <td>6.000</td> <td>PC</td> </tr> <tr> <td>TB3004A0</td> <td>TB2820A L=550mm EPDM BLACK PIPE</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>TB3005B0</td> <td>TB3132A L=550mm EPDM WHITE-BLUE PIPE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB3469A0</td> <td></td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1019A0</td> <td>VIBRATION DETERGENT PUMP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1047A1</td> <td>D6 PIPE HOLDER - D8 J.G. TERMINAL</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1054B0</td> <td>ONE WASHING SYS INLET DISTRIBUTOR</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1102A1</td> <td>DETERGENT LINE FILTER + BARBED VNR 6 MM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1128A1</td> <td>D6 BARBED CHECK VALVE</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VL1165A0</td> <td>BAM-BB6 STRAIGHT FITTING</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1166A0</td> <td>BB6-AR6 L FITTING</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>VL1174C0</td> <td>D1.2 MM CALIBRATED D1.2 MM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1185A0</td> <td>2 WAYS PLUS WASHING DISTRIBUTOR</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 7.000 | PC | RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 2.000 | PC | RC1019A0 | D=10 ELASTIC CLAMP | 14.000 | PC | RC1130A0 | 130x2.6 CLAM | 1.000 | PC | RC1131A0 | 200x2.6 BLACK CLAMP | 1.000 | PC | RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | RC1356A0 | "STRAIGHT THREADED FEMALE END 8x1/4" BS | 1.000 | PC | TB2821A0 | EPDM 6X10 L=40MM PIPE | 6.000 | PC | TB3004A0 | TB2820A L=550mm EPDM BLACK PIPE | 2.000 | PC | TB3005B0 | TB3132A L=550mm EPDM WHITE-BLUE PIPE | 1.000 | PC | TB3469A0 | | 1.000 | PC | VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC | VL1047A1 | D6 PIPE HOLDER - D8 J.G. TERMINAL | 1.000 | PC | VL1054B0 | ONE WASHING SYS INLET DISTRIBUTOR | 1.000 | PC | VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | 1.000 | PC | VL1128A1 | D6 BARBED CHECK VALVE | 2.000 | PC | VL1165A0 | BAM-BB6 STRAIGHT FITTING | 1.000 | PC | VL1166A0 | BB6-AR6 L FITTING | 3.000 | PC | VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC | VL1185A0 | 2 WAYS PLUS WASHING DISTRIBUTOR | 1.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 7.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1019A0 | D=10 ELASTIC CLAMP | 14.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1130A0 | 130x2.6 CLAM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1131A0 | 200x2.6 BLACK CLAMP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1356A0 | "STRAIGHT THREADED FEMALE END 8x1/4" BS | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB2821A0 | EPDM 6X10 L=40MM PIPE | 6.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3004A0 | TB2820A L=550mm EPDM BLACK PIPE | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3005B0 | TB3132A L=550mm EPDM WHITE-BLUE PIPE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3469A0 | | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1047A1 | D6 PIPE HOLDER - D8 J.G. TERMINAL | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1054B0 | ONE WASHING SYS INLET DISTRIBUTOR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1128A1 | D6 BARBED CHECK VALVE | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1165A0 | BAM-BB6 STRAIGHT FITTING | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1166A0 | BB6-AR6 L FITTING | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1185A0 | 2 WAYS PLUS WASHING DISTRIBUTOR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |


| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--|--|------------|--|---|------|-------------|--|-------|----------|--------------------------------------|---------------------------------|-------|----------|--|-----------------------------|-------|----|----------|-------------------------------------|-------|----|----------|-----------------------|--------|----|----------|--------------|-------|----|----------|--------------------|-------|----|----------|--|-------|----|----------|--------------------------|-------|----|----------|--|-------|----|----------|--|-------|----|----------|--------------------------------------|-------|----|----------|--------------------------------|-------|----|----------|---|-------|----|----------|--|-------|----|----------|--|-------|----|----------|--------------------------|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1054B | ONE WASHING SYS INLET DISTRIBUTOR |  | KVL1212A | EUR COMPACT PLUS CLEANING SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VL1398A0</td> <td>1/4 M N.O. CIL PRESSURE SWITCH</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2172A0</td> <td>LOCKING CLIP FOR PUMP WITH CIRCUIT</td> <td>6.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VL1398A0 | 1/4 M N.O. CIL PRESSURE SWITCH | 1.000 | PC | VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 6.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1398A0 | 1/4 M N.O. CIL PRESSURE SWITCH | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 6.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| KVL1211A | ONE COMPACT AND 0523-EP WASH. SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>0H2427A0</td> <td>XECC WASHING CIRCUIT HOLDING PLATE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>EL1440A0</td> <td>WATER SELF CLEANING VALVE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>GN1526A0</td> <td>INT. D.=6.9 TH=1.8 O-RIN</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>RC1018A0</td> <td>ZINC PLATED D12 ELASTIC CLAMP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>RC1019A0</td> <td>D=10 ELASTIC CLAMP</td> <td>14.000</td> <td>PC</td> </tr> <tr> <td>RC1130A0</td> <td>130x2.6 CLAM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>RC1242A0</td> <td>D=10 CLOSED CAP</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>TB1402A0</td> <td>TB2820A-DETE RGENT CIRCUIT-FILTE R PIPE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB2821A0</td> <td>EPDM 6X10 L=40MM PIPE</td> <td>6.000</td> <td>PC</td> </tr> <tr> <td>TB3004A0</td> <td>TB2820A L=550mm EPDM BLACK PIPE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB3469A0</td> <td></td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VI1220A1</td> <td>4,2x12 TCB SELF-TAPPIN G SCREW</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>VL1019A0</td> <td>VIBRATION DETERGENT PUMP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1047A1</td> <td>D6 PIPE HOLDER - D8 J.G. TERMINAL</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1054B0</td> <td>ONE WASHING SYS INLET DISTRIBUTOR</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1102A1</td> <td>DETERGENT LINE FILTER + BARBED VNR 6 MM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1128A1</td> <td>D6 BARBED CHECK VALVE</td> <td>2.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | 0H2427A0 | XECC WASHING CIRCUIT HOLDING PLATE | 1.000 | PC | EL1440A0 | WATER SELF CLEANING VALVE | 1.000 | PC | GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 3.000 | PC | RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 1.000 | PC | RC1019A0 | D=10 ELASTIC CLAMP | 14.000 | PC | RC1130A0 | 130x2.6 CLAM | 1.000 | PC | RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | TB1402A0 | TB2820A-DETE RGENT CIRCUIT-FILTE R PIPE | 1.000 | PC | TB2821A0 | EPDM 6X10 L=40MM PIPE | 6.000 | PC | TB3004A0 | TB2820A L=550mm EPDM BLACK PIPE | 1.000 | PC | TB3469A0 | | 1.000 | PC | VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 4.000 | PC | VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC | VL1047A1 | D6 PIPE HOLDER - D8 J.G. TERMINAL | 1.000 | PC | VL1054B0 | ONE WASHING SYS INLET DISTRIBUTOR | 1.000 | PC | VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | 1.000 | PC | VL1128A1 | D6 BARBED CHECK VALVE | 2.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0H2427A0 | XECC WASHING CIRCUIT HOLDING PLATE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| EL1440A0 | WATER SELF CLEANING VALVE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1019A0 | D=10 ELASTIC CLAMP | 14.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1130A0 | 130x2.6 CLAM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB1402A0 | TB2820A-DETE RGENT CIRCUIT-FILTE R PIPE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB2821A0 | EPDM 6X10 L=40MM PIPE | 6.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3004A0 | TB2820A L=550mm EPDM BLACK PIPE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3469A0 | | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1047A1 | D6 PIPE HOLDER - D8 J.G. TERMINAL | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1054B0 | ONE WASHING SYS INLET DISTRIBUTOR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1128A1 | D6 BARBED CHECK VALVE | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--|--|------------|--|---|------|-------------|----------------------------|-------|----------|--------------------------------|---------------------------------|-------|----------|----------------------|-----------------------------|-------|----------|----------------------------------|-------------------------------------|-------|----------|--|-----------------------|--------|----------|--|------------------------|-------|----|----------|--------------------|-------|----|----------|--------------------------|-------|----|----------|---------------------------|-------|----|----------|--|-------|----|----------|--------------------------------------|-------|----|----------|--------------------------------|-------|----|----------|---|-------|----|----------|--|-------|----|----------|--|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1054B | ONE WASHING SYS INLET DISTRIBUTOR |  | KVL1211A | ONE COMPACT AND 0523-EP WASH. SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VL1165A0</td> <td>BAM-BB6 STRAIGHT FITTING</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1166A0</td> <td>BB6-AR6 L FITTING</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1174C0</td> <td>D1.2 MM CALIBRATED D1.2 MM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1191A0</td> <td>ONE WASHING DISTRIBUTOR OUTLETS KIT</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2172A0</td> <td>LOCKING CLIP FOR PUMP WITH CIRCUIT</td> <td>2.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VL1165A0 | BAM-BB6 STRAIGHT FITTING | 1.000 | PC | VL1166A0 | BB6-AR6 L FITTING | 1.000 | PC | VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC | VL1191A0 | ONE WASHING DISTRIBUTOR OUTLETS KIT | 1.000 | PC | VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1165A0 | BAM-BB6 STRAIGHT FITTING | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1166A0 | BB6-AR6 L FITTING | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1191A0 | ONE WASHING DISTRIBUTOR OUTLETS KIT | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| KVL1198A | MM EU HOOD CLEANING SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>0H2213A1</td> <td>HOOD WATER CIRCUIT PLAT</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>EL1440A0</td> <td>WATER SELF CLEANING VALVE</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>GN1526A0</td> <td>INT. D.=6.9 TH=1.8 O-RIN</td> <td>5.000</td> <td>PC</td> </tr> <tr> <td>RC1018A0</td> <td>ZINC PLATED D12 ELASTIC CLAMP</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>RC1019A0</td> <td>D=10 ELASTIC CLAMP</td> <td>16.000</td> <td>PC</td> </tr> <tr> <td>RC1131A0</td> <td>200x2.6 BLACK CLAMP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>RC1242A0</td> <td>D=10 CLOSED CAP</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>TB2821A0</td> <td>EPDM 6X10 L=40MM PIPE</td> <td>6.000</td> <td>PC</td> </tr> <tr> <td>TB2994A0</td> <td>HOOD DETERGENT PIPE</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>TB3252A0</td> <td></td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VI1220A1</td> <td>4,2x12 TCB SELF-TAPPIN G SCREW</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>VL1019A0</td> <td>VIBRATION DETERGENT PUMP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1047A1</td> <td>D6 PIPE HOLDER - D8 J.G. TERMINAL</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VL1054B0</td> <td>ONE WASHING SYS INLET DISTRIBUTOR</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1102A1</td> <td>DETERGENT LINE FILTER + BARBED VNR 6 MM</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | 0H2213A1 | HOOD WATER CIRCUIT PLAT | 1.000 | PC | EL1440A0 | WATER SELF CLEANING VALVE | 2.000 | PC | GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 5.000 | PC | RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 4.000 | PC | RC1019A0 | D=10 ELASTIC CLAMP | 16.000 | PC | RC1131A0 | 200x2.6 BLACK CLAMP | 1.000 | PC | RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | TB2821A0 | EPDM 6X10 L=40MM PIPE | 6.000 | PC | TB2994A0 | HOOD DETERGENT PIPE | 2.000 | PC | TB3252A0 | | 2.000 | PC | VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 3.000 | PC | VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC | VL1047A1 | D6 PIPE HOLDER - D8 J.G. TERMINAL | 2.000 | PC | VL1054B0 | ONE WASHING SYS INLET DISTRIBUTOR | 1.000 | PC | VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | 1.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0H2213A1 | HOOD WATER CIRCUIT PLAT | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| EL1440A0 | WATER SELF CLEANING VALVE | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 5.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1019A0 | D=10 ELASTIC CLAMP | 16.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1131A0 | 200x2.6 BLACK CLAMP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB2821A0 | EPDM 6X10 L=40MM PIPE | 6.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB2994A0 | HOOD DETERGENT PIPE | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3252A0 | | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1047A1 | D6 PIPE HOLDER - D8 J.G. TERMINAL | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1054B0 | ONE WASHING SYS INLET DISTRIBUTOR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |




| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--|--|------------|--------------------------------------|---|------|-------------|--|-------|----------|-----------------------------------|---------------------------------|-------|----------|--------------------------|------------------------------|-------|----------|--------------------------------|-------------------------------------|-------|----------|----------------------|-----------------------|--------|----------|----------------------------------|--------------|-------|----------|--|--------------------|-------|----------|--------------------------------------|--------------------------|-------|----------|--|--|-------|----------|--|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1054B | ONE WASHING SYS INLET DISTRIBUTOR |  | KVL1198A | MM EU HOOD CLEANING SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VL1127A1</td> <td>6mm BARBED T-SHAPED FITTING</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1128A1</td> <td>D6 BARBED CHECK VALVE</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VL1165A0</td> <td>BAM-BB6 STRAIGHT FITTING</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1166A0</td> <td>BB6-AR6 L FITTING</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VL1174C0</td> <td>D1.2 MM CALIBRATED D1.2 MM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1191A0</td> <td>ONE WASHING DISTRIBUTOR OUTLETS KIT</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1214A0</td> <td>BAYONET - 6mm BARBED NRV VALVE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM1605A0</td> <td>CLIP TWIST LOCK DIAM. 10,2-12,7 MM</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VM2172A0</td> <td>LOCKING CLIP FOR PUMP WITH CIRCUIT</td> <td>5.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VL1127A1 | 6mm BARBED T-SHAPED FITTING | 1.000 | PC | VL1128A1 | D6 BARBED CHECK VALVE | 2.000 | PC | VL1165A0 | BAM-BB6 STRAIGHT FITTING | 1.000 | PC | VL1166A0 | BB6-AR6 L FITTING | 2.000 | PC | VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC | VL1191A0 | ONE WASHING DISTRIBUTOR OUTLETS KIT | 1.000 | PC | VL1214A0 | BAYONET - 6mm BARBED NRV VALVE | 1.000 | PC | VM1605A0 | CLIP TWIST LOCK DIAM. 10,2-12,7 MM | 2.000 | PC | VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 5.000 | PC |
| | | | Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1127A1 | 6mm BARBED T-SHAPED FITTING | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1128A1 | D6 BARBED CHECK VALVE | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1165A0 | BAM-BB6 STRAIGHT FITTING | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1166A0 | BB6-AR6 L FITTING | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1191A0 | ONE WASHING DISTRIBUTOR OUTLETS KIT | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1214A0 | BAYONET - 6mm BARBED NRV VALVE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM1605A0 | CLIP TWIST LOCK DIAM. 10,2-12,7 MM | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 5.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| KVL1182A | ONE 1ROT CLEANING SYSTEM KIT (0311 EXC.) | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>0H2202A1</td> <td>ONE WASHING WITH STEAM VALVE SUPPORT</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>EL1440A0</td> <td>WATER SELF CLEANING VALVE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>GN1526A0</td> <td>INT. D.=6.9 TH=1.8 O-RING</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>RC1018A0</td> <td>ZINC PLATED D12 ELASTIC CLAMP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>RC1019A0</td> <td>D=10 ELASTIC CLAMP</td> <td>14.000</td> <td>PC</td> </tr> <tr> <td>RC1130A0</td> <td>130x2,6 CLAM</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>RC1242A0</td> <td>D=10 CLOSED CAP</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>TB2821A0</td> <td>EPDM 6X10 L=40MM PIPE</td> <td>6.000</td> <td>PC</td> </tr> <tr> <td>TB3004A0</td> <td>TB2820A L=550mm EPDM BLACK PIPE</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | 0H2202A1 | ONE WASHING WITH STEAM VALVE SUPPORT | 1.000 | PC | EL1440A0 | WATER SELF CLEANING VALVE | 1.000 | PC | GN1526A0 | INT. D.=6.9 TH=1.8 O-RING | 3.000 | PC | RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 1.000 | PC | RC1019A0 | D=10 ELASTIC CLAMP | 14.000 | PC | RC1130A0 | 130x2,6 CLAM | 2.000 | PC | RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | TB2821A0 | EPDM 6X10 L=40MM PIPE | 6.000 | PC | TB3004A0 | TB2820A L=550mm EPDM BLACK PIPE | 1.000 | PC | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0H2202A1 | ONE WASHING WITH STEAM VALVE SUPPORT | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| EL1440A0 | WATER SELF CLEANING VALVE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1526A0 | INT. D.=6.9 TH=1.8 O-RING | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1019A0 | D=10 ELASTIC CLAMP | 14.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1130A0 | 130x2,6 CLAM | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB2821A0 | EPDM 6X10 L=40MM PIPE | 6.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3004A0 | TB2820A L=550mm EPDM BLACK PIPE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |




| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--|---|------------|--|---|------|-------------|-----|-----|----------|---|-------|----|----------|---|-------|----|----------|--------------------------------------|-------|----|----------|--------------------------------|-------|----|----------|---|-------|----|----------|--|-------|----|----------|--|-------|----|----------|--------------------------|-------|----|----------|----------------------|-------|----|----------|----------------------------------|-------|----|----------|--|-------|----|----------|--------------------------------------|-------|----|----------|--|-------|----|----------|---|---|------|-------------|-----|-----|----------|-----------------------------|-------|----|----------|-----------------------|-------|----|----------|--------------------|-------|----|----------|--------------------------|-------|----|----------|--------------------------------|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1054B | ONE WASHING SYS INLET DISTRIBUTOR |  | KVL1182A | ONE 1ROT CLEANING SYSTEM KIT (0311 EXC.) | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>TB3009B0</td> <td>TB3132A-ONE OVEN WASHING INLET</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB3225B0</td> <td>TB2820A-TAN K-WASHYNG SYS CONNECTION</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VI1220A1</td> <td>4,2x12 TCB SELF-TAPPIN G SCREW</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1019A0</td> <td>VIBRATION DETERGENT PUMP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1047A1</td> <td>D6 PIPE HOLDER - D8 J.G. TERMINAL</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1054B0</td> <td>ONE WASHING SYS INLET DISTRIBUTOR</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1102A1</td> <td>DETERGENT LINE FILTER + BARBED VNR 6 MM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1128A1</td> <td>D6 BARBED CHECK VALVE</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VL1166A0</td> <td>BB6-AR6 L FITTING</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1174C0</td> <td>D1.2 MM CALIBRATED D1.2 MM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1191A0</td> <td>ONE WASHING DISTRIBUTOR OUTLETS KIT</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1214A0</td> <td>BAYONET - 6mm BARBED NRV VALVE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2172A0</td> <td>LOCKING CLIP FOR PUMP WITH CIRCUIT</td> <td>2.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | TB3009B0 | TB3132A-ONE OVEN WASHING INLET | 1.000 | PC | TB3225B0 | TB2820A-TAN K-WASHYNG SYS CONNECTION | 1.000 | PC | VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 1.000 | PC | VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC | VL1047A1 | D6 PIPE HOLDER - D8 J.G. TERMINAL | 1.000 | PC | VL1054B0 | ONE WASHING SYS INLET DISTRIBUTOR | 1.000 | PC | VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | 1.000 | PC | VL1128A1 | D6 BARBED CHECK VALVE | 2.000 | PC | VL1166A0 | BB6-AR6 L FITTING | 1.000 | PC | VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC | VL1191A0 | ONE WASHING DISTRIBUTOR OUTLETS KIT | 1.000 | PC | VL1214A0 | BAYONET - 6mm BARBED NRV VALVE | 1.000 | PC | VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 2.000 | PC | KVL0682A | >12/2019 ONE/HOODS WASHING SYST PUMP KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>GN1526A0</td> <td>INT. D.=6.9 TH=1.8 O-RIN</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>RC1019A0</td> <td>D=10 ELASTIC CLAMP</td> <td>6.000</td> <td>PC</td> </tr> <tr> <td>RC1242A0</td> <td>D=10 CLOSED CAP</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>TB2821A0</td> <td>EPDM 6X10 L=40MM PIPE</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>VL1019A0</td> <td>VIBRATION DETERGENT PUMP</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 1.000 | PC | RC1019A0 | D=10 ELASTIC CLAMP | 6.000 | PC | RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | TB2821A0 | EPDM 6X10 L=40MM PIPE | 3.000 | PC | VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC |
| | | | Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3009B0 | TB3132A-ONE OVEN WASHING INLET | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3225B0 | TB2820A-TAN K-WASHYNG SYS CONNECTION | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1047A1 | D6 PIPE HOLDER - D8 J.G. TERMINAL | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1054B0 | ONE WASHING SYS INLET DISTRIBUTOR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1128A1 | D6 BARBED CHECK VALVE | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1166A0 | BB6-AR6 L FITTING | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1191A0 | ONE WASHING DISTRIBUTOR OUTLETS KIT | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1214A0 | BAYONET - 6mm BARBED NRV VALVE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1019A0 | D=10 ELASTIC CLAMP | 6.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB2821A0 | EPDM 6X10 L=40MM PIPE | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--|---|------------|---|--|------|-------------|---|-------|----------|--|---|-------|----------|--------------------------|--|-------|----------|----------------------------------|-----------------------------|-------|----------|--|-----------------------|-------|----------|--|--------------------|-------|----|----------|----------------------------|-------|----|----------|--|-------|----|----------|---|-------|----|----------|--------------------------|-------|----|----------|--------------------------------------|-------|----|----------|--------------------------------|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1054B | ONE WASHING SYS INLET DISTRIBUTOR |  | KVL0682A | >12/2019 ONE/HOODS WASHING SYST PUMP KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VL1054B0</td> <td>ONE WASHING SYS INLET DISTRIBUTOR</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1128A1</td> <td>D6 BARBED CHECK VALVE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1174C0</td> <td>D1.2 MM CALIBRATED D1.2 MM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1191A0</td> <td>ONE WASHING DISTRIBUTOR OUTLETS KIT</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2172A0</td> <td>LOCKING CLIP FOR PUMP WITH CIRCUIT</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VL1054B0 | ONE WASHING SYS INLET DISTRIBUTOR | 1.000 | PC | VL1128A1 | D6 BARBED CHECK VALVE | 1.000 | PC | VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC | VL1191A0 | ONE WASHING DISTRIBUTOR OUTLETS KIT | 1.000 | PC | VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1054B0 | ONE WASHING SYS INLET DISTRIBUTOR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1128A1 | D6 BARBED CHECK VALVE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1191A0 | ONE WASHING DISTRIBUTOR OUTLETS KIT | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| KVL0001A | LM TOP CLEANING SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>0H1226B0</td> <td>LineMissTop WASHING SYTEM CIRCUIT COVE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>EL1436B0</td> <td>JG D8-BARBED D6 NRV WATER SOLENOID</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>GN1312A0</td> <td>RUBBER CABLE-PASSI NG DE=26 DI=15 SP=10</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>GN1526A0</td> <td>INT. D.=6.9 TH=1.8 O-RIN</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>RC1019A0</td> <td>D=10 ELASTIC CLAMP</td> <td>5.000</td> <td>PC</td> </tr> <tr> <td>RC1242A0</td> <td>D=10 CLOSED CAP</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>RC1381A0</td> <td>BIFILAR PIPE CLIP D10,7</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>TB1114A1</td> <td>TB2820A-LM TOP DETERGENT PIPE COIL ROTOR</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB1116A0</td> <td>TB2343A-DETE RGENT HOLD DOWN WEIGHT PIPE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB2821A0</td> <td>EPDM 6X10 L=40MM PIPE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VI1220A1</td> <td>4,2x12 TCB SELF-TAPPIN G SCREW</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1019A0</td> <td>VIBRATION DETERGENT PUMP</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | 0H1226B0 | LineMissTop WASHING SYTEM CIRCUIT COVE | 1.000 | PC | EL1436B0 | JG D8-BARBED D6 NRV WATER SOLENOID | 1.000 | PC | GN1312A0 | RUBBER CABLE-PASSI NG DE=26 DI=15 SP=10 | 1.000 | PC | GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 1.000 | PC | RC1019A0 | D=10 ELASTIC CLAMP | 5.000 | PC | RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | RC1381A0 | BIFILAR PIPE CLIP D10,7 | 3.000 | PC | TB1114A1 | TB2820A-LM TOP DETERGENT PIPE COIL ROTOR | 1.000 | PC | TB1116A0 | TB2343A-DETE RGENT HOLD DOWN WEIGHT PIPE | 1.000 | PC | TB2821A0 | EPDM 6X10 L=40MM PIPE | 1.000 | PC | VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 1.000 | PC | VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0H1226B0 | LineMissTop WASHING SYTEM CIRCUIT COVE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| EL1436B0 | JG D8-BARBED D6 NRV WATER SOLENOID | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1312A0 | RUBBER CABLE-PASSI NG DE=26 DI=15 SP=10 | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1019A0 | D=10 ELASTIC CLAMP | 5.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1381A0 | BIFILAR PIPE CLIP D10,7 | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB1114A1 | TB2820A-LM TOP DETERGENT PIPE COIL ROTOR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB1116A0 | TB2343A-DETE RGENT HOLD DOWN WEIGHT PIPE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB2821A0 | EPDM 6X10 L=40MM PIPE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |




| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--|---|------------|-------------------------------|--|---|-------------|-----|-----|----------|---|-------|----|----------|--|-------|----|----------|--|-------|----|----------|---|-------|----|----------|------------------------------------|-------|----|----------|--------------------------|-------|----|----------|--------------------------------------|-------|----|----------|-----------------------------------|-------|----|----------|--|-------|----|----------|--|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1054B | ONE WASHING SYS INLET DISTRIBUTOR |  | KVL0001A | LM TOP CLEANING SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VL1047A1</td> <td>D6 PIPE HOLDER - D8 J.G. TERMINAL</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1053B0</td> <td>ONE WASHING SYS EXT DISTRIBUTOR</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1054B0</td> <td>ONE WASHING SYS INLET DISTRIBUTOR</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1061A0</td> <td>HOLD DOWN WEIGHT+NET FILTER+NON- RET. V.</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1090A0</td> <td>1LT TANK UNOX.DET&RI NSE CAP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1128A1</td> <td>D6 BARBED CHECK VALVE</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VM1066A0</td> <td>SADDLE CLIP FOR CABLES PASSING</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>VM1088A0</td> <td>NYLON CLICK CLAMP D7.9-D9.2</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM1605A0</td> <td>CLIP TWIST LOCK DIAM. 10.2-12.7 MM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2172A0</td> <td>LOCKING CLIP FOR PUMP WITH CIRCUIT</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VL1047A1 | D6 PIPE HOLDER - D8 J.G. TERMINAL | 1.000 | PC | VL1053B0 | ONE WASHING SYS EXT DISTRIBUTOR | 1.000 | PC | VL1054B0 | ONE WASHING SYS INLET DISTRIBUTOR | 1.000 | PC | VL1061A0 | HOLD DOWN WEIGHT+NET FILTER+NON- RET. V. | 1.000 | PC | VL1090A0 | 1LT TANK UNOX.DET&RI NSE CAP | 1.000 | PC | VL1128A1 | D6 BARBED CHECK VALVE | 2.000 | PC | VM1066A0 | SADDLE CLIP FOR CABLES PASSING | 3.000 | PC | VM1088A0 | NYLON CLICK CLAMP D7.9-D9.2 | 1.000 | PC | VM1605A0 | CLIP TWIST LOCK DIAM. 10.2-12.7 MM | 1.000 | PC | VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 1.000 | PC |
| | | | | | Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | VL1047A1 | D6 PIPE HOLDER - D8 J.G. TERMINAL | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | VL1053B0 | ONE WASHING SYS EXT DISTRIBUTOR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | VL1054B0 | ONE WASHING SYS INLET DISTRIBUTOR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | VL1061A0 | HOLD DOWN WEIGHT+NET FILTER+NON- RET. V. | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | VL1090A0 | 1LT TANK UNOX.DET&RI NSE CAP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | VL1128A1 | D6 BARBED CHECK VALVE | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | VM1066A0 | SADDLE CLIP FOR CABLES PASSING | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | VM1088A0 | NYLON CLICK CLAMP D7.9-D9.2 | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | VM1605A0 | CLIP TWIST LOCK DIAM. 10.2-12.7 MM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1128A | D6 BARBED CHECK VALVE |  | KVL1128A | D6 VNR BARBED VALVE KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>RC1019A0</td> <td>D=10 ELASTIC CLAMP</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>TB2820A0</td> <td>6X10 EPDM PIPE FOR WASHING SYSTEM</td> <td>0.080</td> <td>M</td> </tr> <tr> <td>VL1128A1</td> <td>D6 BARBED CHECK VALVE</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | RC1019A0 | D=10 ELASTIC CLAMP | 4.000 | PC | TB2820A0 | 6X10 EPDM PIPE FOR WASHING SYSTEM | 0.080 | M | VL1128A1 | D6 BARBED CHECK VALVE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | RC1019A0 | D=10 ELASTIC CLAMP | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB2820A0 | 6X10 EPDM PIPE FOR WASHING SYSTEM | 0.080 | M | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1128A1 | D6 BARBED CHECK VALVE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1174C | D1.2 MM CALIBRATED D1.2 M |  | VL1174C0 | D1.2 MM CALIBRATED D1.2 M | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |




| COMPONENT | | | SPARE PART | | | |
|-----------|-------------------------------------|---|------------|---|----------------|--|
| Code | Description | Image | Code | Description | Kit components | |
| VL1191A | ONE WASHING DISTRIBUTOR OUTLETS KIT |  | KVL2618A | 2 ROTOR ARMS ONE CLEANING SYSTEM KIT | Code | Description Qty UOM |
| | | | | | 0H2202A1 | ONE 2.000 PC WASHING WITH STEAM VALVE SUPPORT |
| | | | | | CE1030A0 | FEMALE 4.000 PC FASTON COVER 6.3X0.8 0,5-1mmg |
| | | | | | CE1395A0 | 6,3 X 0,8 2.000 PC IMALE FASTO |
| | | | | | CE1545A0 | BLUE UNIP 2.000 M AWG18 ST.3135 WIRE |
| | | | | | CE1570A0 | WHITE UNIP 2.000 M AWG18 ST.3135 WIRE |
| | | | | | CE1660A0 | 6,3x0,8 4.000 PC FEMALE FASTON COVE |
| | | | | | CE1661A0 | MALE FASTON 2.000 PC COVER 6,3x0,8 |
| | | | | | EL1020A1 | D8 1.000 PC INTERMEDIAT E T-SHAPED FITTING |
| | | | | | EL1440A0 | WATER SELF 2.000 PC CLEANING VALVE |
| | | | | | GN1526A0 | INT. D.=6.9 6.000 PC TH=1.8 O-RIN |
| | | | | | RC1018A0 | ZINC PLATED 2.000 PC D12 ELASTIC CLAMP |
| | | | | | RC1019A0 | D=10 ELASTIC 28.000 PC CLAMP |
| | | | | | RC1130A0 | 130x2,6 CLAM 4.000 PC |
| | | | | | RC1242A0 | D=10 CLOSED 4.000 PC CAP |
| | | | | | TB2821A0 | EPDM 6X10 12.000 PC L=40MM PIPE |
| | | | | | TB3004A0 | TB2820A 2.000 PC L=550mm EPDM BLACK PIPE |
| | | | | | TB3009B0 | TB3132A-ONE 2.000 PC OVEN WASHING INLET |
| | | | | | TB3225B0 | TB2820A-TAN 2.000 PC K-WASHYNG SYS CONNECTION |




| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|---|---|------------|---|--|------|-------------|-----|-----|----------|--------------------------------|-------|----|----------|--------------------------|-------|----|----------|-----------------------------------|-------|----|----------|-----------------------------------|-------|----|----------|---|-------|----|----------|-----------------------------|-------|----|----------|-----------------------|-------|----|----------|-------------------|-------|----|----------|----------------------------|-------|----|----------|-------------------------------------|-------|----|----------|--------------------------------|-------|----|----------|------------------------------------|-------|----|----------|----------------------------|---|------|-------------|-----|-----|----------|-------------------------|-------|----|----------|----------------------------------|-------|----|----------|--------------------------|-------|----|----------|-------------------------------|-------|----|----------|--------------------|--------|----|----------|---------------------|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1191A | ONE WASHING DISTRIBUTOR OUTLETS KIT |  | KVL2618A | 2 ROTOR ARMS ONE CLEANING SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VI1220A1</td> <td>4,2x12 TCB SELF-TAPPIN G SCREW</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VL1019A0</td> <td>VIBRATION DETERGENT PUMP</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VL1047A1</td> <td>D6 PIPE HOLDER - D8 J.G. TERMINAL</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VL1054B0</td> <td>ONE WASHING SYS INLET DISTRIBUTOR</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VL1102A1</td> <td>DETERGENT LINE FILTER + BARBED VNR 6 MM</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VL1127A1</td> <td>6mm BARBED T-SHAPED FITTING</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1128A1</td> <td>D6 BARBED CHECK VALVE</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>VL1166A0</td> <td>BB6-AR6 L FITTING</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VL1174C0</td> <td>D1.2 MM CALIBRATED D1.2 MM</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VL1191A0</td> <td>ONE WASHING DISTRIBUTOR OUTLETS KIT</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VL1214A0</td> <td>BAYONET - 6mm BARBED NRV VALVE</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VM2172A0</td> <td>LOCKING CLIP FOR PUMP WITH CIRCUIT</td> <td>4.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 2.000 | PC | VL1019A0 | VIBRATION DETERGENT PUMP | 2.000 | PC | VL1047A1 | D6 PIPE HOLDER - D8 J.G. TERMINAL | 2.000 | PC | VL1054B0 | ONE WASHING SYS INLET DISTRIBUTOR | 2.000 | PC | VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | 2.000 | PC | VL1127A1 | 6mm BARBED T-SHAPED FITTING | 1.000 | PC | VL1128A1 | D6 BARBED CHECK VALVE | 4.000 | PC | VL1166A0 | BB6-AR6 L FITTING | 2.000 | PC | VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 2.000 | PC | VL1191A0 | ONE WASHING DISTRIBUTOR OUTLETS KIT | 2.000 | PC | VL1214A0 | BAYONET - 6mm BARBED NRV VALVE | 2.000 | PC | VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 4.000 | PC | KVL1225A | US HOOD WASHING SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>0H2213A1</td> <td>HOOD WATER CIRCUIT PLAT</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>EL1450A0</td> <td>US SELF-CLEANIN G WATER SOLENOID</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>GN1526A0</td> <td>INT. D.=6.9 TH=1.8 O-RIN</td> <td>5.000</td> <td>PC</td> </tr> <tr> <td>RC1018A0</td> <td>ZINC PLATED D12 ELASTIC CLAMP</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>RC1019A0</td> <td>D=10 ELASTIC CLAMP</td> <td>16.000</td> <td>PC</td> </tr> <tr> <td>RC1131A0</td> <td>200x2.6 BLACK CLAMP</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | 0H2213A1 | HOOD WATER CIRCUIT PLAT | 1.000 | PC | EL1450A0 | US SELF-CLEANIN G WATER SOLENOID | 2.000 | PC | GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 5.000 | PC | RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 4.000 | PC | RC1019A0 | D=10 ELASTIC CLAMP | 16.000 | PC | RC1131A0 | 200x2.6 BLACK CLAMP | 1.000 | PC |
| | | | Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1019A0 | VIBRATION DETERGENT PUMP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1047A1 | D6 PIPE HOLDER - D8 J.G. TERMINAL | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1054B0 | ONE WASHING SYS INLET DISTRIBUTOR | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1127A1 | 6mm BARBED T-SHAPED FITTING | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1128A1 | D6 BARBED CHECK VALVE | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1166A0 | BB6-AR6 L FITTING | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1191A0 | ONE WASHING DISTRIBUTOR OUTLETS KIT | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1214A0 | BAYONET - 6mm BARBED NRV VALVE | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0H2213A1 | HOOD WATER CIRCUIT PLAT | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| EL1450A0 | US SELF-CLEANIN G WATER SOLENOID | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 5.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1019A0 | D=10 ELASTIC CLAMP | 16.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1131A0 | 200x2.6 BLACK CLAMP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |





| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|-------------------------------------|-------|------------|----------------------------|--|---|-------------|-----|-----|----------|-----------------|-------|----|----------|-----------------------|-------|----|----------|---------------------|-------|----|----------|--|-------|----|----------|-------------------------------|-------|----|----------|--------------------------|-------|----|----------|-----------------------------------|-------|----|----------|-----------------------------------|-------|----|----------|---|-------|----|----------|-----------------------------|-------|----|----------|-----------------------|-------|----|----------|--------------------------|-------|----|----------|-------------------|-------|----|----------|----------------------------|-------|----|----------|-------------------------------------|-------|----|----------|--------------------------------|-------|----|----------|------------------------------------|-------|----|----------|------------------------------------|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1191A | ONE WASHING DISTRIBUTOR OUTLETS KIT | | KVL1225A | US HOOD WASHING SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>RC1242A0</td> <td>D=10 CLOSED CAP</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>TB2821A0</td> <td>EPDM 6X10 L=40MM PIPE</td> <td>6.000</td> <td>PC</td> </tr> <tr> <td>TB2994A0</td> <td>HOOD DETERGENT PIPE</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>TB3252A0</td> <td></td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VI1220A1</td> <td>4,2x12 TCB SELF-TAPPING SCREW</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>VL1019A0</td> <td>VIBRATION DETERGENT PUMP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1047A1</td> <td>D6 PIPE HOLDER - D8 J.G. TERMINAL</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1054B0</td> <td>ONE WASHING SYS INLET DISTRIBUTOR</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1102A1</td> <td>DETERGENT LINE FILTER + BARBED VNR 6 MM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1127A1</td> <td>6mm BARBED T-SHAPED FITTING</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1128A1</td> <td>D6 BARBED CHECK VALVE</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VL1165A0</td> <td>BAM-BB6 STRAIGHT FITTING</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1166A0</td> <td>BB6-AR6 L FITTING</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VL1174C0</td> <td>D1.2 MM CALIBRATED D1.2 MM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1191A0</td> <td>ONE WASHING DISTRIBUTOR OUTLETS KIT</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1214A0</td> <td>BAYONET - 6mm BARBED NRV VALVE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM1605A0</td> <td>CLIP TWIST LOCK DIAM. 10,2-12,7 MM</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VM2172A0</td> <td>LOCKING CLIP FOR PUMP WITH CIRCUIT</td> <td>3.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | TB2821A0 | EPDM 6X10 L=40MM PIPE | 6.000 | PC | TB2994A0 | HOOD DETERGENT PIPE | 2.000 | PC | TB3252A0 | | 2.000 | PC | VI1220A1 | 4,2x12 TCB SELF-TAPPING SCREW | 3.000 | PC | VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC | VL1047A1 | D6 PIPE HOLDER - D8 J.G. TERMINAL | 1.000 | PC | VL1054B0 | ONE WASHING SYS INLET DISTRIBUTOR | 1.000 | PC | VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | 1.000 | PC | VL1127A1 | 6mm BARBED T-SHAPED FITTING | 1.000 | PC | VL1128A1 | D6 BARBED CHECK VALVE | 2.000 | PC | VL1165A0 | BAM-BB6 STRAIGHT FITTING | 1.000 | PC | VL1166A0 | BB6-AR6 L FITTING | 2.000 | PC | VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC | VL1191A0 | ONE WASHING DISTRIBUTOR OUTLETS KIT | 1.000 | PC | VL1214A0 | BAYONET - 6mm BARBED NRV VALVE | 1.000 | PC | VM1605A0 | CLIP TWIST LOCK DIAM. 10,2-12,7 MM | 2.000 | PC | VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 3.000 | PC |
| | | | | | Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | TB2821A0 | EPDM 6X10 L=40MM PIPE | 6.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | TB2994A0 | HOOD DETERGENT PIPE | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | TB3252A0 | | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | VI1220A1 | 4,2x12 TCB SELF-TAPPING SCREW | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | VL1047A1 | D6 PIPE HOLDER - D8 J.G. TERMINAL | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | VL1054B0 | ONE WASHING SYS INLET DISTRIBUTOR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | VL1127A1 | 6mm BARBED T-SHAPED FITTING | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | VL1128A1 | D6 BARBED CHECK VALVE | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | VL1165A0 | BAM-BB6 STRAIGHT FITTING | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | VL1166A0 | BB6-AR6 L FITTING | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | VL1191A0 | ONE WASHING DISTRIBUTOR OUTLETS KIT | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | VL1214A0 | BAYONET - 6mm BARBED NRV VALVE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | VM1605A0 | CLIP TWIST LOCK DIAM. 10,2-12,7 MM | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|-------------------------------------|---|------------|---------------------------------------|---|---|-------------|-----|-----|----------|---------------------------|-------|----|----------|---------------------------|-------|----|----------|--------------------------|-------|----|----------|-------------------------------|-------|----|----------|--------------------|--------|----|----------|-----------------|-------|----|----------|-----------------------|-------|----|----------|---------------------------------|-------|----|----------|--------------------------------|-------|----|----------|--------------------------------------|-------|----|----------|--------------------------------|-------|----|----------|--------------------------|-------|----|----------|-----------------------------------|-------|----|----------|-----------------------------------|-------|----|----------|---|-------|----|----------|-----------------------|-------|----|----------|-------------------|-------|----|----------|----------------------------|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1191A | ONE WASHING DISTRIBUTOR OUTLETS KIT |  | KVL1222A | EUR 0311 ONE PLUS CLEANING SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>0H2486A0</td> <td>0311 WASHING CIRCUIT PLAT</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>EL1440A0</td> <td>WATER SELF CLEANING VALVE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>GN1526A0</td> <td>INT. D.=6.9 TH=1.8 O-RIN</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>RC1018A0</td> <td>ZINC PLATED D12 ELASTIC CLAMP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>RC1019A0</td> <td>D=10 ELASTIC CLAMP</td> <td>14.000</td> <td>PC</td> </tr> <tr> <td>RC1242A0</td> <td>D=10 CLOSED CAP</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>TB2821A0</td> <td>EPDM 6X10 L=40MM PIPE</td> <td>6.000</td> <td>PC</td> </tr> <tr> <td>TB3004A0</td> <td>TB2820A L=550mm EPDM BLACK PIPE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB3009B0</td> <td>TB3132A-ONE OVEN WASHING INLET</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB3225B0</td> <td>TB2820A-TAN K-WASHYNG SYS CONNECTION</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VI1220A1</td> <td>4,2x12 TCB SELF-TAPPIN G SCREW</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>VL1019A0</td> <td>VIBRATION DETERGENT PUMP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1047A1</td> <td>D6 PIPE HOLDER - D8 J.G. TERMINAL</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1054B0</td> <td>ONE WASHING SYS INLET DISTRIBUTOR</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1102A1</td> <td>DETERGENT LINE FILTER + BARBED VNR 6 MM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1128A1</td> <td>D6 BARBED CHECK VALVE</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VL1166A0</td> <td>BB6-AR6 L FITTING</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1174C0</td> <td>D1.2 MM CALIBRATED D1.2 MM</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | 0H2486A0 | 0311 WASHING CIRCUIT PLAT | 1.000 | PC | EL1440A0 | WATER SELF CLEANING VALVE | 1.000 | PC | GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 3.000 | PC | RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 1.000 | PC | RC1019A0 | D=10 ELASTIC CLAMP | 14.000 | PC | RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | TB2821A0 | EPDM 6X10 L=40MM PIPE | 6.000 | PC | TB3004A0 | TB2820A L=550mm EPDM BLACK PIPE | 1.000 | PC | TB3009B0 | TB3132A-ONE OVEN WASHING INLET | 1.000 | PC | TB3225B0 | TB2820A-TAN K-WASHYNG SYS CONNECTION | 1.000 | PC | VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 4.000 | PC | VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC | VL1047A1 | D6 PIPE HOLDER - D8 J.G. TERMINAL | 1.000 | PC | VL1054B0 | ONE WASHING SYS INLET DISTRIBUTOR | 1.000 | PC | VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | 1.000 | PC | VL1128A1 | D6 BARBED CHECK VALVE | 2.000 | PC | VL1166A0 | BB6-AR6 L FITTING | 1.000 | PC | VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC |
| | | | | | Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | 0H2486A0 | 0311 WASHING CIRCUIT PLAT | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | EL1440A0 | WATER SELF CLEANING VALVE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | RC1019A0 | D=10 ELASTIC CLAMP | 14.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | TB2821A0 | EPDM 6X10 L=40MM PIPE | 6.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | TB3004A0 | TB2820A L=550mm EPDM BLACK PIPE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | TB3009B0 | TB3132A-ONE OVEN WASHING INLET | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | TB3225B0 | TB2820A-TAN K-WASHYNG SYS CONNECTION | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | VL1047A1 | D6 PIPE HOLDER - D8 J.G. TERMINAL | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | VL1054B0 | ONE WASHING SYS INLET DISTRIBUTOR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | VL1128A1 | D6 BARBED CHECK VALVE | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | VL1166A0 | BB6-AR6 L FITTING | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |


| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--|--|------------|---------------------------------------|--|------|-------------|------------------------------------|-------|----------|-------------------------------------|---------------------------|-------|----------|--------------------------------|--------------------------|-------|----------|------------------------------------|-------------------------------|-------|----|----------|--------------------|--------|----|----------|--------------|-------|----|----------|-----------------|-------|----|----------|---|-------|----|----------|-----------------------|-------|----|----------|---------------------------------|-------|----|----------|--|-------|----|----------|--------------------------------|-------|----|----------|--------------------------|-------|----|----------|-----------------------------------|-------|----|----------|-----------------------------------|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1191A | ONE WASHING DISTRIBUTOR OUTLETS KIT |  | KVL1222A | EUR 0311 ONE PLUS CLEANING SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VL1191A0</td> <td>ONE WASHING DISTRIBUTOR OUTLETS KIT</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1214A0</td> <td>BAYONET - 6mm BARBED NRV VALVE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2172A0</td> <td>LOCKING CLIP FOR PUMP WITH CIRCUIT</td> <td>2.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VL1191A0 | ONE WASHING DISTRIBUTOR OUTLETS KIT | 1.000 | PC | VL1214A0 | BAYONET - 6mm BARBED NRV VALVE | 1.000 | PC | VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1191A0 | ONE WASHING DISTRIBUTOR OUTLETS KIT | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1214A0 | BAYONET - 6mm BARBED NRV VALVE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| KVL1211A | ONE COMPACT AND 0523-EP WASH. SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>0H2427A0</td> <td>XECC WASHING CIRCUIT HOLDING PLATE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>EL1440A0</td> <td>WATER SELF CLEANING VALVE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>GN1526A0</td> <td>INT. D.=6.9 TH=1.8 O-RIN</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>RC1018A0</td> <td>ZINC PLATED D12 ELASTIC CLAMP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>RC1019A0</td> <td>D=10 ELASTIC CLAMP</td> <td>14.000</td> <td>PC</td> </tr> <tr> <td>RC1130A0</td> <td>130x2,6 CLAM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>RC1242A0</td> <td>D=10 CLOSED CAP</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>TB1402A0</td> <td>TB2820A-DETE RGENT CIRCUIT-FILTE R PIPE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB2821A0</td> <td>EPDM 6X10 L=40MM PIPE</td> <td>6.000</td> <td>PC</td> </tr> <tr> <td>TB3004A0</td> <td>TB2820A L=550mm EPDM BLACK PIPE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB3469A0</td> <td></td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VI1220A1</td> <td>4,2x12 TCB SELF-TAPPIN G SCREW</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>VL1019A0</td> <td>VIBRATION DETERGENT PUMP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1047A1</td> <td>D6 PIPE HOLDER - D8 J.G. TERMINAL</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1054B0</td> <td>ONE WASHING SYS INLET DISTRIBUTOR</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | 0H2427A0 | XECC WASHING CIRCUIT HOLDING PLATE | 1.000 | PC | EL1440A0 | WATER SELF CLEANING VALVE | 1.000 | PC | GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 3.000 | PC | RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 1.000 | PC | RC1019A0 | D=10 ELASTIC CLAMP | 14.000 | PC | RC1130A0 | 130x2,6 CLAM | 1.000 | PC | RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | TB1402A0 | TB2820A-DETE RGENT CIRCUIT-FILTE R PIPE | 1.000 | PC | TB2821A0 | EPDM 6X10 L=40MM PIPE | 6.000 | PC | TB3004A0 | TB2820A L=550mm EPDM BLACK PIPE | 1.000 | PC | TB3469A0 | | 1.000 | PC | VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 4.000 | PC | VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC | VL1047A1 | D6 PIPE HOLDER - D8 J.G. TERMINAL | 1.000 | PC | VL1054B0 | ONE WASHING SYS INLET DISTRIBUTOR | 1.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0H2427A0 | XECC WASHING CIRCUIT HOLDING PLATE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| EL1440A0 | WATER SELF CLEANING VALVE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1019A0 | D=10 ELASTIC CLAMP | 14.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1130A0 | 130x2,6 CLAM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB1402A0 | TB2820A-DETE RGENT CIRCUIT-FILTE R PIPE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB2821A0 | EPDM 6X10 L=40MM PIPE | 6.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3004A0 | TB2820A L=550mm EPDM BLACK PIPE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3469A0 | | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1047A1 | D6 PIPE HOLDER - D8 J.G. TERMINAL | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1054B0 | ONE WASHING SYS INLET DISTRIBUTOR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |






| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|---|--|------------|--|---|------|-------------|-------------------------|-------|----------|---|---------------------------|-------|----------|-----------------------|--------------------------|-------|----------|--------------------------|-------------------------------|-------|----------|-------------------|--------------------|--------|----------|----------------------------|---------------------|-------|----------|-------------------------------------|-----------------|-------|----------|------------------------------------|-----------------------|-------|----|----------|---------------------|-------|----|----------|--|-------|----|----------|--------------------------------|-------|----|----------|--------------------------|-------|----|----------|-----------------------------------|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1191A | ONE WASHING DISTRIBUTOR OUTLETS KIT |  | KVL1211A | ONE COMPACT AND 0523-EP WASH. SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VL1102A1</td> <td>DETERGENT LINE FILTER + BARBED VNR 6 MM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1128A1</td> <td>D6 BARBED CHECK VALVE</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VL1165A0</td> <td>BAM-BB6 STRAIGHT FITTING</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1166A0</td> <td>BB6-AR6 L FITTING</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1174C0</td> <td>D1.2 MM CALIBRATED D1.2 MM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1191A0</td> <td>ONE WASHING DISTRIBUTOR OUTLETS KIT</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2172A0</td> <td>LOCKING CLIP FOR PUMP WITH CIRCUIT</td> <td>2.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | 1.000 | PC | VL1128A1 | D6 BARBED CHECK VALVE | 2.000 | PC | VL1165A0 | BAM-BB6 STRAIGHT FITTING | 1.000 | PC | VL1166A0 | BB6-AR6 L FITTING | 1.000 | PC | VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC | VL1191A0 | ONE WASHING DISTRIBUTOR OUTLETS KIT | 1.000 | PC | VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | |
| | | | Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1128A1 | D6 BARBED CHECK VALVE | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1165A0 | BAM-BB6 STRAIGHT FITTING | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1166A0 | BB6-AR6 L FITTING | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1191A0 | ONE WASHING DISTRIBUTOR OUTLETS KIT | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| KVL1198A | MM EU HOOD CLEANING SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>0H2213A1</td> <td>HOOD WATER CIRCUIT PLAT</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>EL1440A0</td> <td>WATER SELF CLEANING VALVE</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>GN1526A0</td> <td>INT. D.=6.9 TH=1.8 O-RIN</td> <td>5.000</td> <td>PC</td> </tr> <tr> <td>RC1018A0</td> <td>ZINC PLATED D12 ELASTIC CLAMP</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>RC1019A0</td> <td>D=10 ELASTIC CLAMP</td> <td>16.000</td> <td>PC</td> </tr> <tr> <td>RC1131A0</td> <td>200x2.6 BLACK CLAMP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>RC1242A0</td> <td>D=10 CLOSED CAP</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>TB2821A0</td> <td>EPDM 6X10 L=40MM PIPE</td> <td>6.000</td> <td>PC</td> </tr> <tr> <td>TB2994A0</td> <td>HOOD DETERGENT PIPE</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>TB3252A0</td> <td></td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VI1220A1</td> <td>4,2x12 TCB SELF-TAPPIN G SCREW</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>VL1019A0</td> <td>VIBRATION DETERGENT PUMP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1047A1</td> <td>D6 PIPE HOLDER - D8 J.G. TERMINAL</td> <td>2.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | 0H2213A1 | HOOD WATER CIRCUIT PLAT | 1.000 | PC | EL1440A0 | WATER SELF CLEANING VALVE | 2.000 | PC | GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 5.000 | PC | RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 4.000 | PC | RC1019A0 | D=10 ELASTIC CLAMP | 16.000 | PC | RC1131A0 | 200x2.6 BLACK CLAMP | 1.000 | PC | RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | TB2821A0 | EPDM 6X10 L=40MM PIPE | 6.000 | PC | TB2994A0 | HOOD DETERGENT PIPE | 2.000 | PC | TB3252A0 | | 2.000 | PC | VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 3.000 | PC | VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC | VL1047A1 | D6 PIPE HOLDER - D8 J.G. TERMINAL | 2.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0H2213A1 | HOOD WATER CIRCUIT PLAT | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| EL1440A0 | WATER SELF CLEANING VALVE | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 5.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1019A0 | D=10 ELASTIC CLAMP | 16.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1131A0 | 200x2.6 BLACK CLAMP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB2821A0 | EPDM 6X10 L=40MM PIPE | 6.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB2994A0 | HOOD DETERGENT PIPE | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3252A0 | | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1047A1 | D6 PIPE HOLDER - D8 J.G. TERMINAL | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |


| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--|--|------------|--------------------------------|---|------|-------------|--------------------------------------|-------|----------|-----------------------------------|---------------------------|-------|----------|---|---------------------------|-------|----------|-----------------------------|-------------------------------|-------|----------|-----------------------|--------------------|--------|----------|--------------------------|--------------|-------|----------|-------------------|-----------------|-------|----------|----------------------------|-------|----|----------|-------------------------------------|-------|----|----------|--------------------------------|-------|----|----------|------------------------------------|-------|----|----------|------------------------------------|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1191A | ONE WASHING DISTRIBUTOR OUTLETS KIT |  | KVL1198A | MM EU HOOD CLEANING SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VL1054B0</td> <td>ONE WASHING SYS INLET DISTRIBUTOR</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1102A1</td> <td>DETERGENT LINE FILTER + BARBED VNR 6 MM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1127A1</td> <td>6mm BARBED T-SHAPED FITTING</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1128A1</td> <td>D6 BARBED CHECK VALVE</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VL1165A0</td> <td>BAM-BB6 STRAIGHT FITTING</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1166A0</td> <td>BB6-AR6 L FITTING</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VL1174C0</td> <td>D1.2 MM CALIBRATED D1.2 MM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1191A0</td> <td>ONE WASHING DISTRIBUTOR OUTLETS KIT</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1214A0</td> <td>BAYONET - 6mm BARBED NRV VALVE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM1605A0</td> <td>CLIP TWIST LOCK DIAM. 10.2-12.7 MM</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VM2172A0</td> <td>LOCKING CLIP FOR PUMP WITH CIRCUIT</td> <td>5.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VL1054B0 | ONE WASHING SYS INLET DISTRIBUTOR | 1.000 | PC | VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | 1.000 | PC | VL1127A1 | 6mm BARBED T-SHAPED FITTING | 1.000 | PC | VL1128A1 | D6 BARBED CHECK VALVE | 2.000 | PC | VL1165A0 | BAM-BB6 STRAIGHT FITTING | 1.000 | PC | VL1166A0 | BB6-AR6 L FITTING | 2.000 | PC | VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC | VL1191A0 | ONE WASHING DISTRIBUTOR OUTLETS KIT | 1.000 | PC | VL1214A0 | BAYONET - 6mm BARBED NRV VALVE | 1.000 | PC | VM1605A0 | CLIP TWIST LOCK DIAM. 10.2-12.7 MM | 2.000 | PC | VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 5.000 | PC |
| | | | Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1054B0 | ONE WASHING SYS INLET DISTRIBUTOR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1127A1 | 6mm BARBED T-SHAPED FITTING | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1128A1 | D6 BARBED CHECK VALVE | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1165A0 | BAM-BB6 STRAIGHT FITTING | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1166A0 | BB6-AR6 L FITTING | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1191A0 | ONE WASHING DISTRIBUTOR OUTLETS KIT | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1214A0 | BAYONET - 6mm BARBED NRV VALVE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM1605A0 | CLIP TWIST LOCK DIAM. 10.2-12.7 MM | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 5.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| KVL1182A | ONE 1ROT CLEANING SYSTEM KIT (0311 EXC.) | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>0H2202A1</td> <td>ONE WASHING WITH STEAM VALVE SUPPORT</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>EL1440A0</td> <td>WATER SELF CLEANING VALVE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>GN1526A0</td> <td>INT. D.=6.9 TH=1.8 O-RING</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>RC1018A0</td> <td>ZINC PLATED D12 ELASTIC CLAMP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>RC1019A0</td> <td>D=10 ELASTIC CLAMP</td> <td>14.000</td> <td>PC</td> </tr> <tr> <td>RC1130A0</td> <td>130x2,6 CLAM</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>RC1242A0</td> <td>D=10 CLOSED CAP</td> <td>2.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | 0H2202A1 | ONE WASHING WITH STEAM VALVE SUPPORT | 1.000 | PC | EL1440A0 | WATER SELF CLEANING VALVE | 1.000 | PC | GN1526A0 | INT. D.=6.9 TH=1.8 O-RING | 3.000 | PC | RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 1.000 | PC | RC1019A0 | D=10 ELASTIC CLAMP | 14.000 | PC | RC1130A0 | 130x2,6 CLAM | 2.000 | PC | RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | | | | | | | | | | | | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0H2202A1 | ONE WASHING WITH STEAM VALVE SUPPORT | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| EL1440A0 | WATER SELF CLEANING VALVE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1526A0 | INT. D.=6.9 TH=1.8 O-RING | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1019A0 | D=10 ELASTIC CLAMP | 14.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1130A0 | 130x2,6 CLAM | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |




| COMPONENT | | | SPARE PART | | | | | |
|-----------|-------------------------------------|---|------------|--|----------------|---|------------|------------|
| Code | Description | Image | Code | Description | Kit components | | | |
| VL1191A | ONE WASHING DISTRIBUTOR OUTLETS KIT |  | KVL1182A | ONE 1ROT CLEANING SYSTEM KIT (0311 EXC.) | Code | Description | Qty | UOM |
| | | | | | TB2821A0 | EPDM 6X10 L=40MM PIPE | 6.000 | PC |
| | | | | | TB3004A0 | TB2820A L=550mm EPDM BLACK PIPE | 1.000 | PC |
| | | | | | TB3009B0 | TB3132A-ONE OVEN WASHING INLET | 1.000 | PC |
| | | | | | TB3225B0 | TB2820A-TAN K-WASHYNG SYS CONNECTION | 1.000 | PC |
| | | | | | VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 1.000 | PC |
| | | | | | VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC |
| | | | | | VL1047A1 | D6 PIPE HOLDER - D6 J.G. TERMINAL | 1.000 | PC |
| | | | | | VL1054B0 | ONE WASHING SYS INLET DISTRIBUTOR | 1.000 | PC |
| | | | | | VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | 1.000 | PC |
| | | | | | VL1128A1 | D6 BARBED CHECK VALVE | 2.000 | PC |
| | | | | | VL1166A0 | BB6-AR6 L FITTING | 1.000 | PC |
| | | | | | VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC |
| | | | | | VL1191A0 | ONE WASHING DISTRIBUTOR OUTLETS KIT | 1.000 | PC |
| | | | | | VL1214A0 | BAYONET - 6mm BARBED NRV VALVE | 1.000 | PC |
| VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 2.000 | PC | | | | | |


| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|-------------------------------------|---|------------|--|--|------|-------------|-----|-----|----------|--------------------------|-------|----|----------|--------------------|-------|----|----------|-----------------|-------|----|----------|-----------------------|-------|----|----------|--------------------------|-------|----|----------|-----------------------------------|-------|----|----------|-----------------------|-------|----|----------|----------------------------|-------|----|----------|-------------------------------------|-------|----|----------|------------------------------------|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1191A | ONE WASHING DISTRIBUTOR OUTLETS KIT |  | KVL0682A | >12/2019 ONE/HOODS WASHING SYST PUMP KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>GN1526A0</td> <td>INT. D.=6.9 TH=1.8 O-RIN</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>RC1019A0</td> <td>D=10 ELASTIC CLAMP</td> <td>6.000</td> <td>PC</td> </tr> <tr> <td>RC1242A0</td> <td>D=10 CLOSED CAP</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>TB2821A0</td> <td>EPDM 6X10 L=40MM PIPE</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>VL1019A0</td> <td>VIBRATION DETERGENT PUMP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1054B0</td> <td>ONE WASHING SYS INLET DISTRIBUTOR</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1128A1</td> <td>D6 BARBED CHECK VALVE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1174C0</td> <td>D1.2 MM CALIBRATED D1.2 MM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1191A0</td> <td>ONE WASHING DISTRIBUTOR OUTLETS KIT</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2172A0</td> <td>LOCKING CLIP FOR PUMP WITH CIRCUIT</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 1.000 | PC | RC1019A0 | D=10 ELASTIC CLAMP | 6.000 | PC | RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | TB2821A0 | EPDM 6X10 L=40MM PIPE | 3.000 | PC | VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC | VL1054B0 | ONE WASHING SYS INLET DISTRIBUTOR | 1.000 | PC | VL1128A1 | D6 BARBED CHECK VALVE | 1.000 | PC | VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC | VL1191A0 | ONE WASHING DISTRIBUTOR OUTLETS KIT | 1.000 | PC | VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 1.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1019A0 | D=10 ELASTIC CLAMP | 6.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB2821A0 | EPDM 6X10 L=40MM PIPE | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1054B0 | ONE WASHING SYS INLET DISTRIBUTOR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1128A1 | D6 BARBED CHECK VALVE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1191A0 | ONE WASHING DISTRIBUTOR OUTLETS KIT | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1214A | BAYONET - 6mm BARBED NRV VALVE |  | VL1214A0 | BAYONET - 6mm BARBED NRV VALVE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2172A | LOCKING CLIP FOR PUMP WITH CIRCUIT |  | VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |





| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--|---|------------|--|--|------|-------------|-----|-----|----------|--|-------|----|----------|---|-------|----|----------|--------------------------|-------|----|----------|------------------------------------|-------|---|----------|-------------------------------------|-------|---|----------|----------------------------------|-------|----|----------|------------------------------|-------|----|----------|--|-------|----|----------|---------------------------------|-------|----|----------|-----------------------------|-------|----|----------|-------------------------------------|-------|----|----------|-----------------------|--------|----|----------|--------------|-------|----|----------|--------------------|-------|----|----------|--------------------------|--------|----|----------|--|-------|----|----------|---|-------|----|----------|---|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| EL1440A | WATER SELF CLEANING VALVE |  | KVL2618A | 2 ROTOR ARMS ONE CLEANING SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>0H2202A1</td> <td>ONE WASHING WITH STEAM VALVE SUPPORT</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>CE1030A0</td> <td>FEMALE FASTON COVER 6.3X0.8 0,5-1mmg</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>CE1395A0</td> <td>6,3 X 0,8 IMALE FASTO</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>CE1545A0</td> <td>BLUE UNIP AWG18 ST.3135 WIRE</td> <td>2.000</td> <td>M</td> </tr> <tr> <td>CE1570A0</td> <td>WHITE UNIP AWG18 ST.3135 WIRE</td> <td>2.000</td> <td>M</td> </tr> <tr> <td>CE1660A0</td> <td>6,3x0,8 FEMALE FASTON COVE</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>CE1661A0</td> <td>MALE FASTON COVER 6,3x0,8</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>EL1020A1</td> <td>D8 INTERMEDIAT E T-SHAPED FITTING</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>EL1440A0</td> <td>WATER SELF CLEANING VALVE</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>GN1526A0</td> <td>INT. D.=6.9 TH=1.8 O-RIN</td> <td>6.000</td> <td>PC</td> </tr> <tr> <td>RC1018A0</td> <td>ZINC PLATED D12 ELASTIC CLAMP</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>RC1019A0</td> <td>D=10 ELASTIC CLAMP</td> <td>28.000</td> <td>PC</td> </tr> <tr> <td>RC1130A0</td> <td>130x2,6 CLAM</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>RC1242A0</td> <td>D=10 CLOSED CAP</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>TB2821A0</td> <td>EPDM 6X10 L=40MM PIPE</td> <td>12.000</td> <td>PC</td> </tr> <tr> <td>TB3004A0</td> <td>TB2820A L=550mm EPDM BLACK PIPE</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>TB3009B0</td> <td>TB3132A-ONE OVEN WASHING INLET</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>TB3225B0</td> <td>TB2820A-TAN K-WASHYNG SYS CONNECTION</td> <td>2.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | 0H2202A1 | ONE WASHING WITH STEAM VALVE SUPPORT | 2.000 | PC | CE1030A0 | FEMALE FASTON COVER 6.3X0.8 0,5-1mmg | 4.000 | PC | CE1395A0 | 6,3 X 0,8 IMALE FASTO | 2.000 | PC | CE1545A0 | BLUE UNIP AWG18 ST.3135 WIRE | 2.000 | M | CE1570A0 | WHITE UNIP AWG18 ST.3135 WIRE | 2.000 | M | CE1660A0 | 6,3x0,8 FEMALE FASTON COVE | 4.000 | PC | CE1661A0 | MALE FASTON COVER 6,3x0,8 | 2.000 | PC | EL1020A1 | D8 INTERMEDIAT E T-SHAPED FITTING | 1.000 | PC | EL1440A0 | WATER SELF CLEANING VALVE | 2.000 | PC | GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 6.000 | PC | RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 2.000 | PC | RC1019A0 | D=10 ELASTIC CLAMP | 28.000 | PC | RC1130A0 | 130x2,6 CLAM | 4.000 | PC | RC1242A0 | D=10 CLOSED CAP | 4.000 | PC | TB2821A0 | EPDM 6X10 L=40MM PIPE | 12.000 | PC | TB3004A0 | TB2820A L=550mm EPDM BLACK PIPE | 2.000 | PC | TB3009B0 | TB3132A-ONE OVEN WASHING INLET | 2.000 | PC | TB3225B0 | TB2820A-TAN K-WASHYNG SYS CONNECTION | 2.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0H2202A1 | ONE WASHING WITH STEAM VALVE SUPPORT | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CE1030A0 | FEMALE FASTON COVER 6.3X0.8 0,5-1mmg | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CE1395A0 | 6,3 X 0,8 IMALE FASTO | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CE1545A0 | BLUE UNIP AWG18 ST.3135 WIRE | 2.000 | M | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CE1570A0 | WHITE UNIP AWG18 ST.3135 WIRE | 2.000 | M | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CE1660A0 | 6,3x0,8 FEMALE FASTON COVE | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CE1661A0 | MALE FASTON COVER 6,3x0,8 | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| EL1020A1 | D8 INTERMEDIAT E T-SHAPED FITTING | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| EL1440A0 | WATER SELF CLEANING VALVE | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 6.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1019A0 | D=10 ELASTIC CLAMP | 28.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1130A0 | 130x2,6 CLAM | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1242A0 | D=10 CLOSED CAP | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB2821A0 | EPDM 6X10 L=40MM PIPE | 12.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3004A0 | TB2820A L=550mm EPDM BLACK PIPE | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3009B0 | TB3132A-ONE OVEN WASHING INLET | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3225B0 | TB2820A-TAN K-WASHYNG SYS CONNECTION | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |




| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--|---|------------|--|--|------|-------------|-----|-----|----------|--------------------------------------|-------|----|----------|--------------------------------|-------|----|----------|---|-------|----|----------|--|-------|----|----------|--|-------|----|----------|-----------------------------------|-------|----|----------|--------------------------|-------|----|----------|----------------------|-------|----|----------|----------------------------------|-------|----|----------|--|-------|----|----------|--------------------------------------|-------|----|----------|--|-------|----|----------|---|--|------|-------------|-----|-----|----------|---------------------------------|-------|----|----------|---------------------------------|-------|----|----------|-----------------------------|-------|----|----------|-------------------------------------|-------|----|----------|-----------------------|--------|----|----------|--------------------|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| EL1440A | WATER SELF CLEANING VALVE |  | KVL2618A | 2 ROTOR ARMS ONE CLEANING SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VI1220A1</td> <td>4,2x12 TCB SELF-TAPPIN G SCREW</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VL1019A0</td> <td>VIBRATION DETERGENT PUMP</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VL1047A1</td> <td>D6 PIPE HOLDER - D6 J.G. TERMINAL</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VL1054B0</td> <td>ONE WASHING SYS INLET DISTRIBUTOR</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VL1102A1</td> <td>DETERGENT LINE FILTER + BARBED VNR 6 MM</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VL1127A1</td> <td>6mm BARBED T-SHAPED FITTING</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1128A1</td> <td>D6 BARBED CHECK VALVE</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>VL1166A0</td> <td>BB6-AR6 L FITTING</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VL1174C0</td> <td>D1.2 MM CALIBRATED D1.2 MM</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VL1191A0</td> <td>ONE WASHING DISTRIBUTOR OUTLETS KIT</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VL1214A0</td> <td>BAYONET - 6mm BARBED NRV VALVE</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VM2172A0</td> <td>LOCKING CLIP FOR PUMP WITH CIRCUIT</td> <td>4.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 2.000 | PC | VL1019A0 | VIBRATION DETERGENT PUMP | 2.000 | PC | VL1047A1 | D6 PIPE HOLDER - D6 J.G. TERMINAL | 2.000 | PC | VL1054B0 | ONE WASHING SYS INLET DISTRIBUTOR | 2.000 | PC | VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | 2.000 | PC | VL1127A1 | 6mm BARBED T-SHAPED FITTING | 1.000 | PC | VL1128A1 | D6 BARBED CHECK VALVE | 4.000 | PC | VL1166A0 | BB6-AR6 L FITTING | 2.000 | PC | VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 2.000 | PC | VL1191A0 | ONE WASHING DISTRIBUTOR OUTLETS KIT | 2.000 | PC | VL1214A0 | BAYONET - 6mm BARBED NRV VALVE | 2.000 | PC | VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 4.000 | PC | KVL1222A | EUR 0311 ONE PLUS CLEANING SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>0H2486A0</td> <td>0311 WASHING CIRCUIT PLAT</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>EL1440A0</td> <td>WATER SELF CLEANING VALVE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>GN1526A0</td> <td>INT. D.=6.9 TH=1.8 O-RIN</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>RC1018A0</td> <td>ZINC PLATED D12 ELASTIC CLAMP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>RC1019A0</td> <td>D=10 ELASTIC CLAMP</td> <td>14.000</td> <td>PC</td> </tr> <tr> <td>RC1242A0</td> <td>D=10 CLOSED CAP</td> <td>2.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | 0H2486A0 | 0311 WASHING CIRCUIT PLAT | 1.000 | PC | EL1440A0 | WATER SELF CLEANING VALVE | 1.000 | PC | GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 3.000 | PC | RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 1.000 | PC | RC1019A0 | D=10 ELASTIC CLAMP | 14.000 | PC | RC1242A0 | D=10 CLOSED CAP | 2.000 | PC |
| | | | Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1019A0 | VIBRATION DETERGENT PUMP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1047A1 | D6 PIPE HOLDER - D6 J.G. TERMINAL | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1054B0 | ONE WASHING SYS INLET DISTRIBUTOR | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1127A1 | 6mm BARBED T-SHAPED FITTING | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1128A1 | D6 BARBED CHECK VALVE | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1166A0 | BB6-AR6 L FITTING | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1191A0 | ONE WASHING DISTRIBUTOR OUTLETS KIT | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1214A0 | BAYONET - 6mm BARBED NRV VALVE | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0H2486A0 | 0311 WASHING CIRCUIT PLAT | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| EL1440A0 | WATER SELF CLEANING VALVE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1019A0 | D=10 ELASTIC CLAMP | 14.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |


| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--|---|------------|---|---|------|-------------|-----|-----|----------|--------------------------|-------|----|----------|--|-------|----|----------|---|-------|----|----------|---|-------|----|----------|--------------------------------------|-------|----|----------|--------------------------------|-------|----|----------|---|-------|----|----------|--|-------|----|----------|--|-------|----|----------|--------------------------|-------|----|----------|----------------------|-------|----|----------|----------------------------------|-------|----|----------|--|-------|----|----------|--------------------------------------|-------|----|----------|--|-------|----|----------|--|---|------|-------------|-----|-----|----------|--------------------------------------|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| EL1440A | WATER SELF CLEANING VALVE |  | KVL1222A | EUR 0311 ONE PLUS CLEANING SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>TB2821A0</td> <td>EPDM 6X10 L=40MM PIPE</td> <td>6.000</td> <td>PC</td> </tr> <tr> <td>TB3004A0</td> <td>TB2820A L=550mm EPDM BLACK PIPE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB3009B0</td> <td>TB3132A-ONE OVEN WASHING INLET</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB3225B0</td> <td>TB2820A-TAN K-WASHYNG SYS CONNECTION</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VI1220A1</td> <td>4,2x12 TCB SELF-TAPPIN G SCREW</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>VL1019A0</td> <td>VIBRATION DETERGENT PUMP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1047A1</td> <td>D6 PIPE HOLDER - D6 J.G. TERMINAL</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1054B0</td> <td>ONE WASHING SYS INLET DISTRIBUTOR</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1102A1</td> <td>DETERGENT LINE FILTER + BARBED VNR 6 MM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1128A1</td> <td>D6 BARBED CHECK VALVE</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VL1166A0</td> <td>BB6-AR6 L FITTING</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1174C0</td> <td>D1.2 MM CALIBRATED D1.2 MM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1191A0</td> <td>ONE WASHING DISTRIBUTOR OUTLETS KIT</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1214A0</td> <td>BAYONET - 6mm BARBED NRV VALVE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2172A0</td> <td>LOCKING CLIP FOR PUMP WITH CIRCUIT</td> <td>2.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | TB2821A0 | EPDM 6X10 L=40MM PIPE | 6.000 | PC | TB3004A0 | TB2820A L=550mm EPDM BLACK PIPE | 1.000 | PC | TB3009B0 | TB3132A-ONE OVEN WASHING INLET | 1.000 | PC | TB3225B0 | TB2820A-TAN K-WASHYNG SYS CONNECTION | 1.000 | PC | VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 4.000 | PC | VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC | VL1047A1 | D6 PIPE HOLDER - D6 J.G. TERMINAL | 1.000 | PC | VL1054B0 | ONE WASHING SYS INLET DISTRIBUTOR | 1.000 | PC | VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | 1.000 | PC | VL1128A1 | D6 BARBED CHECK VALVE | 2.000 | PC | VL1166A0 | BB6-AR6 L FITTING | 1.000 | PC | VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC | VL1191A0 | ONE WASHING DISTRIBUTOR OUTLETS KIT | 1.000 | PC | VL1214A0 | BAYONET - 6mm BARBED NRV VALVE | 1.000 | PC | VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 2.000 | PC | KVL1212A | EUR COMPACT PLUS CLEANING SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>0H2428A2</td> <td>XECC PLUS WASHING CIRCUIT PLAT</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | 0H2428A2 | XECC PLUS WASHING CIRCUIT PLAT | 1.000 | PC |
| | | | Code | | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB2821A0 | EPDM 6X10 L=40MM PIPE | 6.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3004A0 | TB2820A L=550mm EPDM BLACK PIPE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3009B0 | TB3132A-ONE OVEN WASHING INLET | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3225B0 | TB2820A-TAN K-WASHYNG SYS CONNECTION | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1047A1 | D6 PIPE HOLDER - D6 J.G. TERMINAL | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1054B0 | ONE WASHING SYS INLET DISTRIBUTOR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1128A1 | D6 BARBED CHECK VALVE | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1166A0 | BB6-AR6 L FITTING | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1191A0 | ONE WASHING DISTRIBUTOR OUTLETS KIT | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1214A0 | BAYONET - 6mm BARBED NRV VALVE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0H2428A2 | XECC PLUS WASHING CIRCUIT PLAT | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |


| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--|---|------------|--|--|------|-------------|-----|-----|----------|---------------------------------|-------|----|----------|--|-------|----|----------|-----------------------------|-------|----|----------|-------------------------------------|-------|----|----------|-----------------------|--------|----|----------|--------------|-------|----|----------|------------------------|-------|----|----------|--------------------|-------|----|----------|--|-------|----|----------|--------------------------|-------|----|----------|--|-------|----|----------|--|-------|----|----------|--|-------|----|----------|--------------------------------|-------|----|----------|---|-------|----|----------|--|-------|----|----------|--|-------|----|----------|--------------------------|-------|----|----------|--------------------------------|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| EL1440A | WATER SELF CLEANING VALVE |  | KVL1212A | EUR COMPACT PLUS CLEANING SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>EL1440A0</td> <td>WATER SELF CLEANING VALVE</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>GN1312A0</td> <td>RUBBER CABLE-PASSI NG DE=26 DI=15 SP=10</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>GN1526A0</td> <td>INT. D.=6.9 TH=1.8 O-RIN</td> <td>7.000</td> <td>PC</td> </tr> <tr> <td>RC1018A0</td> <td>ZINC PLATED D12 ELASTIC CLAMP</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>RC1019A0</td> <td>D=10 ELASTIC CLAMP</td> <td>14.000</td> <td>PC</td> </tr> <tr> <td>RC1130A0</td> <td>130x2.6 CLAM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>RC1131A0</td> <td>200x2.6 BLACK CLAMP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>RC1242A0</td> <td>D=10 CLOSED CAP</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>RC1356A0</td> <td>"STRAIGHT THREADED FEMALE END 8x1/4" BS</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB2821A0</td> <td>EPDM 6X10 L=40MM PIPE</td> <td>6.000</td> <td>PC</td> </tr> <tr> <td>TB3004A0</td> <td>TB2820A L=550mm EPDM BLACK PIPE</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>TB3005B0</td> <td>TB3132A L=550mm EPDM WHITE-BLUE PIPE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB3469A0</td> <td></td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1019A0</td> <td>VIBRATION DETERGENT PUMP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1047A1</td> <td>D6 PIPE HOLDER - D8 J.G. TERMINAL</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1054B0</td> <td>ONE WASHING SYS INLET DISTRIBUTOR</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1102A1</td> <td>DETERGENT LINE FILTER + BARBED VNR 6 MM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1128A1</td> <td>D6 BARBED CHECK VALVE</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VL1165A0</td> <td>BAM-BB6 STRAIGHT FITTING</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | EL1440A0 | WATER SELF CLEANING VALVE | 3.000 | PC | GN1312A0 | RUBBER CABLE-PASSI NG DE=26 DI=15 SP=10 | 1.000 | PC | GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 7.000 | PC | RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 2.000 | PC | RC1019A0 | D=10 ELASTIC CLAMP | 14.000 | PC | RC1130A0 | 130x2.6 CLAM | 1.000 | PC | RC1131A0 | 200x2.6 BLACK CLAMP | 1.000 | PC | RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | RC1356A0 | "STRAIGHT THREADED FEMALE END 8x1/4" BS | 1.000 | PC | TB2821A0 | EPDM 6X10 L=40MM PIPE | 6.000 | PC | TB3004A0 | TB2820A L=550mm EPDM BLACK PIPE | 2.000 | PC | TB3005B0 | TB3132A L=550mm EPDM WHITE-BLUE PIPE | 1.000 | PC | TB3469A0 | | 1.000 | PC | VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC | VL1047A1 | D6 PIPE HOLDER - D8 J.G. TERMINAL | 1.000 | PC | VL1054B0 | ONE WASHING SYS INLET DISTRIBUTOR | 1.000 | PC | VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | 1.000 | PC | VL1128A1 | D6 BARBED CHECK VALVE | 2.000 | PC | VL1165A0 | BAM-BB6 STRAIGHT FITTING | 1.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| EL1440A0 | WATER SELF CLEANING VALVE | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1312A0 | RUBBER CABLE-PASSI NG DE=26 DI=15 SP=10 | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 7.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1019A0 | D=10 ELASTIC CLAMP | 14.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1130A0 | 130x2.6 CLAM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1131A0 | 200x2.6 BLACK CLAMP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1356A0 | "STRAIGHT THREADED FEMALE END 8x1/4" BS | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB2821A0 | EPDM 6X10 L=40MM PIPE | 6.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3004A0 | TB2820A L=550mm EPDM BLACK PIPE | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3005B0 | TB3132A L=550mm EPDM WHITE-BLUE PIPE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3469A0 | | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1047A1 | D6 PIPE HOLDER - D8 J.G. TERMINAL | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1054B0 | ONE WASHING SYS INLET DISTRIBUTOR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1128A1 | D6 BARBED CHECK VALVE | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1165A0 | BAM-BB6 STRAIGHT FITTING | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |


| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--|--|------------|--|---|------|-------------|--|-------|----------|----------------------|---------------------------------|-------|----------|----------------------------------|------------------------------|-------|----------|---------------------------------------|-------------------------------------|-------|----------|--------------------------------------|-----------------------|--------|----------|--|--------------|-------|----|----------|--------------------|-------|----|----------|--|-------|----|----------|--------------------------|-------|----|----------|--|-------|----|----------|--|-------|----|----------|--------------------------------------|-------|----|----------|--------------------------------|-------|----|----------|---|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| EL1440A | WATER SELF CLEANING VALVE |  | KVL1212A | EUR COMPACT PLUS CLEANING SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VL1166A0</td> <td>BB6-AR6 L FITTING</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>VL1174C0</td> <td>D1.2 MM CALIBRATED D1.2 MM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1185A0</td> <td>2 WAYS PLUS WASHING DISTRIBUTOR</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1398A0</td> <td>1/4 M N.O. CIL PRESSURE SWITCH</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2172A0</td> <td>LOCKING CLIP FOR PUMP WITH CIRCUIT</td> <td>6.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VL1166A0 | BB6-AR6 L FITTING | 3.000 | PC | VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC | VL1185A0 | 2 WAYS PLUS WASHING DISTRIBUTOR | 1.000 | PC | VL1398A0 | 1/4 M N.O. CIL PRESSURE SWITCH | 1.000 | PC | VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 6.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1166A0 | BB6-AR6 L FITTING | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1185A0 | 2 WAYS PLUS WASHING DISTRIBUTOR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1398A0 | 1/4 M N.O. CIL PRESSURE SWITCH | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 6.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| KVL1211A | ONE COMPACT AND 0523-EP WASH. SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>0H2427A0</td> <td>XECC WASHING CIRCUIT HOLDING PLATE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>EL1440A0</td> <td>WATER SELF CLEANING VALVE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>GN1526A0</td> <td>INT. D.=6.9 TH=1.8 O-RING</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>RC1018A0</td> <td>ZINC PLATED D12 ELASTIC CLAMP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>RC1019A0</td> <td>D=10 ELASTIC CLAMP</td> <td>14.000</td> <td>PC</td> </tr> <tr> <td>RC1130A0</td> <td>130x2.6 CLAM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>RC1242A0</td> <td>D=10 CLOSED CAP</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>TB1402A0</td> <td>TB2820A-DETE RGENT CIRCUIT-FILTE R PIPE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB2821A0</td> <td>EPDM 6X10 L=40MM PIPE</td> <td>6.000</td> <td>PC</td> </tr> <tr> <td>TB3004A0</td> <td>TB2820A L=550mm EPDM BLACK PIPE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB3469A0</td> <td></td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VI1220A1</td> <td>4,2x12 TCB SELF-TAPPIN G SCREW</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>VL1019A0</td> <td>VIBRATION DETERGENT PUMP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1047A1</td> <td>D6 PIPE HOLDER - D8 J.G. TERMINAL</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | 0H2427A0 | XECC WASHING CIRCUIT HOLDING PLATE | 1.000 | PC | EL1440A0 | WATER SELF CLEANING VALVE | 1.000 | PC | GN1526A0 | INT. D.=6.9 TH=1.8 O-RING | 3.000 | PC | RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 1.000 | PC | RC1019A0 | D=10 ELASTIC CLAMP | 14.000 | PC | RC1130A0 | 130x2.6 CLAM | 1.000 | PC | RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | TB1402A0 | TB2820A-DETE RGENT CIRCUIT-FILTE R PIPE | 1.000 | PC | TB2821A0 | EPDM 6X10 L=40MM PIPE | 6.000 | PC | TB3004A0 | TB2820A L=550mm EPDM BLACK PIPE | 1.000 | PC | TB3469A0 | | 1.000 | PC | VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 4.000 | PC | VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC | VL1047A1 | D6 PIPE HOLDER - D8 J.G. TERMINAL | 1.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0H2427A0 | XECC WASHING CIRCUIT HOLDING PLATE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| EL1440A0 | WATER SELF CLEANING VALVE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1526A0 | INT. D.=6.9 TH=1.8 O-RING | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1019A0 | D=10 ELASTIC CLAMP | 14.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1130A0 | 130x2.6 CLAM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB1402A0 | TB2820A-DETE RGENT CIRCUIT-FILTE R PIPE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB2821A0 | EPDM 6X10 L=40MM PIPE | 6.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3004A0 | TB2820A L=550mm EPDM BLACK PIPE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3469A0 | | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1047A1 | D6 PIPE HOLDER - D8 J.G. TERMINAL | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |




| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|---|---|------------|--|--|------|-------------|-------------------------|-------|----------|-----------------------------------|---------------------------|-------|----------|---|--------------------------|-------|----------|-----------------------|-------------------------------|-------|----------|--------------------------|--------------------|--------|----------|-------------------|---------------------|-------|----------|----------------------------|-----------------|-------|----------|-------------------------------------|-----------------------|-------|----------|------------------------------------|---------------------|-------|----|----------|--|-------|----|----------|--------------------------------|-------|----|----------|--------------------------|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| EL1440A | WATER SELF CLEANING VALVE |  | KVL1211A | ONE COMPACT AND 0523-EP WASH. SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VL1054B0</td> <td>ONE WASHING SYS INLET DISTRIBUTOR</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1102A1</td> <td>DETERGENT LINE FILTER + BARBED VNR 6 MM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1128A1</td> <td>D6 BARBED CHECK VALVE</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VL1165A0</td> <td>BAM-BB6 STRAIGHT FITTING</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1166A0</td> <td>BB6-AR6 L FITTING</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1174C0</td> <td>D1.2 MM CALIBRATED D1.2 MM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1191A0</td> <td>ONE WASHING DISTRIBUTOR OUTLETS KIT</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2172A0</td> <td>LOCKING CLIP FOR PUMP WITH CIRCUIT</td> <td>2.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VL1054B0 | ONE WASHING SYS INLET DISTRIBUTOR | 1.000 | PC | VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | 1.000 | PC | VL1128A1 | D6 BARBED CHECK VALVE | 2.000 | PC | VL1165A0 | BAM-BB6 STRAIGHT FITTING | 1.000 | PC | VL1166A0 | BB6-AR6 L FITTING | 1.000 | PC | VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC | VL1191A0 | ONE WASHING DISTRIBUTOR OUTLETS KIT | 1.000 | PC | VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 2.000 | PC | | | | | | | | | | | | | |
| | | | Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1054B0 | ONE WASHING SYS INLET DISTRIBUTOR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1128A1 | D6 BARBED CHECK VALVE | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1165A0 | BAM-BB6 STRAIGHT FITTING | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1166A0 | BB6-AR6 L FITTING | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1191A0 | ONE WASHING DISTRIBUTOR OUTLETS KIT | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| KVL1198A | MM EU HOOD CLEANING SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>0H2213A1</td> <td>HOOD WATER CIRCUIT PLAT</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>EL1440A0</td> <td>WATER SELF CLEANING VALVE</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>GN1526A0</td> <td>INT. D.=6.9 TH=1.8 O-RIN</td> <td>5.000</td> <td>PC</td> </tr> <tr> <td>RC1018A0</td> <td>ZINC PLATED D12 ELASTIC CLAMP</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>RC1019A0</td> <td>D=10 ELASTIC CLAMP</td> <td>16.000</td> <td>PC</td> </tr> <tr> <td>RC1131A0</td> <td>200x2.6 BLACK CLAMP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>RC1242A0</td> <td>D=10 CLOSED CAP</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>TB2821A0</td> <td>EPDM 6X10 L=40MM PIPE</td> <td>6.000</td> <td>PC</td> </tr> <tr> <td>TB2994A0</td> <td>HOOD DETERGENT PIPE</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>TB3252A0</td> <td></td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>V11220A1</td> <td>4,2x12 TCB SELF-TAPPIN G SCREW</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>VL1019A0</td> <td>VIBRATION DETERGENT PUMP</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | 0H2213A1 | HOOD WATER CIRCUIT PLAT | 1.000 | PC | EL1440A0 | WATER SELF CLEANING VALVE | 2.000 | PC | GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 5.000 | PC | RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 4.000 | PC | RC1019A0 | D=10 ELASTIC CLAMP | 16.000 | PC | RC1131A0 | 200x2.6 BLACK CLAMP | 1.000 | PC | RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | TB2821A0 | EPDM 6X10 L=40MM PIPE | 6.000 | PC | TB2994A0 | HOOD DETERGENT PIPE | 2.000 | PC | TB3252A0 | | 2.000 | PC | V11220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 3.000 | PC | VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0H2213A1 | HOOD WATER CIRCUIT PLAT | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| EL1440A0 | WATER SELF CLEANING VALVE | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 5.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1019A0 | D=10 ELASTIC CLAMP | 16.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1131A0 | 200x2.6 BLACK CLAMP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB2821A0 | EPDM 6X10 L=40MM PIPE | 6.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB2994A0 | HOOD DETERGENT PIPE | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3252A0 | | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| V11220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |


| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--|---|------------|--------------------------------------|--|------|-------------|-----|-----|----------|---|-------|----|----------|--|-------|----|----------|--|-------|----|----------|-----------------------------------|-------|----|----------|--------------------------|-------|----|----------|--------------------------------|-------|----|----------|----------------------|-------|----|----------|----------------------------------|-------|----|----------|--|-------|----|----------|--------------------------------------|-------|----|----------|--|-------|----|----------|--|-------|----|----------|--|--|------|-------------|-----|-----|----------|--|-------|----|----------|---------------------------------|-------|----|----------|-----------------------------|-------|----|----------|-------------------------------------|--------|----|----------|-----------------------|--------|----|----------|--------------|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| EL1440A | WATER SELF CLEANING VALVE |  | KVL1198A | MM EU HOOD CLEANING SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VL1047A1</td> <td>D6 PIPE HOLDER - D8 J.G. TERMINAL</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VL1054B0</td> <td>ONE WASHING SYS INLET DISTRIBUTOR</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1102A1</td> <td>DETERGENT LINE FILTER + BARBED VNR 6 MM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1127A1</td> <td>6mm BARBED T-SHAPED FITTING</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1128A1</td> <td>D6 BARBED CHECK VALVE</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VL1165A0</td> <td>BAM-BB6 STRAIGHT FITTING</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1166A0</td> <td>BB6-AR6 L FITTING</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VL1174C0</td> <td>D1.2 MM CALIBRATED D1.2 MM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1191A0</td> <td>ONE WASHING DISTRIBUTOR OUTLETS KIT</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1214A0</td> <td>BAYONET - 6mm BARBED NRV VALVE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM1605A0</td> <td>CLIP TWIST LOCK DIAM. 10,2-12,7 MM</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VM2172A0</td> <td>LOCKING CLIP FOR PUMP WITH CIRCUIT</td> <td>5.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VL1047A1 | D6 PIPE HOLDER - D8 J.G. TERMINAL | 2.000 | PC | VL1054B0 | ONE WASHING SYS INLET DISTRIBUTOR | 1.000 | PC | VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | 1.000 | PC | VL1127A1 | 6mm BARBED T-SHAPED FITTING | 1.000 | PC | VL1128A1 | D6 BARBED CHECK VALVE | 2.000 | PC | VL1165A0 | BAM-BB6 STRAIGHT FITTING | 1.000 | PC | VL1166A0 | BB6-AR6 L FITTING | 2.000 | PC | VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC | VL1191A0 | ONE WASHING DISTRIBUTOR OUTLETS KIT | 1.000 | PC | VL1214A0 | BAYONET - 6mm BARBED NRV VALVE | 1.000 | PC | VM1605A0 | CLIP TWIST LOCK DIAM. 10,2-12,7 MM | 2.000 | PC | VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 5.000 | PC | KVL1187A | 3 ROTOR ARMS PLUS EU CLEANING SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>0H2354A1</td> <td>XEVC-XEVL PLUS WASHING CIRCUIT PLAT</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>EL1440A0</td> <td>WATER SELF CLEANING VALVE</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>GN1526A0</td> <td>INT. D.=6.9 TH=1.8 O-RIN</td> <td>9.000</td> <td>PC</td> </tr> <tr> <td>RC1018A0</td> <td>ZINC PLATED D12 ELASTIC CLAMP</td> <td>11.000</td> <td>PC</td> </tr> <tr> <td>RC1019A0</td> <td>D=10 ELASTIC CLAMP</td> <td>16.000</td> <td>PC</td> </tr> <tr> <td>RC1130A0</td> <td>130x2,6 CLAM</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | 0H2354A1 | XEVC-XEVL PLUS WASHING CIRCUIT PLAT | 1.000 | PC | EL1440A0 | WATER SELF CLEANING VALVE | 4.000 | PC | GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 9.000 | PC | RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 11.000 | PC | RC1019A0 | D=10 ELASTIC CLAMP | 16.000 | PC | RC1130A0 | 130x2,6 CLAM | 1.000 | PC |
| | | | Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1047A1 | D6 PIPE HOLDER - D8 J.G. TERMINAL | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1054B0 | ONE WASHING SYS INLET DISTRIBUTOR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1127A1 | 6mm BARBED T-SHAPED FITTING | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1128A1 | D6 BARBED CHECK VALVE | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1165A0 | BAM-BB6 STRAIGHT FITTING | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1166A0 | BB6-AR6 L FITTING | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1191A0 | ONE WASHING DISTRIBUTOR OUTLETS KIT | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1214A0 | BAYONET - 6mm BARBED NRV VALVE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM1605A0 | CLIP TWIST LOCK DIAM. 10,2-12,7 MM | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 5.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0H2354A1 | XEVC-XEVL PLUS WASHING CIRCUIT PLAT | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| EL1440A0 | WATER SELF CLEANING VALVE | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 9.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 11.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1019A0 | D=10 ELASTIC CLAMP | 16.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1130A0 | 130x2,6 CLAM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |


| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|---|---|------------|--|---|---|-------------|-----|-----|----------|------------------------|-------|----|----------|--------------------|-------|----|----------|--|-------|----|----------|--|-------|----|----------|--|-------|----|----------|--------------------------|-------|----|----------|--|-------|----|----------|--|-------|----|----------|--|-------|----|----------|---|-------|----|----------|--------------------------------|-------|----|----------|---|-------|----|----------|--|-------|----|----------|-----------------------------------|-------|----|----------|--------------------------|-------|----|----------|----------------------|-------|----|----------|--|-------|----|----------|----------------------------------|-------|----|----------|---------------------------------------|-------|----|----------|---|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| EL1440A | WATER SELF CLEANING VALVE |  | KVL1187A | 3 ROTOR ARMS PLUS EU CLEANING SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>RC1131A0</td> <td>200x2.6 BLACK CLAMP</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>RC1242A0</td> <td>D=10 CLOSED CAP</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>RC1356A0</td> <td>"STRAIGHT THREADED FEMALE END 8x1/4" BS</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB2652A0</td> <td></td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB2677A0</td> <td></td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB2821A0</td> <td>EPDM 6X10 L=40MM PIPE</td> <td>6.000</td> <td>PC</td> </tr> <tr> <td>TB3004A0</td> <td>TB2820A L=550mm EPDM BLACK PIPE</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>TB3024C0</td> <td></td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>TB3226A0</td> <td></td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB3440A0</td> <td>TB3132A L=1050mm EPDM WHITE-BLUE PIPE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1019A0</td> <td>VIBRATION DETERGENT PUMP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1047A1</td> <td>D6 PIPE HOLDER - D6 J.G. TERMINAL</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1102A1</td> <td>DETERGENT LINE FILTER + BARBED VNR 6 MM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1127A1</td> <td>6mm BARBED T-SHAPED FITTING</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VL1128A1</td> <td>D6 BARBED CHECK VALVE</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>VL1166A0</td> <td>BB6-AR6 L FITTING</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>VL1167A2</td> <td>GN21 3 ROTOR ARMS B-B FLOW RESTRICTOR</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1174C0</td> <td>D1.2 MM CALIBRATED D1.2 MM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1186A0</td> <td>3 WAYS PLUS WASHING DISTRIBUTOR</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1190A0</td> <td>PLUS WASHING SYSTEM INLET DISTRIBUTOR</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | RC1131A0 | 200x2.6 BLACK CLAMP | 3.000 | PC | RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | RC1356A0 | "STRAIGHT THREADED FEMALE END 8x1/4" BS | 1.000 | PC | TB2652A0 | | 1.000 | PC | TB2677A0 | | 1.000 | PC | TB2821A0 | EPDM 6X10 L=40MM PIPE | 6.000 | PC | TB3004A0 | TB2820A L=550mm EPDM BLACK PIPE | 2.000 | PC | TB3024C0 | | 3.000 | PC | TB3226A0 | | 1.000 | PC | TB3440A0 | TB3132A L=1050mm EPDM WHITE-BLUE PIPE | 1.000 | PC | VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC | VL1047A1 | D6 PIPE HOLDER - D6 J.G. TERMINAL | 1.000 | PC | VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | 1.000 | PC | VL1127A1 | 6mm BARBED T-SHAPED FITTING | 2.000 | PC | VL1128A1 | D6 BARBED CHECK VALVE | 3.000 | PC | VL1166A0 | BB6-AR6 L FITTING | 4.000 | PC | VL1167A2 | GN21 3 ROTOR ARMS B-B FLOW RESTRICTOR | 1.000 | PC | VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC | VL1186A0 | 3 WAYS PLUS WASHING DISTRIBUTOR | 1.000 | PC | VL1190A0 | PLUS WASHING SYSTEM INLET DISTRIBUTOR | 1.000 | PC |
| | | | | | Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | RC1131A0 | 200x2.6 BLACK CLAMP | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | RC1356A0 | "STRAIGHT THREADED FEMALE END 8x1/4" BS | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | TB2652A0 | | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | TB2677A0 | | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | TB2821A0 | EPDM 6X10 L=40MM PIPE | 6.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | TB3004A0 | TB2820A L=550mm EPDM BLACK PIPE | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | TB3024C0 | | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | TB3226A0 | | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | TB3440A0 | TB3132A L=1050mm EPDM WHITE-BLUE PIPE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | VL1047A1 | D6 PIPE HOLDER - D6 J.G. TERMINAL | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | VL1127A1 | 6mm BARBED T-SHAPED FITTING | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | VL1128A1 | D6 BARBED CHECK VALVE | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | VL1166A0 | BB6-AR6 L FITTING | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | VL1167A2 | GN21 3 ROTOR ARMS B-B FLOW RESTRICTOR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1186A0 | 3 WAYS PLUS WASHING DISTRIBUTOR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1190A0 | PLUS WASHING SYSTEM INLET DISTRIBUTOR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |




| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|---|--|------------|--|---|------|-------------|--|-------|----------|--------------------------------------|---------------------------------|-------|----------|--------------------------------------|-----------------------------|-------|----------|--|-------------------------------------|-------|----------|--|-----------------------|--------|----|----------|--------------|-------|----|----------|------------------------|-------|----|----------|--------------------|-------|----|----------|--|-------|----|----------|--------------------------|-------|----|----------|---------------------------|-------|----|----------|--|-------|----|----------|--|-------|----|----------|---|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| EL1440A | WATER SELF CLEANING VALVE |  | KVL1187A | 3 ROTOR ARMS PLUS EU CLEANING SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VL1214A0</td> <td>BAYONET - 6mm BARBED NRV VALVE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1398A0</td> <td>1/4 M N.O. CIL PRESSURE SWITCH</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM1605A0</td> <td>CLIP TWIST LOCK DIAM. 10,2-12,7 MM</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>VM2172A0</td> <td>LOCKING CLIP FOR PUMP WITH CIRCUIT</td> <td>5.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VL1214A0 | BAYONET - 6mm BARBED NRV VALVE | 1.000 | PC | VL1398A0 | 1/4 M N.O. CIL PRESSURE SWITCH | 1.000 | PC | VM1605A0 | CLIP TWIST LOCK DIAM. 10,2-12,7 MM | 3.000 | PC | VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 5.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1214A0 | BAYONET - 6mm BARBED NRV VALVE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1398A0 | 1/4 M N.O. CIL PRESSURE SWITCH | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM1605A0 | CLIP TWIST LOCK DIAM. 10,2-12,7 MM | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 5.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| KVL1184A | 2 ROTOR ARMS PLUS EU CLEANING SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>0H2354A1</td> <td>XEVC-XEVL PLUS WASHING CIRCUIT PLAT</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>EL1440A0</td> <td>WATER SELF CLEANING VALVE</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>GN1526A0</td> <td>INT. D.=6.9 TH=1.8 O-RIN</td> <td>9.000</td> <td>PC</td> </tr> <tr> <td>RC1018A0</td> <td>ZINC PLATED D12 ELASTIC CLAMP</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>RC1019A0</td> <td>D=10 ELASTIC CLAMP</td> <td>15.000</td> <td>PC</td> </tr> <tr> <td>RC1130A0</td> <td>130x2,6 CLAM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>RC1131A0</td> <td>200x2,6 BLACK CLAMP</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>RC1242A0</td> <td>D=10 CLOSED CAP</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>RC1356A0</td> <td>"STRAIGHT THREADED FEMALE END 8x1/4" BS</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB2821A0</td> <td>EPDM 6X10 L=40MM PIPE</td> <td>6.000</td> <td>PC</td> </tr> <tr> <td>TB2994A0</td> <td>HOOD DETERGENT PIPE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB3004A0</td> <td>TB2820A L=550mm EPDM BLACK PIPE</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>TB3005B0</td> <td>TB3132A L=550mm EPDM WHITE-BLUE PIPE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB3440A0</td> <td>TB3132A L=1050mm EPDM WHITE-BLUE PIPE</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | 0H2354A1 | XEVC-XEVL PLUS WASHING CIRCUIT PLAT | 1.000 | PC | EL1440A0 | WATER SELF CLEANING VALVE | 4.000 | PC | GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 9.000 | PC | RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 3.000 | PC | RC1019A0 | D=10 ELASTIC CLAMP | 15.000 | PC | RC1130A0 | 130x2,6 CLAM | 1.000 | PC | RC1131A0 | 200x2,6 BLACK CLAMP | 3.000 | PC | RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | RC1356A0 | "STRAIGHT THREADED FEMALE END 8x1/4" BS | 1.000 | PC | TB2821A0 | EPDM 6X10 L=40MM PIPE | 6.000 | PC | TB2994A0 | HOOD DETERGENT PIPE | 1.000 | PC | TB3004A0 | TB2820A L=550mm EPDM BLACK PIPE | 2.000 | PC | TB3005B0 | TB3132A L=550mm EPDM WHITE-BLUE PIPE | 1.000 | PC | TB3440A0 | TB3132A L=1050mm EPDM WHITE-BLUE PIPE | 1.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0H2354A1 | XEVC-XEVL PLUS WASHING CIRCUIT PLAT | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| EL1440A0 | WATER SELF CLEANING VALVE | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 9.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1019A0 | D=10 ELASTIC CLAMP | 15.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1130A0 | 130x2,6 CLAM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1131A0 | 200x2,6 BLACK CLAMP | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1356A0 | "STRAIGHT THREADED FEMALE END 8x1/4" BS | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB2821A0 | EPDM 6X10 L=40MM PIPE | 6.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB2994A0 | HOOD DETERGENT PIPE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3004A0 | TB2820A L=550mm EPDM BLACK PIPE | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3005B0 | TB3132A L=550mm EPDM WHITE-BLUE PIPE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3440A0 | TB3132A L=1050mm EPDM WHITE-BLUE PIPE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|---|--|------------|--|--|------|-------------|--|-------|----------|--------------------------------|---------------------------------|-------|----------|---|-----------------------------|-------|----------|--|-------------------------------------|-------|----------|--------------------------|-------|----|----------|-----------------------------------|-------|----|----------|----------------------|-------|----|----------|----------------------------------|-------|----|----------|---------------------------------------|-------|----|----------|---|-------|----|----------|--------------------------------------|-------|----|----------|--------------------------------------|-------|----|----------|--|-------|----|----------|--|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| EL1440A | WATER SELF CLEANING VALVE |  | KVL1184A | 2 ROTOR ARMS PLUS EU CLEANING SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VL1019A0</td> <td>VIBRATION DETERGENT PUMP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1047A1</td> <td>D6 PIPE HOLDER - D8 J.G. TERMINAL</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1102A1</td> <td>DETERGENT LINE FILTER + BARBED VNR 6 MM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1128A1</td> <td>D6 BARBED CHECK VALVE</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VL1141A1</td> <td>BB6-BB6 STRAIGHT CONNECTION</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1166A0</td> <td>BB6-AR6 L FITTING</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>VL1174C0</td> <td>D1.2 MM CALIBRATED D1.2 MM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1186A0</td> <td>3 WAYS PLUS WASHING DISTRIBUTOR</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1190A0</td> <td>PLUS WASHING SYSTEM INLET DISTRIBUTOR</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1214A0</td> <td>BAYONET - 6mm BARBED NRV VALVE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1398A0</td> <td>1/4 M N.O. CIL PRESSURE SWITCH</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM1605A0</td> <td>CLIP TWIST LOCK DIAM. 10.2-12.7 MM</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>VM2172A0</td> <td>LOCKING CLIP FOR PUMP WITH CIRCUIT</td> <td>5.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC | VL1047A1 | D6 PIPE HOLDER - D8 J.G. TERMINAL | 1.000 | PC | VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | 1.000 | PC | VL1128A1 | D6 BARBED CHECK VALVE | 2.000 | PC | VL1141A1 | BB6-BB6 STRAIGHT CONNECTION | 1.000 | PC | VL1166A0 | BB6-AR6 L FITTING | 4.000 | PC | VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC | VL1186A0 | 3 WAYS PLUS WASHING DISTRIBUTOR | 1.000 | PC | VL1190A0 | PLUS WASHING SYSTEM INLET DISTRIBUTOR | 1.000 | PC | VL1214A0 | BAYONET - 6mm BARBED NRV VALVE | 1.000 | PC | VL1398A0 | 1/4 M N.O. CIL PRESSURE SWITCH | 1.000 | PC | VM1605A0 | CLIP TWIST LOCK DIAM. 10.2-12.7 MM | 3.000 | PC | VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 5.000 | PC |
| | | | Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1047A1 | D6 PIPE HOLDER - D8 J.G. TERMINAL | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1128A1 | D6 BARBED CHECK VALVE | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1141A1 | BB6-BB6 STRAIGHT CONNECTION | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1166A0 | BB6-AR6 L FITTING | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1186A0 | 3 WAYS PLUS WASHING DISTRIBUTOR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1190A0 | PLUS WASHING SYSTEM INLET DISTRIBUTOR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1214A0 | BAYONET - 6mm BARBED NRV VALVE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1398A0 | 1/4 M N.O. CIL PRESSURE SWITCH | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM1605A0 | CLIP TWIST LOCK DIAM. 10.2-12.7 MM | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 5.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| KVL1183A | 1 ROTOR ARM PLUS CLEANING SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>0H2354A1</td> <td>XEVC-XEVL PLUS WASHING CIRCUIT PLAT</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>EL1440A0</td> <td>WATER SELF CLEANING VALVE</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>GN1526A0</td> <td>INT. D.=6.9 TH=1.8 O-RIN</td> <td>7.000</td> <td>PC</td> </tr> <tr> <td>RC1018A0</td> <td>ZINC PLATED D12 ELASTIC CLAMP</td> <td>2.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | 0H2354A1 | XEVC-XEVL PLUS WASHING CIRCUIT PLAT | 1.000 | PC | EL1440A0 | WATER SELF CLEANING VALVE | 3.000 | PC | GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 7.000 | PC | RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0H2354A1 | XEVC-XEVL PLUS WASHING CIRCUIT PLAT | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| EL1440A0 | WATER SELF CLEANING VALVE | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 7.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |









| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--------------------------------------|---|------------|--|---|---|-------------|-----|-----|----------|-----------------------|--------|----|----------|--------------|-------|----|----------|------------------------|-------|----|----------|--------------------|-------|----|----------|--|-------|----|----------|--------------------------|-------|----|----------|--|-------|----|----------|--|-------|----|----------|---|-------|----|----------|--|-------|----|----------|--------------------------------|-------|----|----------|---|-------|----|----------|--|-------|----|----------|--------------------------|-------|----|----------|----------------------|-------|----|----------|----------------------------------|-------|----|----------|---------------------------------------|-------|----|----------|---|-------|----|----------|--------------------------------------|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| EL1440A | WATER SELF CLEANING VALVE |  | KVL1183A | 1 ROTOR ARM PLUS CLEANING SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>RC1019A0</td> <td>D=10 ELASTIC CLAMP</td> <td>14.000</td> <td>PC</td> </tr> <tr> <td>RC1130A0</td> <td>130x2,6 CLAM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>RC1131A0</td> <td>200x2,6 BLACK CLAMP</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>RC1242A0</td> <td>D=10 CLOSED CAP</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>RC1356A0</td> <td>"STRAIGHT THREADED FEMALE END 8x1/4" BS</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB2821A0</td> <td>EPDM 6X10 L=40MM PIPE</td> <td>6.000</td> <td>PC</td> </tr> <tr> <td>TB3004A0</td> <td>TB2820A L=550mm EPDM BLACK PIPE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB3005B0</td> <td>TB3132A L=550mm EPDM WHITE-BLUE PIPE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB3225B0</td> <td>TB2820A-TAN K-WASHYNG SYS CONNECTION</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB3252A0</td> <td></td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1019A0</td> <td>VIBRATION DETERGENT PUMP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1047A1</td> <td>D6 PIPE HOLDER - D8 J.G. TERMINAL</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1102A1</td> <td>DETERGENT LINE FILTER + BARBED VNR 6 MM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1128A1</td> <td>D6 BARBED CHECK VALVE</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VL1166A0</td> <td>BB6-AR6 L FITTING</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>VL1174C0</td> <td>D1.2 MM CALIBRATED D1.2 MM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1185A0</td> <td>2 WAYS PLUS WASHING DISTRIBUTOR</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1190A0</td> <td>PLUS WASHING SYSTEM INLET DISTRIBUTOR</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1214A0</td> <td>BAYONET - 6mm BARBED NRV VALVE</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | RC1019A0 | D=10 ELASTIC CLAMP | 14.000 | PC | RC1130A0 | 130x2,6 CLAM | 1.000 | PC | RC1131A0 | 200x2,6 BLACK CLAMP | 2.000 | PC | RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | RC1356A0 | "STRAIGHT THREADED FEMALE END 8x1/4" BS | 1.000 | PC | TB2821A0 | EPDM 6X10 L=40MM PIPE | 6.000 | PC | TB3004A0 | TB2820A L=550mm EPDM BLACK PIPE | 1.000 | PC | TB3005B0 | TB3132A L=550mm EPDM WHITE-BLUE PIPE | 1.000 | PC | TB3225B0 | TB2820A-TAN K-WASHYNG SYS CONNECTION | 1.000 | PC | TB3252A0 | | 1.000 | PC | VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC | VL1047A1 | D6 PIPE HOLDER - D8 J.G. TERMINAL | 1.000 | PC | VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | 1.000 | PC | VL1128A1 | D6 BARBED CHECK VALVE | 2.000 | PC | VL1166A0 | BB6-AR6 L FITTING | 3.000 | PC | VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC | VL1185A0 | 2 WAYS PLUS WASHING DISTRIBUTOR | 1.000 | PC | VL1190A0 | PLUS WASHING SYSTEM INLET DISTRIBUTOR | 1.000 | PC | VL1214A0 | BAYONET - 6mm BARBED NRV VALVE | 1.000 | PC |
| | | | | | Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | RC1019A0 | D=10 ELASTIC CLAMP | 14.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | RC1130A0 | 130x2,6 CLAM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | RC1131A0 | 200x2,6 BLACK CLAMP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | RC1356A0 | "STRAIGHT THREADED FEMALE END 8x1/4" BS | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | TB2821A0 | EPDM 6X10 L=40MM PIPE | 6.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | TB3004A0 | TB2820A L=550mm EPDM BLACK PIPE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | TB3005B0 | TB3132A L=550mm EPDM WHITE-BLUE PIPE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | TB3225B0 | TB2820A-TAN K-WASHYNG SYS CONNECTION | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | TB3252A0 | | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | VL1047A1 | D6 PIPE HOLDER - D8 J.G. TERMINAL | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | VL1128A1 | D6 BARBED CHECK VALVE | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | VL1166A0 | BB6-AR6 L FITTING | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | VL1185A0 | 2 WAYS PLUS WASHING DISTRIBUTOR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | VL1190A0 | PLUS WASHING SYSTEM INLET DISTRIBUTOR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1214A0 | BAYONET - 6mm BARBED NRV VALVE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--|---|------------|--------------------------------------|---|------|-------------|--------------------------------------|-------|----------|--------------------------------|---------------------------|-------|----------|------------------------------------|---------------------------|-------|----------|------------------------------------|-------------------------------|-------|----|----------|--------------------|--------|----|----------|--------------|-------|----|----------|-----------------|-------|----|----------|-----------------------|-------|----|----------|---------------------------------|-------|----|----------|--------------------------------|-------|----|----------|--------------------------------------|-------|----|----------|-------------------------------|-------|----|----------|--------------------------|-------|----|----------|-----------------------------------|-------|----|----------|-----------------------------------|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| EL1440A | WATER SELF CLEANING VALVE |  | KVL1183A | 1 ROTOR ARM PLUS CLEANING SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VL1398A0</td> <td>1/4 M N.O. CIL PRESSURE SWITCH</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM1605A0</td> <td>CLIP TWIST LOCK DIAM. 10,2-12,7 MM</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>VM2172A0</td> <td>LOCKING CLIP FOR PUMP WITH CIRCUIT</td> <td>4.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VL1398A0 | 1/4 M N.O. CIL PRESSURE SWITCH | 1.000 | PC | VM1605A0 | CLIP TWIST LOCK DIAM. 10,2-12,7 MM | 3.000 | PC | VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1398A0 | 1/4 M N.O. CIL PRESSURE SWITCH | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM1605A0 | CLIP TWIST LOCK DIAM. 10,2-12,7 MM | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| KVL1182A | ONE 1ROT CLEANING SYSTEM KIT (0311 EXC.) | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>0H2202A1</td> <td>ONE WASHING WITH STEAM VALVE SUPPORT</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>EL1440A0</td> <td>WATER SELF CLEANING VALVE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>GN1526A0</td> <td>INT. D.=6.9 TH=1.8 O-RING</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>RC1018A0</td> <td>ZINC PLATED D12 ELASTIC CLAMP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>RC1019A0</td> <td>D=10 ELASTIC CLAMP</td> <td>14.000</td> <td>PC</td> </tr> <tr> <td>RC1130A0</td> <td>130x2,6 CLAM</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>RC1242A0</td> <td>D=10 CLOSED CAP</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>TB2821A0</td> <td>EPDM 6X10 L=40MM PIPE</td> <td>6.000</td> <td>PC</td> </tr> <tr> <td>TB3004A0</td> <td>TB2820A L=550mm EPDM BLACK PIPE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB3009B0</td> <td>TB3132A-ONE OVEN WASHING INLET</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB3225B0</td> <td>TB2820A-TAN K-WASHYNG SYS CONNECTION</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>V11220A1</td> <td>4,2x12 TCB SELF-TAPPING SCREW</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1019A0</td> <td>VIBRATION DETERGENT PUMP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1047A1</td> <td>D6 PIPE HOLDER - D8 J.G. TERMINAL</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1054B0</td> <td>ONE WASHING SYS INLET DISTRIBUTOR</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | 0H2202A1 | ONE WASHING WITH STEAM VALVE SUPPORT | 1.000 | PC | EL1440A0 | WATER SELF CLEANING VALVE | 1.000 | PC | GN1526A0 | INT. D.=6.9 TH=1.8 O-RING | 3.000 | PC | RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 1.000 | PC | RC1019A0 | D=10 ELASTIC CLAMP | 14.000 | PC | RC1130A0 | 130x2,6 CLAM | 2.000 | PC | RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | TB2821A0 | EPDM 6X10 L=40MM PIPE | 6.000 | PC | TB3004A0 | TB2820A L=550mm EPDM BLACK PIPE | 1.000 | PC | TB3009B0 | TB3132A-ONE OVEN WASHING INLET | 1.000 | PC | TB3225B0 | TB2820A-TAN K-WASHYNG SYS CONNECTION | 1.000 | PC | V11220A1 | 4,2x12 TCB SELF-TAPPING SCREW | 1.000 | PC | VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC | VL1047A1 | D6 PIPE HOLDER - D8 J.G. TERMINAL | 1.000 | PC | VL1054B0 | ONE WASHING SYS INLET DISTRIBUTOR | 1.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0H2202A1 | ONE WASHING WITH STEAM VALVE SUPPORT | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| EL1440A0 | WATER SELF CLEANING VALVE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1526A0 | INT. D.=6.9 TH=1.8 O-RING | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1019A0 | D=10 ELASTIC CLAMP | 14.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1130A0 | 130x2,6 CLAM | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB2821A0 | EPDM 6X10 L=40MM PIPE | 6.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3004A0 | TB2820A L=550mm EPDM BLACK PIPE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3009B0 | TB3132A-ONE OVEN WASHING INLET | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3225B0 | TB2820A-TAN K-WASHYNG SYS CONNECTION | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| V11220A1 | 4,2x12 TCB SELF-TAPPING SCREW | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1047A1 | D6 PIPE HOLDER - D8 J.G. TERMINAL | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1054B0 | ONE WASHING SYS INLET DISTRIBUTOR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |


| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|---|--|------------|--|---|------|-------------|---------------------------|-------|----------|---|---------------------------|-------|----------|-----------------------|---------------------|-------|----------|-------------------|------------------------------------|-------|----------|----------------------------|-------|----|----------|-------------------------------------|-------|----|----------|--------------------------------|-------|----|----------|------------------------------------|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| EL1440A | WATER SELF CLEANING VALVE |  | KVL1182A | ONE 1ROT CLEANING SYSTEM KIT (0311 EXC.) | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VL1102A1</td> <td>DETERGENT LINE FILTER + BARBED VNR 6 MM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1128A1</td> <td>D6 BARBED CHECK VALVE</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VL1166A0</td> <td>BB6-AR6 L FITTING</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1174C0</td> <td>D1.2 MM CALIBRATED D1.2 MM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1191A0</td> <td>ONE WASHING DISTRIBUTOR OUTLETS KIT</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1214A0</td> <td>BAYONET - 6mm BARBED NRV VALVE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2172A0</td> <td>LOCKING CLIP FOR PUMP WITH CIRCUIT</td> <td>2.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | 1.000 | PC | VL1128A1 | D6 BARBED CHECK VALVE | 2.000 | PC | VL1166A0 | BB6-AR6 L FITTING | 1.000 | PC | VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC | VL1191A0 | ONE WASHING DISTRIBUTOR OUTLETS KIT | 1.000 | PC | VL1214A0 | BAYONET - 6mm BARBED NRV VALVE | 1.000 | PC | VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 2.000 | PC |
| | | | Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1128A1 | D6 BARBED CHECK VALVE | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1166A0 | BB6-AR6 L FITTING | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1191A0 | ONE WASHING DISTRIBUTOR OUTLETS KIT | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1214A0 | BAYONET - 6mm BARBED NRV VALVE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| KEL1440A | SELF CLEANING WATER VALVE KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>EL1440A0</td> <td>WATER SELF CLEANING VALVE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>GN1526A0</td> <td>INT. D.=6.9 TH=1.8 O-RING</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>RC1131A0</td> <td>200x2.6 BLACK CLAMP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2172A0</td> <td>LOCKING CLIP FOR PUMP WITH CIRCUIT</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | EL1440A0 | WATER SELF CLEANING VALVE | 1.000 | PC | GN1526A0 | INT. D.=6.9 TH=1.8 O-RING | 2.000 | PC | RC1131A0 | 200x2.6 BLACK CLAMP | 1.000 | PC | VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 1.000 | PC | | | | | | | | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| EL1440A0 | WATER SELF CLEANING VALVE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1526A0 | INT. D.=6.9 TH=1.8 O-RING | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1131A0 | 200x2.6 BLACK CLAMP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1526A | INT. D.=6.9 TH=1.8 O-RING |  | KGN1526A | O-RING INT D6.9 THICK1.8 10PCS KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>GN1526A0</td> <td>INT. D.=6.9 TH=1.8 O-RING</td> <td>10.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | GN1526A0 | INT. D.=6.9 TH=1.8 O-RING | 10.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1526A0 | INT. D.=6.9 TH=1.8 O-RING | 10.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1019A | D=10 ELASTIC CLAM |  | KRC1019A | Ø10 ZINC PLATED ELASTIC CLAMP 15 PCS KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>RC1019A0</td> <td>D=10 ELASTIC CLAMP</td> <td>15.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | RC1019A0 | D=10 ELASTIC CLAMP | 15.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1019A0 | D=10 ELASTIC CLAMP | 15.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |




| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | |
|-----------|--|---|------------|---|--|------|-------------|-----|-----|----------|--|-------|----|----------|---|-------|----|----------|--|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | |
| TB3004A | TB2820A L=550mm EPDM BLACK PIPE |  | KTB1343A | TB2820A0 6x10 EPM DETERGENT PIPE 3M KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>TB2820A0</td> <td>6X10 EPDM PIPE FOR WASHING SYSTEM</td> <td>3.000</td> <td>M</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | TB2820A0 | 6X10 EPDM PIPE FOR WASHING SYSTEM | 3.000 | M | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | |
| TB2820A0 | 6X10 EPDM PIPE FOR WASHING SYSTEM | 3.000 | M | | | | | | | | | | | | | | | | | | |
| TB3009B | TB3132A-ONE OVEN WASHING INLET |  | KTB3132A | WHITE-BLU 6X12 REINFORCED PIPE 3M KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>TB3132A0</td> <td>WHITE-BLUE EPDM TEXTILE BRAID HOSE 6x12</td> <td>3.000</td> <td>M</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | TB3132A0 | WHITE-BLUE EPDM TEXTILE BRAID HOSE 6x12 | 3.000 | M | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | |
| TB3132A0 | WHITE-BLUE EPDM TEXTILE BRAID HOSE 6x12 | 3.000 | M | | | | | | | | | | | | | | | | | | |
| TB3225B | TB2820A-TANK-WAS HYNG SYS CONNECTION |  | KTB1343A | TB2820A0 6x10 EPM DETERGENT PIPE 3M KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>TB2820A0</td> <td>6X10 EPDM PIPE FOR WASHING SYSTEM</td> <td>3.000</td> <td>M</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | TB2820A0 | 6X10 EPDM PIPE FOR WASHING SYSTEM | 3.000 | M | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | |
| TB2820A0 | 6X10 EPDM PIPE FOR WASHING SYSTEM | 3.000 | M | | | | | | | | | | | | | | | | | | |
| VL1102A | DETERGENT LINE FILTER + BARBED VNR 6 MM |  | KVL1102A | DETERGENT FILTER + NRV KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>RC1019A0</td> <td>D=10 ELASTIC CLAMP</td> <td>5.000</td> <td>PC</td> </tr> <tr> <td>TB2820A0</td> <td>6X10 EPDM PIPE FOR WASHING SYSTEM</td> <td>0.040</td> <td>M</td> </tr> <tr> <td>VL1102A1</td> <td>DETERGENT LINE FILTER + BARBED VNR 6 MM</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | RC1019A0 | D=10 ELASTIC CLAMP | 5.000 | PC | TB2820A0 | 6X10 EPDM PIPE FOR WASHING SYSTEM | 0.040 | M | VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | 1.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | |
| RC1019A0 | D=10 ELASTIC CLAMP | 5.000 | PC | | | | | | | | | | | | | | | | | | |
| TB2820A0 | 6X10 EPDM PIPE FOR WASHING SYSTEM | 0.040 | M | | | | | | | | | | | | | | | | | | |
| VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | 1.000 | PC | | | | | | | | | | | | | | | | | | |
| VL1166A | BB6-AR6 L FITTING |  | KVL2618A | 2 ROTOR ARMS ONE CLEANING SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>0H2202A1</td> <td>ONE WASHING WITH STEAM VALVE SUPPORT</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>CE1030A0</td> <td>FEMALE FASTON COVER 6.3X0.8 0.5-1mmq</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>CE1395A0</td> <td>6,3 X 0,8 iMALE FASTO</td> <td>2.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | 0H2202A1 | ONE WASHING WITH STEAM VALVE SUPPORT | 2.000 | PC | CE1030A0 | FEMALE FASTON COVER 6.3X0.8 0.5-1mmq | 4.000 | PC | CE1395A0 | 6,3 X 0,8 iMALE FASTO | 2.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | |
| 0H2202A1 | ONE WASHING WITH STEAM VALVE SUPPORT | 2.000 | PC | | | | | | | | | | | | | | | | | | |
| CE1030A0 | FEMALE FASTON COVER 6.3X0.8 0.5-1mmq | 4.000 | PC | | | | | | | | | | | | | | | | | | |
| CE1395A0 | 6,3 X 0,8 iMALE FASTO | 2.000 | PC | | | | | | | | | | | | | | | | | | |


| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|---|---|------------|--|---|------|-------------|-----|-----|----------|------------------------------------|-------|---|----------|-------------------------------------|-------|---|----------|----------------------------------|-------|----|----------|------------------------------|-------|----|----------|--|-------|----|----------|---------------------------------|-------|----|----------|-----------------------------|-------|----|----------|-------------------------------------|-------|----|----------|-----------------------|--------|----|----------|--------------|-------|----|----------|--------------------|-------|----|----------|--------------------------|--------|----|----------|--|-------|----|----------|---|-------|----|----------|---|-------|----|----------|--------------------------------------|-------|----|----------|--------------------------------|-------|----|----------|---|-------|----|----------|--|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1166A | BB6-AR6 L FITTING |  | KVL2618A | 2 ROTOR ARMS ONE CLEANING SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>CE1545A0</td> <td>BLUE UNIP AWG18 ST.3135 WIRE</td> <td>2.000</td> <td>M</td> </tr> <tr> <td>CE1570A0</td> <td>WHITE UNIP AWG18 ST.3135 WIRE</td> <td>2.000</td> <td>M</td> </tr> <tr> <td>CE1660A0</td> <td>6,3x0,8 FEMALE FASTON COVE</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>CE1661A0</td> <td>MALE FASTON COVER 6,3x0,8</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>EL1020A1</td> <td>D8 INTERMEDIAT E T-SHAPED FITTING</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>EL1440A0</td> <td>WATER SELF CLEANING VALVE</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>GN1526A0</td> <td>INT. D.=6.9 TH=1.8 O-RIN</td> <td>6.000</td> <td>PC</td> </tr> <tr> <td>RC1018A0</td> <td>ZINC PLATED D12 ELASTIC CLAMP</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>RC1019A0</td> <td>D=10 ELASTIC CLAMP</td> <td>28.000</td> <td>PC</td> </tr> <tr> <td>RC1130A0</td> <td>130x2,6 CLAM</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>RC1242A0</td> <td>D=10 CLOSED CAP</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>TB2821A0</td> <td>EPDM 6X10 L=40MM PIPE</td> <td>12.000</td> <td>PC</td> </tr> <tr> <td>TB3004A0</td> <td>TB2820A L=550mm EPDM BLACK PIPE</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>TB3009B0</td> <td>TB3132A-ONE OVEN WASHING INLET</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>TB3225B0</td> <td>TB2820A-TAN K-WASHYNG SYS CONNECTION</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VI1220A1</td> <td>4,2x12 TCB SELF-TAPPIN G SCREW</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VL1019A0</td> <td>VIBRATION DETERGENT PUMP</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VL1047A1</td> <td>D6 PIPE HOLDER - D8 J.G. TERMINAL</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VL1054B0</td> <td>ONE WASHING SYS INLET DISTRIBUTOR</td> <td>2.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | CE1545A0 | BLUE UNIP AWG18 ST.3135 WIRE | 2.000 | M | CE1570A0 | WHITE UNIP AWG18 ST.3135 WIRE | 2.000 | M | CE1660A0 | 6,3x0,8 FEMALE FASTON COVE | 4.000 | PC | CE1661A0 | MALE FASTON COVER 6,3x0,8 | 2.000 | PC | EL1020A1 | D8 INTERMEDIAT E T-SHAPED FITTING | 1.000 | PC | EL1440A0 | WATER SELF CLEANING VALVE | 2.000 | PC | GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 6.000 | PC | RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 2.000 | PC | RC1019A0 | D=10 ELASTIC CLAMP | 28.000 | PC | RC1130A0 | 130x2,6 CLAM | 4.000 | PC | RC1242A0 | D=10 CLOSED CAP | 4.000 | PC | TB2821A0 | EPDM 6X10 L=40MM PIPE | 12.000 | PC | TB3004A0 | TB2820A L=550mm EPDM BLACK PIPE | 2.000 | PC | TB3009B0 | TB3132A-ONE OVEN WASHING INLET | 2.000 | PC | TB3225B0 | TB2820A-TAN K-WASHYNG SYS CONNECTION | 2.000 | PC | VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 2.000 | PC | VL1019A0 | VIBRATION DETERGENT PUMP | 2.000 | PC | VL1047A1 | D6 PIPE HOLDER - D8 J.G. TERMINAL | 2.000 | PC | VL1054B0 | ONE WASHING SYS INLET DISTRIBUTOR | 2.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CE1545A0 | BLUE UNIP AWG18 ST.3135 WIRE | 2.000 | M | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CE1570A0 | WHITE UNIP AWG18 ST.3135 WIRE | 2.000 | M | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CE1660A0 | 6,3x0,8 FEMALE FASTON COVE | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CE1661A0 | MALE FASTON COVER 6,3x0,8 | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| EL1020A1 | D8 INTERMEDIAT E T-SHAPED FITTING | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| EL1440A0 | WATER SELF CLEANING VALVE | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 6.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1019A0 | D=10 ELASTIC CLAMP | 28.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1130A0 | 130x2,6 CLAM | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1242A0 | D=10 CLOSED CAP | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB2821A0 | EPDM 6X10 L=40MM PIPE | 12.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3004A0 | TB2820A L=550mm EPDM BLACK PIPE | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3009B0 | TB3132A-ONE OVEN WASHING INLET | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3225B0 | TB2820A-TAN K-WASHYNG SYS CONNECTION | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1019A0 | VIBRATION DETERGENT PUMP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1047A1 | D6 PIPE HOLDER - D8 J.G. TERMINAL | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1054B0 | ONE WASHING SYS INLET DISTRIBUTOR | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |




| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--|---|------------|--|--|------|-------------|-----|-----|----------|--|-------|----|----------|---|-------|----|----------|-----------------------------|-------|----|----------|-------------------------------------|-------|----|----------|----------------------------------|--------|----|----------|--|-------|----|----------|--------------------------------------|-------|----|----------|--|-------|----|----------|---------------------------|-------|----|----------|--|-------|----|----------|--------------------------------------|-------|----|----------|--------------------------------|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1166A | BB6-AR6 L FITTING |  | KVL2618A | 2 ROTOR ARMS ONE CLEANING SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VL1102A1</td> <td>DETERGENT LINE FILTER + BARBED VNR 6 MM</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VL1127A1</td> <td>6mm BARBED T-SHAPED FITTING</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1128A1</td> <td>D6 BARBED CHECK VALVE</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>VL1166A0</td> <td>BB6-AR6 L FITTING</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VL1174C0</td> <td>D1.2 MM CALIBRATED D1.2 MM</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VL1191A0</td> <td>ONE WASHING DISTRIBUTOR OUTLETS KIT</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VL1214A0</td> <td>BAYONET - 6mm BARBED NRV VALVE</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VM2172A0</td> <td>LOCKING CLIP FOR PUMP WITH CIRCUIT</td> <td>4.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | 2.000 | PC | VL1127A1 | 6mm BARBED T-SHAPED FITTING | 1.000 | PC | VL1128A1 | D6 BARBED CHECK VALVE | 4.000 | PC | VL1166A0 | BB6-AR6 L FITTING | 2.000 | PC | VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 2.000 | PC | VL1191A0 | ONE WASHING DISTRIBUTOR OUTLETS KIT | 2.000 | PC | VL1214A0 | BAYONET - 6mm BARBED NRV VALVE | 2.000 | PC | VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 4.000 | PC | | | | | | | | | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1127A1 | 6mm BARBED T-SHAPED FITTING | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1128A1 | D6 BARBED CHECK VALVE | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1166A0 | BB6-AR6 L FITTING | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1191A0 | ONE WASHING DISTRIBUTOR OUTLETS KIT | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1214A0 | BAYONET - 6mm BARBED NRV VALVE | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | KVL1225A | US HOOD WASHING SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>0H2213A1</td> <td>HOOD WATER CIRCUIT PLAT</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>EL1450A0</td> <td>US SELF-CLEANIN G WATER SOLENOID</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>GN1526A0</td> <td>INT. D.=6.9 TH=1.8 O-RIN</td> <td>5.000</td> <td>PC</td> </tr> <tr> <td>RC1018A0</td> <td>ZINC PLATED D12 ELASTIC CLAMP</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>RC1019A0</td> <td>D=10 ELASTIC CLAMP</td> <td>16.000</td> <td>PC</td> </tr> <tr> <td>RC1131A0</td> <td>200x2.6 BLACK CLAMP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>RC1242A0</td> <td>D=10 CLOSED CAP</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>TB2821A0</td> <td>EPDM 6X10 L=40MM PIPE</td> <td>6.000</td> <td>PC</td> </tr> <tr> <td>TB2994A0</td> <td>HOOD DETERGENT PIPE</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>TB3252A0</td> <td></td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VI1220A1</td> <td>4,2x12 TCB SELF-TAPPIN G SCREW</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>VL1019A0</td> <td>VIBRATION DETERGENT PUMP</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | 0H2213A1 | HOOD WATER CIRCUIT PLAT | 1.000 | PC | EL1450A0 | US SELF-CLEANIN G WATER SOLENOID | 2.000 | PC | GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 5.000 | PC | RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 4.000 | PC | RC1019A0 | D=10 ELASTIC CLAMP | 16.000 | PC | RC1131A0 | 200x2.6 BLACK CLAMP | 1.000 | PC | RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | TB2821A0 | EPDM 6X10 L=40MM PIPE | 6.000 | PC | TB2994A0 | HOOD DETERGENT PIPE | 2.000 | PC | TB3252A0 | | 2.000 | PC | VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 3.000 | PC | VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0H2213A1 | HOOD WATER CIRCUIT PLAT | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| EL1450A0 | US SELF-CLEANIN G WATER SOLENOID | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 5.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1019A0 | D=10 ELASTIC CLAMP | 16.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1131A0 | 200x2.6 BLACK CLAMP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB2821A0 | EPDM 6X10 L=40MM PIPE | 6.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB2994A0 | HOOD DETERGENT PIPE | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3252A0 | | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |





| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|---|---|------------|---------------------------------------|--|------|-------------|-----|-----|----------|-----------------------------------|-------|----|----------|-----------------------------------|-------|----|----------|---|-------|----|----------|-------------------------------|-------|----|----------|-----------------------|--------|----|----------|--------------------------|-------|----|----------|-------------------|-------|----|----------|----------------------------|-------|----|----------|-------------------------------------|-------|----|----------|--------------------------------|-------|----|----------|------------------------------------|-------|----|----------|------------------------------------|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1166A | BB6-AR6 L FITTING |  | KVL1225A | US HOOD WASHING SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VL1047A1</td> <td>D6 PIPE HOLDER - D8 J.G. TERMINAL</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1054B0</td> <td>ONE WASHING SYS INLET DISTRIBUTOR</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1102A1</td> <td>DETERGENT LINE FILTER + BARBED VNR 6 MM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1127A1</td> <td>6mm BARBED T-SHAPED FITTING</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1128A1</td> <td>D6 BARBED CHECK VALVE</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VL1165A0</td> <td>BAM-BB6 STRAIGHT FITTING</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1166A0</td> <td>BB6-AR6 L FITTING</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VL1174C0</td> <td>D1.2 MM CALIBRATED D1.2 MM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1191A0</td> <td>ONE WASHING DISTRIBUTOR OUTLETS KIT</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1214A0</td> <td>BAYONET - 6mm BARBED NRV VALVE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM1605A0</td> <td>CLIP TWIST LOCK DIAM. 10.2-12.7 MM</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VM2172A0</td> <td>LOCKING CLIP FOR PUMP WITH CIRCUIT</td> <td>3.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VL1047A1 | D6 PIPE HOLDER - D8 J.G. TERMINAL | 1.000 | PC | VL1054B0 | ONE WASHING SYS INLET DISTRIBUTOR | 1.000 | PC | VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | 1.000 | PC | VL1127A1 | 6mm BARBED T-SHAPED FITTING | 1.000 | PC | VL1128A1 | D6 BARBED CHECK VALVE | 2.000 | PC | VL1165A0 | BAM-BB6 STRAIGHT FITTING | 1.000 | PC | VL1166A0 | BB6-AR6 L FITTING | 2.000 | PC | VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC | VL1191A0 | ONE WASHING DISTRIBUTOR OUTLETS KIT | 1.000 | PC | VL1214A0 | BAYONET - 6mm BARBED NRV VALVE | 1.000 | PC | VM1605A0 | CLIP TWIST LOCK DIAM. 10.2-12.7 MM | 2.000 | PC | VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 3.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1047A1 | D6 PIPE HOLDER - D8 J.G. TERMINAL | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1054B0 | ONE WASHING SYS INLET DISTRIBUTOR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1127A1 | 6mm BARBED T-SHAPED FITTING | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1128A1 | D6 BARBED CHECK VALVE | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1165A0 | BAM-BB6 STRAIGHT FITTING | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1166A0 | BB6-AR6 L FITTING | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1191A0 | ONE WASHING DISTRIBUTOR OUTLETS KIT | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1214A0 | BAYONET - 6mm BARBED NRV VALVE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM1605A0 | CLIP TWIST LOCK DIAM. 10.2-12.7 MM | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | KVL1222A | EUR 0311 ONE PLUS CLEANING SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>0H2486A0</td> <td>0311 WASHING CIRCUIT PLAT</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>EL1440A0</td> <td>WATER SELF CLEANING VALVE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>GN1526A0</td> <td>INT. D.=6.9 TH=1.8 O-RIN</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>RC1018A0</td> <td>ZINC PLATED D12 ELASTIC CLAMP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>RC1019A0</td> <td>D=10 ELASTIC CLAMP</td> <td>14.000</td> <td>PC</td> </tr> <tr> <td>RC1242A0</td> <td>D=10 CLOSED CAP</td> <td>2.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | 0H2486A0 | 0311 WASHING CIRCUIT PLAT | 1.000 | PC | EL1440A0 | WATER SELF CLEANING VALVE | 1.000 | PC | GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 3.000 | PC | RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 1.000 | PC | RC1019A0 | D=10 ELASTIC CLAMP | 14.000 | PC | RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0H2486A0 | 0311 WASHING CIRCUIT PLAT | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| EL1440A0 | WATER SELF CLEANING VALVE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1019A0 | D=10 ELASTIC CLAMP | 14.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|---|---|------------|---------------------------------------|---|-------------|-------------|-----|-----|----------|--------------------------------|-------|----|----------|---------------------------------|-------|----|----------|--------------------------------|-------|----|----------|--------------------------------------|-------|----|----------|--------------------------------|-------|----|----------|--------------------------|-------|----|----------|-----------------------------------|-------|----|----------|-----------------------------------|-------|----|----------|---|-------|----|----------|-----------------------|-------|----|----------|-------------------|-------|----|----------|----------------------------|-------|----|----------|-------------------------------------|-------|----|----------|--------------------------------|-------|----|----------|------------------------------------|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1166A | BB6-AR6 L FITTING |  | KVL1222A | EUR 0311 ONE PLUS CLEANING SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>TB2821A0</td> <td>EPDM 6X10 L=40MM PIPE</td> <td>6.000</td> <td>PC</td> </tr> <tr> <td>TB3004A0</td> <td>TB2820A L=550mm EPDM BLACK PIPE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB3009B0</td> <td>TB3132A-ONE OVEN WASHING INLET</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB3225B0</td> <td>TB2820A-TAN K-WASHYNG SYS CONNECTION</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VI1220A1</td> <td>4,2x12 TCB SELF-TAPPIN G SCREW</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>VL1019A0</td> <td>VIBRATION DETERGENT PUMP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1047A1</td> <td>D6 PIPE HOLDER - D8 J.G. TERMINAL</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1054B0</td> <td>ONE WASHING SYS INLET DISTRIBUTOR</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1102A1</td> <td>DETERGENT LINE FILTER + BARBED VNR 6 MM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1128A1</td> <td>D6 BARBED CHECK VALVE</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VL1166A0</td> <td>BB6-AR6 L FITTING</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1174C0</td> <td>D1.2 MM CALIBRATED D1.2 MM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1191A0</td> <td>ONE WASHING DISTRIBUTOR OUTLETS KIT</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1214A0</td> <td>BAYONET - 6mm BARBED NRV VALVE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2172A0</td> <td>LOCKING CLIP FOR PUMP WITH CIRCUIT</td> <td>2.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | TB2821A0 | EPDM 6X10 L=40MM PIPE | 6.000 | PC | TB3004A0 | TB2820A L=550mm EPDM BLACK PIPE | 1.000 | PC | TB3009B0 | TB3132A-ONE OVEN WASHING INLET | 1.000 | PC | TB3225B0 | TB2820A-TAN K-WASHYNG SYS CONNECTION | 1.000 | PC | VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 4.000 | PC | VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC | VL1047A1 | D6 PIPE HOLDER - D8 J.G. TERMINAL | 1.000 | PC | VL1054B0 | ONE WASHING SYS INLET DISTRIBUTOR | 1.000 | PC | VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | 1.000 | PC | VL1128A1 | D6 BARBED CHECK VALVE | 2.000 | PC | VL1166A0 | BB6-AR6 L FITTING | 1.000 | PC | VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC | VL1191A0 | ONE WASHING DISTRIBUTOR OUTLETS KIT | 1.000 | PC | VL1214A0 | BAYONET - 6mm BARBED NRV VALVE | 1.000 | PC | VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 2.000 | PC |
| | | | | | Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB2821A0 | EPDM 6X10 L=40MM PIPE | 6.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3004A0 | TB2820A L=550mm EPDM BLACK PIPE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3009B0 | TB3132A-ONE OVEN WASHING INLET | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3225B0 | TB2820A-TAN K-WASHYNG SYS CONNECTION | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1047A1 | D6 PIPE HOLDER - D8 J.G. TERMINAL | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1054B0 | ONE WASHING SYS INLET DISTRIBUTOR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1128A1 | D6 BARBED CHECK VALVE | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1166A0 | BB6-AR6 L FITTING | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1191A0 | ONE WASHING DISTRIBUTOR OUTLETS KIT | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1214A0 | BAYONET - 6mm BARBED NRV VALVE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | KVL1213A | US PLUS COMPACT WASHING SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>0H2428A2</td> <td>XECC PLUS WASHING CIRCUIT PLAT</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | 0H2428A2 | XECC PLUS WASHING CIRCUIT PLAT | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0H2428A2 | XECC PLUS WASHING CIRCUIT PLAT | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |




| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|---|---|------------|------------------------------------|--|------|-------------|-----|-----|----------|---------------------------------|-------|----|----------|--|-------|----|----------|---------------------------|-------|----|----------|-------------------------------|-------|----|----------|--------------------|--------|----|----------|---------------|-------|----|----------|---------------------|-------|----|----------|-----------------|-------|----|----------|---|-------|----|----------|-----------------------|-------|----|----------|---------------------------------|-------|----|----------|--------------------------------------|-------|----|----------|--|-------|----|----------|--------------------------|-------|----|----------|-----------------------------------|-------|----|----------|--------------------------------------|-------|----|----------|---|-------|----|----------|-----------------------|-------|----|----------|--------------------------|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1166A | BB6-AR6 L FITTING |  | KVL1213A | US PLUS COMPACT WASHING SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>EL1450A0</td> <td>US SELF-CLEANING WATER SOLENOID</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>GN1312A0</td> <td>RUBBER CABLE-PASSING DE-26 DI=15 SP=10</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>GN1526A0</td> <td>INT. D.=6.9 TH=1.8 O-RING</td> <td>7.000</td> <td>PC</td> </tr> <tr> <td>RC1018A0</td> <td>ZINC PLATED D12 ELASTIC CLAMP</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>RC1019A0</td> <td>D=10 ELASTIC CLAMP</td> <td>14.000</td> <td>PC</td> </tr> <tr> <td>RC1130A0</td> <td>130x2.6 CLAMP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>RC1131A0</td> <td>200x2.6 BLACK CLAMP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>RC1242A0</td> <td>D=10 CLOSED CAP</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>RC1356A0</td> <td>"STRAIGHT THREADED FEMALE END 8x1/4" BS</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB2821A0</td> <td>EPDM 6X10 L=40MM PIPE</td> <td>6.000</td> <td>PC</td> </tr> <tr> <td>TB3004A0</td> <td>TB2820A L=550mm EPDM BLACK PIPE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB3005B0</td> <td>TB3132A L=550mm EPDM WHITE-BLUE PIPE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB3469A0</td> <td></td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1019A0</td> <td>VIBRATION DETERGENT PUMP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1047A1</td> <td>D6 PIPE HOLDER - D8 J.G. TERMINAL</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1054B0</td> <td>ONE WASHING SYSTEM INLET DISTRIBUTOR</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1102A1</td> <td>DETERGENT LINE FILTER + BARBED VNR 6 MM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1128A1</td> <td>D6 BARBED CHECK VALVE</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VL1165A0</td> <td>BAM-BB6 STRAIGHT FITTING</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | EL1450A0 | US SELF-CLEANING WATER SOLENOID | 3.000 | PC | GN1312A0 | RUBBER CABLE-PASSING DE-26 DI=15 SP=10 | 1.000 | PC | GN1526A0 | INT. D.=6.9 TH=1.8 O-RING | 7.000 | PC | RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 2.000 | PC | RC1019A0 | D=10 ELASTIC CLAMP | 14.000 | PC | RC1130A0 | 130x2.6 CLAMP | 1.000 | PC | RC1131A0 | 200x2.6 BLACK CLAMP | 1.000 | PC | RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | RC1356A0 | "STRAIGHT THREADED FEMALE END 8x1/4" BS | 1.000 | PC | TB2821A0 | EPDM 6X10 L=40MM PIPE | 6.000 | PC | TB3004A0 | TB2820A L=550mm EPDM BLACK PIPE | 1.000 | PC | TB3005B0 | TB3132A L=550mm EPDM WHITE-BLUE PIPE | 1.000 | PC | TB3469A0 | | 1.000 | PC | VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC | VL1047A1 | D6 PIPE HOLDER - D8 J.G. TERMINAL | 1.000 | PC | VL1054B0 | ONE WASHING SYSTEM INLET DISTRIBUTOR | 1.000 | PC | VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | 1.000 | PC | VL1128A1 | D6 BARBED CHECK VALVE | 2.000 | PC | VL1165A0 | BAM-BB6 STRAIGHT FITTING | 1.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| EL1450A0 | US SELF-CLEANING WATER SOLENOID | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1312A0 | RUBBER CABLE-PASSING DE-26 DI=15 SP=10 | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1526A0 | INT. D.=6.9 TH=1.8 O-RING | 7.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1019A0 | D=10 ELASTIC CLAMP | 14.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1130A0 | 130x2.6 CLAMP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1131A0 | 200x2.6 BLACK CLAMP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1356A0 | "STRAIGHT THREADED FEMALE END 8x1/4" BS | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB2821A0 | EPDM 6X10 L=40MM PIPE | 6.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3004A0 | TB2820A L=550mm EPDM BLACK PIPE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3005B0 | TB3132A L=550mm EPDM WHITE-BLUE PIPE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3469A0 | | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1047A1 | D6 PIPE HOLDER - D8 J.G. TERMINAL | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1054B0 | ONE WASHING SYSTEM INLET DISTRIBUTOR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1128A1 | D6 BARBED CHECK VALVE | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1165A0 | BAM-BB6 STRAIGHT FITTING | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |


| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|---|--|------------|------------------------------------|---|------|-------------|--------------------------------|-------|----------|-------------------|---------------------------|-------|----------|----------------------------|---|-------|----------|---------------------------------|--------------------------|-------|----------|--------------------------------|-------------------------------|-------|----------|------------------------------------|--------------------|--------|----|----------|--------------|-------|----|----------|---------------------|-------|----|----------|-----------------|-------|----|----------|---|-------|----|----------|-----------------------|-------|----|----------|---------------------------------|-------|----|----------|--------------------------------------|-------|----|----------|--|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1166A | BB6-AR6 L FITTING |  | KVL1213A | US PLUS COMPACT WASHING SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VL1166A0</td> <td>BB6-AR6 L FITTING</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>VL1174C0</td> <td>D1.2 MM CALIBRATED D1.2 MM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1185A0</td> <td>2 WAYS PLUS WASHING DISTRIBUTOR</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1398A0</td> <td>1/4 M N.O. CIL PRESSURE SWITCH</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2172A0</td> <td>LOCKING CLIP FOR PUMP WITH CIRCUIT</td> <td>6.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VL1166A0 | BB6-AR6 L FITTING | 3.000 | PC | VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC | VL1185A0 | 2 WAYS PLUS WASHING DISTRIBUTOR | 1.000 | PC | VL1398A0 | 1/4 M N.O. CIL PRESSURE SWITCH | 1.000 | PC | VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 6.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | Code | | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1166A0 | BB6-AR6 L FITTING | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1185A0 | 2 WAYS PLUS WASHING DISTRIBUTOR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1398A0 | 1/4 M N.O. CIL PRESSURE SWITCH | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 6.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| KVL1212A | EUR COMPACT PLUS CLEANING SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>0H2428A2</td> <td>XECC PLUS WASHING CIRCUIT PLAT</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>EL1440A0</td> <td>WATER SELF CLEANING VALVE</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>GN1312A0</td> <td>RUBBER CABLE-PASSI NG DE=26 DI=15 SP=10</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>GN1526A0</td> <td>INT. D.=6.9 TH=1.8 O-RIN</td> <td>7.000</td> <td>PC</td> </tr> <tr> <td>RC1018A0</td> <td>ZINC PLATED D12 ELASTIC CLAMP</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>RC1019A0</td> <td>D=10 ELASTIC CLAMP</td> <td>14.000</td> <td>PC</td> </tr> <tr> <td>RC1130A0</td> <td>130x2.6 CLAM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>RC1131A0</td> <td>200x2.6 BLACK CLAMP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>RC1242A0</td> <td>D=10 CLOSED CAP</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>RC1356A0</td> <td>"STRAIGHT THREADED FEMALE END 8x1/4" BS</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB2821A0</td> <td>EPDM 6X10 L=40MM PIPE</td> <td>6.000</td> <td>PC</td> </tr> <tr> <td>TB3004A0</td> <td>TB2820A L=550mm EPDM BLACK PIPE</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>TB3005B0</td> <td>TB3132A L=550mm EPDM WHITE-BLUE PIPE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB3469A0</td> <td></td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | 0H2428A2 | XECC PLUS WASHING CIRCUIT PLAT | 1.000 | PC | EL1440A0 | WATER SELF CLEANING VALVE | 3.000 | PC | GN1312A0 | RUBBER CABLE-PASSI NG DE=26 DI=15 SP=10 | 1.000 | PC | GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 7.000 | PC | RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 2.000 | PC | RC1019A0 | D=10 ELASTIC CLAMP | 14.000 | PC | RC1130A0 | 130x2.6 CLAM | 1.000 | PC | RC1131A0 | 200x2.6 BLACK CLAMP | 1.000 | PC | RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | RC1356A0 | "STRAIGHT THREADED FEMALE END 8x1/4" BS | 1.000 | PC | TB2821A0 | EPDM 6X10 L=40MM PIPE | 6.000 | PC | TB3004A0 | TB2820A L=550mm EPDM BLACK PIPE | 2.000 | PC | TB3005B0 | TB3132A L=550mm EPDM WHITE-BLUE PIPE | 1.000 | PC | TB3469A0 | | 1.000 | PC |
| Code | | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0H2428A2 | XECC PLUS WASHING CIRCUIT PLAT | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| EL1440A0 | WATER SELF CLEANING VALVE | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1312A0 | RUBBER CABLE-PASSI NG DE=26 DI=15 SP=10 | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 7.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1019A0 | D=10 ELASTIC CLAMP | 14.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1130A0 | 130x2.6 CLAM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1131A0 | 200x2.6 BLACK CLAMP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1356A0 | "STRAIGHT THREADED FEMALE END 8x1/4" BS | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB2821A0 | EPDM 6X10 L=40MM PIPE | 6.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3004A0 | TB2820A L=550mm EPDM BLACK PIPE | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3005B0 | TB3132A L=550mm EPDM WHITE-BLUE PIPE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3469A0 | | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|---|---|------------|--|---|------|-------------|-----|-----|----------|------------------------------------|-------|----|----------|-----------------------------------|-------|----|----------|-----------------------------------|-------|----|----------|---|-------|----|----------|-----------------------|--------|----|----------|--------------------------|-------|----|----------|-------------------|-------|----|----------|----------------------------|-------|----|----------|---------------------------------|-------|----|----------|--------------------------------|-------|----|----------|------------------------------------|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1166A | BB6-AR6 L FITTING |  | KVL1212A | EUR COMPACT PLUS CLEANING SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VL1019A0</td> <td>VIBRATION DETERGENT PUMP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1047A1</td> <td>D6 PIPE HOLDER - D8 J.G. TERMINAL</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1054B0</td> <td>ONE WASHING SYS INLET DISTRIBUTOR</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1102A1</td> <td>DETERGENT LINE FILTER + BARBED VNR 6 MM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1128A1</td> <td>D6 BARBED CHECK VALVE</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VL1165A0</td> <td>BAM-BB6 STRAIGHT FITTING</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1166A0</td> <td>BB6-AR6 L FITTING</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>VL1174C0</td> <td>D1.2 MM CALIBRATED D1.2 MM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1185A0</td> <td>2 WAYS PLUS WASHING DISTRIBUTOR</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1398A0</td> <td>1/4 M N.O. CIL PRESSURE SWITCH</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2172A0</td> <td>LOCKING CLIP FOR PUMP WITH CIRCUIT</td> <td>6.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC | VL1047A1 | D6 PIPE HOLDER - D8 J.G. TERMINAL | 1.000 | PC | VL1054B0 | ONE WASHING SYS INLET DISTRIBUTOR | 1.000 | PC | VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | 1.000 | PC | VL1128A1 | D6 BARBED CHECK VALVE | 2.000 | PC | VL1165A0 | BAM-BB6 STRAIGHT FITTING | 1.000 | PC | VL1166A0 | BB6-AR6 L FITTING | 3.000 | PC | VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC | VL1185A0 | 2 WAYS PLUS WASHING DISTRIBUTOR | 1.000 | PC | VL1398A0 | 1/4 M N.O. CIL PRESSURE SWITCH | 1.000 | PC | VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 6.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1047A1 | D6 PIPE HOLDER - D8 J.G. TERMINAL | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1054B0 | ONE WASHING SYS INLET DISTRIBUTOR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1128A1 | D6 BARBED CHECK VALVE | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1165A0 | BAM-BB6 STRAIGHT FITTING | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1166A0 | BB6-AR6 L FITTING | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1185A0 | 2 WAYS PLUS WASHING DISTRIBUTOR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1398A0 | 1/4 M N.O. CIL PRESSURE SWITCH | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 6.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | KVL1211A | ONE COMPACT AND 0523-EP WASH. SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>0H2427A0</td> <td>XECC WASHING CIRCUIT HOLDING PLATE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>EL1440A0</td> <td>WATER SELF CLEANING VALVE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>GN1526A0</td> <td>INT. D.=6.9 TH=1.8 O-RIN</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>RC1018A0</td> <td>ZINC PLATED D12 ELASTIC CLAMP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>RC1019A0</td> <td>D=10 ELASTIC CLAMP</td> <td>14.000</td> <td>PC</td> </tr> <tr> <td>RC1130A0</td> <td>130x2,6 CLAM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>RC1242A0</td> <td>D=10 CLOSED CAP</td> <td>2.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | 0H2427A0 | XECC WASHING CIRCUIT HOLDING PLATE | 1.000 | PC | EL1440A0 | WATER SELF CLEANING VALVE | 1.000 | PC | GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 3.000 | PC | RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 1.000 | PC | RC1019A0 | D=10 ELASTIC CLAMP | 14.000 | PC | RC1130A0 | 130x2,6 CLAM | 1.000 | PC | RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | | | | | | | | | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0H2427A0 | XECC WASHING CIRCUIT HOLDING PLATE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| EL1440A0 | WATER SELF CLEANING VALVE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1019A0 | D=10 ELASTIC CLAMP | 14.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1130A0 | 130x2,6 CLAM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |




| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--|---|------------|--|--|------|-------------|-----|-----|----------|--|-------|----|----------|---|-------|----|----------|--|-------|----|----------|--|-------|----|----------|--------------------------------------|-------|----|----------|--------------------------------|-------|----|----------|---|-------|----|----------|--|-------|----|----------|--|-------|----|----------|--------------------------|-------|----|----------|--------------------------------|-------|----|----------|----------------------|-------|----|----------|----------------------------------|-------|----|----------|--|-------|----|----------|--|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1166A | BB6-AR6 L FITTING |  | KVL1211A | ONE COMPACT AND 0523-EP WASH. SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>TB1402A0</td> <td>TB2820A-DETE RGENT CIRCUIT-FILTE R PIPE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB2821A0</td> <td>EPDM 6X10 L=40MM PIPE</td> <td>6.000</td> <td>PC</td> </tr> <tr> <td>TB3004A0</td> <td>TB2820A L=550mm EPDM BLACK PIPE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB3469A0</td> <td></td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VI1220A1</td> <td>4,2x12 TCB SELF-TAPPIN G SCREW</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>VL1019A0</td> <td>VIBRATION DETERGENT PUMP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1047A1</td> <td>D6 PIPE HOLDER - D8 J.G. TERMINAL</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1054B0</td> <td>ONE WASHING SYS INLET DISTRIBUTOR</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1102A1</td> <td>DETERGENT LINE FILTER + BARBED VNR 6 MM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1128A1</td> <td>D6 BARBED CHECK VALVE</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VL1165A0</td> <td>BAM-BB6 STRAIGHT FITTING</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1166A0</td> <td>BB6-AR6 L FITTING</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1174C0</td> <td>D1.2 MM CALIBRATED D1.2 MM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1191A0</td> <td>ONE WASHING DISTRIBUTOR OUTLETS KIT</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2172A0</td> <td>LOCKING CLIP FOR PUMP WITH CIRCUIT</td> <td>2.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | TB1402A0 | TB2820A-DETE RGENT CIRCUIT-FILTE R PIPE | 1.000 | PC | TB2821A0 | EPDM 6X10 L=40MM PIPE | 6.000 | PC | TB3004A0 | TB2820A L=550mm EPDM BLACK PIPE | 1.000 | PC | TB3469A0 | | 1.000 | PC | VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 4.000 | PC | VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC | VL1047A1 | D6 PIPE HOLDER - D8 J.G. TERMINAL | 1.000 | PC | VL1054B0 | ONE WASHING SYS INLET DISTRIBUTOR | 1.000 | PC | VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | 1.000 | PC | VL1128A1 | D6 BARBED CHECK VALVE | 2.000 | PC | VL1165A0 | BAM-BB6 STRAIGHT FITTING | 1.000 | PC | VL1166A0 | BB6-AR6 L FITTING | 1.000 | PC | VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC | VL1191A0 | ONE WASHING DISTRIBUTOR OUTLETS KIT | 1.000 | PC | VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 2.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB1402A0 | TB2820A-DETE RGENT CIRCUIT-FILTE R PIPE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB2821A0 | EPDM 6X10 L=40MM PIPE | 6.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3004A0 | TB2820A L=550mm EPDM BLACK PIPE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3469A0 | | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1047A1 | D6 PIPE HOLDER - D8 J.G. TERMINAL | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1054B0 | ONE WASHING SYS INLET DISTRIBUTOR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1128A1 | D6 BARBED CHECK VALVE | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1165A0 | BAM-BB6 STRAIGHT FITTING | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1166A0 | BB6-AR6 L FITTING | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1191A0 | ONE WASHING DISTRIBUTOR OUTLETS KIT | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | KVL1209A | US PLUS 3 ROTOR ARMS WASHING SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>0H2354A1</td> <td>XEVC-XEVL PLUS WASHING CIRCUIT PLAT</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>EL1450A0</td> <td>US SELF-CLEANIN G WATER SOLENOID</td> <td>4.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | 0H2354A1 | XEVC-XEVL PLUS WASHING CIRCUIT PLAT | 1.000 | PC | EL1450A0 | US SELF-CLEANIN G WATER SOLENOID | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0H2354A1 | XEVC-XEVL PLUS WASHING CIRCUIT PLAT | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| EL1450A0 | US SELF-CLEANIN G WATER SOLENOID | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |




| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|---|---|------------|---|--|------|-------------|-----|-----|----------|-----------------------------|-------|----|----------|-------------------------------------|--------|----|----------|-----------------------|--------|----|----------|--------------|-------|----|----------|------------------------|-------|----|----------|--------------------|-------|----|----------|--|-------|----|----------|--|-------|----|----------|--|-------|----|----------|--------------------------|-------|----|----------|--|-------|----|----------|--|-------|----|----------|--|-------|----|----------|---|-------|----|----------|--------------------------------|-------|----|----------|--|-------|----|----------|-----------------------------------|-------|----|----------|--------------------------|-------|----|----------|----------------------|-------|----|----------|--|-------|----|----------|----------------------------------|-------|----|----------|---------------------------------------|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1166A | BB6-AR6 L FITTING |  | KVL1209A | US PLUS 3 ROTOR ARMS WASHING SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>GN1526A0</td> <td>INT. D.=6.9 TH=1.8 O-RIN</td> <td>9.000</td> <td>PC</td> </tr> <tr> <td>RC1018A0</td> <td>ZINC PLATED D12 ELASTIC CLAMP</td> <td>12.000</td> <td>PC</td> </tr> <tr> <td>RC1019A0</td> <td>D=10 ELASTIC CLAMP</td> <td>15.000</td> <td>PC</td> </tr> <tr> <td>RC1130A0</td> <td>130x2.6 CLAM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>RC1131A0</td> <td>200x2.6 BLACK CLAMP</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>RC1242A0</td> <td>D=10 CLOSED CAP</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>RC1356A0</td> <td>"STRAIGHT THREADED FEMALE END 8x1/4" BS</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB2652A0</td> <td></td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB2677A0</td> <td></td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB2821A0</td> <td>EPDM 6X10 L=40MM PIPE</td> <td>6.000</td> <td>PC</td> </tr> <tr> <td>TB3004A0</td> <td>TB2820A L=550mm EPDM BLACK PIPE</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>TB3024C0</td> <td></td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>TB3226A0</td> <td></td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB3440A0</td> <td>TB3132A L=1050mm EPDM WHITE-BLUE PIPE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1019A0</td> <td>VIBRATION DETERGENT PUMP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1102A1</td> <td>DETERGENT LINE FILTER + BARBED VNR 6 MM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1127A1</td> <td>6mm BARBED T-SHAPED FITTING</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VL1128A1</td> <td>D6 BARBED CHECK VALVE</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>VL1166A0</td> <td>BB6-AR6 L FITTING</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>VL1167A2</td> <td>GN21 3 ROTOR ARMS B-B FLOW RESTRICTOR</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1174C0</td> <td>D1.2 MM CALIBRATED D1.2 MM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1185A0</td> <td>2 WAYS PLUS WASHING DISTRIBUTOR</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 9.000 | PC | RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 12.000 | PC | RC1019A0 | D=10 ELASTIC CLAMP | 15.000 | PC | RC1130A0 | 130x2.6 CLAM | 1.000 | PC | RC1131A0 | 200x2.6 BLACK CLAMP | 3.000 | PC | RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | RC1356A0 | "STRAIGHT THREADED FEMALE END 8x1/4" BS | 1.000 | PC | TB2652A0 | | 1.000 | PC | TB2677A0 | | 1.000 | PC | TB2821A0 | EPDM 6X10 L=40MM PIPE | 6.000 | PC | TB3004A0 | TB2820A L=550mm EPDM BLACK PIPE | 2.000 | PC | TB3024C0 | | 3.000 | PC | TB3226A0 | | 1.000 | PC | TB3440A0 | TB3132A L=1050mm EPDM WHITE-BLUE PIPE | 1.000 | PC | VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC | VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | 1.000 | PC | VL1127A1 | 6mm BARBED T-SHAPED FITTING | 2.000 | PC | VL1128A1 | D6 BARBED CHECK VALVE | 3.000 | PC | VL1166A0 | BB6-AR6 L FITTING | 4.000 | PC | VL1167A2 | GN21 3 ROTOR ARMS B-B FLOW RESTRICTOR | 1.000 | PC | VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC | VL1185A0 | 2 WAYS PLUS WASHING DISTRIBUTOR | 1.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 9.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 12.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1019A0 | D=10 ELASTIC CLAMP | 15.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1130A0 | 130x2.6 CLAM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1131A0 | 200x2.6 BLACK CLAMP | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1356A0 | "STRAIGHT THREADED FEMALE END 8x1/4" BS | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB2652A0 | | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB2677A0 | | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB2821A0 | EPDM 6X10 L=40MM PIPE | 6.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3004A0 | TB2820A L=550mm EPDM BLACK PIPE | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3024C0 | | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3226A0 | | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3440A0 | TB3132A L=1050mm EPDM WHITE-BLUE PIPE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1127A1 | 6mm BARBED T-SHAPED FITTING | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1128A1 | D6 BARBED CHECK VALVE | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1166A0 | BB6-AR6 L FITTING | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1167A2 | GN21 3 ROTOR ARMS B-B FLOW RESTRICTOR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1185A0 | 2 WAYS PLUS WASHING DISTRIBUTOR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |




| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|---|---|------------|---|---|------|-------------|-------------------------------------|-------|----------|---------------------------------|----------------------------------|-------|----------|---------------------------------------|--------------------------|-------|----------|--------------------------------|-------------------------------|-------|----------|--------------------------------|--------------------|-------|----------|------------------------------------|--------------|-------|----------|------------------------------------|---------------------|-------|----|----------|-----------------|-------|----|----------|---|-------|----|----------|-----------------------|-------|----|----------|---------------------|-------|----|----------|---------------------------------|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1166A | BB6-AR6 L FITTING |  | KVL1209A | US PLUS 3 ROTOR ARMS WASHING SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VL1186A0</td> <td>3 WAYS PLUS WASHING DISTRIBUTOR</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1190A0</td> <td>PLUS WASHING SYSTEM INLET DISTRIBUTOR</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1214A0</td> <td>BAYONET - 6mm BARBED NRV VALVE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1398A0</td> <td>1/4 M N.O. CIL PRESSURE SWITCH</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM1605A0</td> <td>CLIP TWIST LOCK DIAM. 10,2-12,7 MM</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>VM2172A0</td> <td>LOCKING CLIP FOR PUMP WITH CIRCUIT</td> <td>9.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VL1186A0 | 3 WAYS PLUS WASHING DISTRIBUTOR | 1.000 | PC | VL1190A0 | PLUS WASHING SYSTEM INLET DISTRIBUTOR | 1.000 | PC | VL1214A0 | BAYONET - 6mm BARBED NRV VALVE | 1.000 | PC | VL1398A0 | 1/4 M N.O. CIL PRESSURE SWITCH | 1.000 | PC | VM1605A0 | CLIP TWIST LOCK DIAM. 10,2-12,7 MM | 3.000 | PC | VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 9.000 | PC | | | | | | | | | | | | | | | | | | | | | |
| | | | Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1186A0 | 3 WAYS PLUS WASHING DISTRIBUTOR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1190A0 | PLUS WASHING SYSTEM INLET DISTRIBUTOR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1214A0 | BAYONET - 6mm BARBED NRV VALVE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1398A0 | 1/4 M N.O. CIL PRESSURE SWITCH | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM1605A0 | CLIP TWIST LOCK DIAM. 10,2-12,7 MM | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 9.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| KVL1208A | US PLUS 2 ROTOR ARMS WASHING SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>0H2354A1</td> <td>XEVC-XEVL PLUS WASHING CIRCUIT PLAT</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>EL1450A0</td> <td>US SELF-CLEANIN G WATER SOLENOID</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>GN1526A0</td> <td>INT. D.=6.9 TH=1.8 O-RIN</td> <td>9.000</td> <td>PC</td> </tr> <tr> <td>RC1018A0</td> <td>ZINC PLATED D12 ELASTIC CLAMP</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>RC1019A0</td> <td>D=10 ELASTIC CLAMP</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>RC1130A0</td> <td>130x2,6 CLAM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>RC1131A0</td> <td>200x2,6 BLACK CLAMP</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>RC1242A0</td> <td>D=10 CLOSED CAP</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>RC1356A0</td> <td>"STRAIGHT THREADED FEMALE END 8x1/4" BS</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB2821A0</td> <td>EPDM 6X10 L=40MM PIPE</td> <td>6.000</td> <td>PC</td> </tr> <tr> <td>TB2994A0</td> <td>HOOD DETERGENT PIPE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB3004A0</td> <td>TB2820A L=550mm EPDM BLACK PIPE</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | 0H2354A1 | XEVC-XEVL PLUS WASHING CIRCUIT PLAT | 1.000 | PC | EL1450A0 | US SELF-CLEANIN G WATER SOLENOID | 4.000 | PC | GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 9.000 | PC | RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 3.000 | PC | RC1019A0 | D=10 ELASTIC CLAMP | 2.000 | PC | RC1130A0 | 130x2,6 CLAM | 1.000 | PC | RC1131A0 | 200x2,6 BLACK CLAMP | 3.000 | PC | RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | RC1356A0 | "STRAIGHT THREADED FEMALE END 8x1/4" BS | 1.000 | PC | TB2821A0 | EPDM 6X10 L=40MM PIPE | 6.000 | PC | TB2994A0 | HOOD DETERGENT PIPE | 1.000 | PC | TB3004A0 | TB2820A L=550mm EPDM BLACK PIPE | 1.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0H2354A1 | XEVC-XEVL PLUS WASHING CIRCUIT PLAT | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| EL1450A0 | US SELF-CLEANIN G WATER SOLENOID | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 9.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1019A0 | D=10 ELASTIC CLAMP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1130A0 | 130x2,6 CLAM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1131A0 | 200x2,6 BLACK CLAMP | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1356A0 | "STRAIGHT THREADED FEMALE END 8x1/4" BS | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB2821A0 | EPDM 6X10 L=40MM PIPE | 6.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB2994A0 | HOOD DETERGENT PIPE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3004A0 | TB2820A L=550mm EPDM BLACK PIPE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |




| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|---|---|------------|---|---|------|-------------|-----|-----|----------|--|-------|----|----------|---|-------|----|----------|--------------------------------|-------|----|----------|---|-------|----|----------|--|-------|----|----------|--------------------------|-------|----|----------|-----------------------------------|-------|----|----------|----------------------|-------|----|----------|----------------------------------|-------|----|----------|---------------------------------------|-------|----|----------|---|-------|----|----------|--------------------------------------|-------|----|----------|--------------------------------------|-------|----|----------|--|-------|----|----------|--|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1166A | BB6-AR6 L FITTING |  | KVL1208A | US PLUS 2 ROTOR ARMS WASHING SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>TB3005B0</td> <td>TB3132A L=550mm EPDM WHITE-BLUE PIPE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB3440A0</td> <td>TB3132A L=1050mm EPDM WHITE-BLUE PIPE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1019A0</td> <td>VIBRATION DETERGENT PUMP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1047A1</td> <td>D6 PIPE HOLDER - D8 J.G. TERMINAL</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1102A1</td> <td>DETERGENT LINE FILTER + BARBED VNR 6 MM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1128A1</td> <td>D6 BARBED CHECK VALVE</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VL1141A1</td> <td>BB6-BB6 STRAIGHT CONNECTION</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1166A0</td> <td>BB6-AR6 L FITTING</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>VL1174C0</td> <td>D1.2 MM CALIBRATED D1.2 MM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1186A0</td> <td>3 WAYS PLUS WASHING DISTRIBUTOR</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1190A0</td> <td>PLUS WASHING SYSTEM INLET DISTRIBUTOR</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1214A0</td> <td>BAYONET - 6mm BARBED NRV VALVE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1398A0</td> <td>1/4 M N.O. CIL PRESSURE SWITCH</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM1605A0</td> <td>CLIP TWIST LOCK DIAM. 10,2-12,7 MM</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>VM2172A0</td> <td>LOCKING CLIP FOR PUMP WITH CIRCUIT</td> <td>5.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | TB3005B0 | TB3132A L=550mm EPDM WHITE-BLUE PIPE | 1.000 | PC | TB3440A0 | TB3132A L=1050mm EPDM WHITE-BLUE PIPE | 1.000 | PC | VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC | VL1047A1 | D6 PIPE HOLDER - D8 J.G. TERMINAL | 1.000 | PC | VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | 1.000 | PC | VL1128A1 | D6 BARBED CHECK VALVE | 2.000 | PC | VL1141A1 | BB6-BB6 STRAIGHT CONNECTION | 1.000 | PC | VL1166A0 | BB6-AR6 L FITTING | 4.000 | PC | VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC | VL1186A0 | 3 WAYS PLUS WASHING DISTRIBUTOR | 1.000 | PC | VL1190A0 | PLUS WASHING SYSTEM INLET DISTRIBUTOR | 1.000 | PC | VL1214A0 | BAYONET - 6mm BARBED NRV VALVE | 1.000 | PC | VL1398A0 | 1/4 M N.O. CIL PRESSURE SWITCH | 1.000 | PC | VM1605A0 | CLIP TWIST LOCK DIAM. 10,2-12,7 MM | 3.000 | PC | VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 5.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3005B0 | TB3132A L=550mm EPDM WHITE-BLUE PIPE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3440A0 | TB3132A L=1050mm EPDM WHITE-BLUE PIPE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1047A1 | D6 PIPE HOLDER - D8 J.G. TERMINAL | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1128A1 | D6 BARBED CHECK VALVE | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1141A1 | BB6-BB6 STRAIGHT CONNECTION | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1166A0 | BB6-AR6 L FITTING | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1186A0 | 3 WAYS PLUS WASHING DISTRIBUTOR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1190A0 | PLUS WASHING SYSTEM INLET DISTRIBUTOR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1214A0 | BAYONET - 6mm BARBED NRV VALVE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1398A0 | 1/4 M N.O. CIL PRESSURE SWITCH | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM1605A0 | CLIP TWIST LOCK DIAM. 10,2-12,7 MM | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 5.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |




| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|---|---|------------|--|---|------|-------------|-----|-----|----------|-------------------------------------|-------|----|----------|----------------------------------|-------|----|----------|--------------------------|-------|----|----------|-------------------------------|-------|----|----------|--------------------|--------|----|----------|--------------|-------|----|----------|---------------------|-------|----|----------|-----------------|-------|----|----------|---|-------|----|----------|-----------------------|-------|----|----------|---------------------------------|-------|----|----------|--------------------------------------|-------|----|----------|--------------------------------------|-------|----|----------|--|-------|----|----------|--------------------------|-------|----|----------|-----------------------------------|-------|----|----------|---|-------|----|----------|-----------------------|-------|----|----------|-------------------|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1166A | BB6-AR6 L FITTING |  | KVL1207A | US PLUS 1 ROTOR ARM WASHING SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>0H2354A1</td> <td>XEVC-XEVL PLUS WASHING CIRCUIT PLAT</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>EL1450A0</td> <td>US SELF-CLEANIN G WATER SOLENOID</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>GN1526A0</td> <td>INT. D.=6.9 TH=1.8 O-RIN</td> <td>7.000</td> <td>PC</td> </tr> <tr> <td>RC1018A0</td> <td>ZINC PLATED D12 ELASTIC CLAMP</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>RC1019A0</td> <td>D=10 ELASTIC CLAMP</td> <td>14.000</td> <td>PC</td> </tr> <tr> <td>RC1130A0</td> <td>130x2.6 CLAM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>RC1131A0</td> <td>200x2.6 BLACK CLAMP</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>RC1242A0</td> <td>D=10 CLOSED CAP</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>RC1356A0</td> <td>"STRAIGHT THREADED FEMALE END 8x1/4" BS</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB2821A0</td> <td>EPDM 6X10 L=40MM PIPE</td> <td>6.000</td> <td>PC</td> </tr> <tr> <td>TB3004A0</td> <td>TB2820A L=550mm EPDM BLACK PIPE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB3005B0</td> <td>TB3132A L=550mm EPDM WHITE-BLUE PIPE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB3225B0</td> <td>TB2820A-TAN K-WASHYNG SYS CONNECTION</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB3252A0</td> <td></td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1019A0</td> <td>VIBRATION DETERGENT PUMP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1047A1</td> <td>D6 PIPE HOLDER - D8 J.G. TERMINAL</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1102A1</td> <td>DETERGENT LINE FILTER + BARBED VNR 6 MM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1128A1</td> <td>D6 BARBED CHECK VALVE</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VL1166A0</td> <td>BB6-AR6 L FITTING</td> <td>3.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | 0H2354A1 | XEVC-XEVL PLUS WASHING CIRCUIT PLAT | 1.000 | PC | EL1450A0 | US SELF-CLEANIN G WATER SOLENOID | 3.000 | PC | GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 7.000 | PC | RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 2.000 | PC | RC1019A0 | D=10 ELASTIC CLAMP | 14.000 | PC | RC1130A0 | 130x2.6 CLAM | 1.000 | PC | RC1131A0 | 200x2.6 BLACK CLAMP | 2.000 | PC | RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | RC1356A0 | "STRAIGHT THREADED FEMALE END 8x1/4" BS | 1.000 | PC | TB2821A0 | EPDM 6X10 L=40MM PIPE | 6.000 | PC | TB3004A0 | TB2820A L=550mm EPDM BLACK PIPE | 1.000 | PC | TB3005B0 | TB3132A L=550mm EPDM WHITE-BLUE PIPE | 1.000 | PC | TB3225B0 | TB2820A-TAN K-WASHYNG SYS CONNECTION | 1.000 | PC | TB3252A0 | | 1.000 | PC | VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC | VL1047A1 | D6 PIPE HOLDER - D8 J.G. TERMINAL | 1.000 | PC | VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | 1.000 | PC | VL1128A1 | D6 BARBED CHECK VALVE | 2.000 | PC | VL1166A0 | BB6-AR6 L FITTING | 3.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0H2354A1 | XEVC-XEVL PLUS WASHING CIRCUIT PLAT | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| EL1450A0 | US SELF-CLEANIN G WATER SOLENOID | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 7.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1019A0 | D=10 ELASTIC CLAMP | 14.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1130A0 | 130x2.6 CLAM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1131A0 | 200x2.6 BLACK CLAMP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1356A0 | "STRAIGHT THREADED FEMALE END 8x1/4" BS | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB2821A0 | EPDM 6X10 L=40MM PIPE | 6.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3004A0 | TB2820A L=550mm EPDM BLACK PIPE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3005B0 | TB3132A L=550mm EPDM WHITE-BLUE PIPE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3225B0 | TB2820A-TAN K-WASHYNG SYS CONNECTION | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3252A0 | | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1047A1 | D6 PIPE HOLDER - D8 J.G. TERMINAL | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1128A1 | D6 BARBED CHECK VALVE | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1166A0 | BB6-AR6 L FITTING | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |




| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|---|---|------------|--|--|------|-------------|-----|-----|----------|----------------------------------|-------|----|----------|---------------------------------------|-------|----|----------|---|-------|----|----------|--------------------------------------|-------|----|----------|--------------------------------------|--------|----|----------|--|-------|----|----------|--|-------|----|----------|--------------------------|-------|----|----------|---------------------------|-------|----|----------|--|-------|----|----------|--------------------------------------|-------|----|----------|--------------------------------|-------|----|----------|---|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1166A | BB6-AR6 L FITTING |  | KVL1207A | US PLUS 1 ROTOR ARM WASHING SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VL1174C0</td> <td>D1.2 MM CALIBRATED D1.2 MM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1185A0</td> <td>2 WAYS PLUS WASHING DISTRIBUTOR</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1190A0</td> <td>PLUS WASHING SYSTEM INLET DISTRIBUTOR</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1214A0</td> <td>BAYONET - 6mm BARBED NRV VALVE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1398A0</td> <td>1/4 M N.O. CIL PRESSURE SWITCH</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM1605A0</td> <td>CLIP TWIST LOCK DIAM. 10,2-12,7 MM</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>VM2172A0</td> <td>LOCKING CLIP FOR PUMP WITH CIRCUIT</td> <td>3.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC | VL1185A0 | 2 WAYS PLUS WASHING DISTRIBUTOR | 1.000 | PC | VL1190A0 | PLUS WASHING SYSTEM INLET DISTRIBUTOR | 1.000 | PC | VL1214A0 | BAYONET - 6mm BARBED NRV VALVE | 1.000 | PC | VL1398A0 | 1/4 M N.O. CIL PRESSURE SWITCH | 1.000 | PC | VM1605A0 | CLIP TWIST LOCK DIAM. 10,2-12,7 MM | 3.000 | PC | VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1185A0 | 2 WAYS PLUS WASHING DISTRIBUTOR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1190A0 | PLUS WASHING SYSTEM INLET DISTRIBUTOR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1214A0 | BAYONET - 6mm BARBED NRV VALVE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1398A0 | 1/4 M N.O. CIL PRESSURE SWITCH | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM1605A0 | CLIP TWIST LOCK DIAM. 10,2-12,7 MM | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | KVL1198A | MM EU HOOD CLEANING SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>0H2213A1</td> <td>HOOD WATER CIRCUIT PLAT</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>EL1440A0</td> <td>WATER SELF CLEANING VALVE</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>GN1526A0</td> <td>INT. D.=6.9 TH=1.8 O-RIN</td> <td>5.000</td> <td>PC</td> </tr> <tr> <td>RC1018A0</td> <td>ZINC PLATED D12 ELASTIC CLAMP</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>RC1019A0</td> <td>D=10 ELASTIC CLAMP</td> <td>16.000</td> <td>PC</td> </tr> <tr> <td>RC1131A0</td> <td>200x2.6 BLACK CLAMP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>RC1242A0</td> <td>D=10 CLOSED CAP</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>TB2821A0</td> <td>EPDM 6X10 L=40MM PIPE</td> <td>6.000</td> <td>PC</td> </tr> <tr> <td>TB2994A0</td> <td>HOOD DETERGENT PIPE</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>TB3252A0</td> <td></td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VI1220A1</td> <td>4,2x12 TCB SELF-TAPPIN G SCREW</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>VL1019A0</td> <td>VIBRATION DETERGENT PUMP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1047A1</td> <td>D6 PIPE HOLDER - D8 J.G. TERMINAL</td> <td>2.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | 0H2213A1 | HOOD WATER CIRCUIT PLAT | 1.000 | PC | EL1440A0 | WATER SELF CLEANING VALVE | 2.000 | PC | GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 5.000 | PC | RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 4.000 | PC | RC1019A0 | D=10 ELASTIC CLAMP | 16.000 | PC | RC1131A0 | 200x2.6 BLACK CLAMP | 1.000 | PC | RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | TB2821A0 | EPDM 6X10 L=40MM PIPE | 6.000 | PC | TB2994A0 | HOOD DETERGENT PIPE | 2.000 | PC | TB3252A0 | | 2.000 | PC | VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 3.000 | PC | VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC | VL1047A1 | D6 PIPE HOLDER - D8 J.G. TERMINAL | 2.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0H2213A1 | HOOD WATER CIRCUIT PLAT | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| EL1440A0 | WATER SELF CLEANING VALVE | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 5.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1019A0 | D=10 ELASTIC CLAMP | 16.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1131A0 | 200x2.6 BLACK CLAMP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB2821A0 | EPDM 6X10 L=40MM PIPE | 6.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB2994A0 | HOOD DETERGENT PIPE | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3252A0 | | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1047A1 | D6 PIPE HOLDER - D8 J.G. TERMINAL | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |




| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--|---|------------|--|---|------|-------------|-----|-----|----------|--|-------|----|----------|--|-------|----|----------|-----------------------------------|-------|----|----------|-------------------------------------|--------|----|----------|--------------------------------|--------|----|----------|----------------------|-------|----|----------|----------------------------------|-------|----|----------|--|-------|----|----------|--------------------------------------|-------|----|----------|--|-------|----|----------|--|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1166A | BB6-AR6 L FITTING |  | KVL1198A | MM EU HOOD CLEANING SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VL1054B0</td> <td>ONE WASHING SYS INLET DISTRIBUTOR</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1102A1</td> <td>DETERGENT LINE FILTER + BARBED VNR 6 MM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1127A1</td> <td>6mm BARBED T-SHAPED FITTING</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1128A1</td> <td>D6 BARBED CHECK VALVE</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VL1165A0</td> <td>BAM-BB6 STRAIGHT FITTING</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1166A0</td> <td>BB6-AR6 L FITTING</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VL1174C0</td> <td>D1.2 MM CALIBRATED D1.2 MM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1191A0</td> <td>ONE WASHING DISTRIBUTOR OUTLETS KIT</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1214A0</td> <td>BAYONET - 6mm BARBED NRV VALVE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM1605A0</td> <td>CLIP TWIST LOCK DIAM. 10.2-12.7 MM</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VM2172A0</td> <td>LOCKING CLIP FOR PUMP WITH CIRCUIT</td> <td>5.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VL1054B0 | ONE WASHING SYS INLET DISTRIBUTOR | 1.000 | PC | VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | 1.000 | PC | VL1127A1 | 6mm BARBED T-SHAPED FITTING | 1.000 | PC | VL1128A1 | D6 BARBED CHECK VALVE | 2.000 | PC | VL1165A0 | BAM-BB6 STRAIGHT FITTING | 1.000 | PC | VL1166A0 | BB6-AR6 L FITTING | 2.000 | PC | VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC | VL1191A0 | ONE WASHING DISTRIBUTOR OUTLETS KIT | 1.000 | PC | VL1214A0 | BAYONET - 6mm BARBED NRV VALVE | 1.000 | PC | VM1605A0 | CLIP TWIST LOCK DIAM. 10.2-12.7 MM | 2.000 | PC | VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 5.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1054B0 | ONE WASHING SYS INLET DISTRIBUTOR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1127A1 | 6mm BARBED T-SHAPED FITTING | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1128A1 | D6 BARBED CHECK VALVE | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1165A0 | BAM-BB6 STRAIGHT FITTING | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1166A0 | BB6-AR6 L FITTING | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1191A0 | ONE WASHING DISTRIBUTOR OUTLETS KIT | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1214A0 | BAYONET - 6mm BARBED NRV VALVE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM1605A0 | CLIP TWIST LOCK DIAM. 10.2-12.7 MM | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 5.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | KVL1187A | 3 ROTOR ARMS PLUS EU CLEANING SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>0H2354A1</td> <td>XEVC-XEVL PLUS WASHING CIRCUIT PLAT</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>EL1440A0</td> <td>WATER SELF CLEANING VALVE</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>GN1526A0</td> <td>INT. D.=6.9 TH=1.8 O-RIN</td> <td>9.000</td> <td>PC</td> </tr> <tr> <td>RC1018A0</td> <td>ZINC PLATED D12 ELASTIC CLAMP</td> <td>11.000</td> <td>PC</td> </tr> <tr> <td>RC1019A0</td> <td>D=10 ELASTIC CLAMP</td> <td>16.000</td> <td>PC</td> </tr> <tr> <td>RC1130A0</td> <td>130x2.6 CLAM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>RC1131A0</td> <td>200x2.6 BLACK CLAMP</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>RC1242A0</td> <td>D=10 CLOSED CAP</td> <td>2.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | 0H2354A1 | XEVC-XEVL PLUS WASHING CIRCUIT PLAT | 1.000 | PC | EL1440A0 | WATER SELF CLEANING VALVE | 4.000 | PC | GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 9.000 | PC | RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 11.000 | PC | RC1019A0 | D=10 ELASTIC CLAMP | 16.000 | PC | RC1130A0 | 130x2.6 CLAM | 1.000 | PC | RC1131A0 | 200x2.6 BLACK CLAMP | 3.000 | PC | RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | | | | | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0H2354A1 | XEVC-XEVL PLUS WASHING CIRCUIT PLAT | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| EL1440A0 | WATER SELF CLEANING VALVE | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 9.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 11.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1019A0 | D=10 ELASTIC CLAMP | 16.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1130A0 | 130x2.6 CLAM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1131A0 | 200x2.6 BLACK CLAMP | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |





| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|---|---|------------|--|---|------|-------------|-----|-----|----------|--|-------|----|----------|--|-------|----|----------|--|-------|----|----------|--------------------------|-------|----|----------|--|-------|----|----------|--|-------|----|----------|--|-------|----|----------|---|-------|----|----------|--------------------------------|-------|----|----------|---|-------|----|----------|--|-------|----|----------|-----------------------------------|-------|----|----------|--------------------------|-------|----|----------|----------------------|-------|----|----------|--|-------|----|----------|----------------------------------|-------|----|----------|---------------------------------------|-------|----|----------|---|-------|----|----------|--------------------------------------|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1166A | BB6-AR6 L FITTING |  | KVL1187A | 3 ROTOR ARMS PLUS EU CLEANING SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>RC1356A0</td> <td>"STRAIGHT THREADED FEMALE END 8x1/4" BS</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB2652A0</td> <td></td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB2677A0</td> <td></td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB2821A0</td> <td>EPDM 6X10 L=40MM PIPE</td> <td>6.000</td> <td>PC</td> </tr> <tr> <td>TB3004A0</td> <td>TB2820A L=550mm EPDM BLACK PIPE</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>TB3024C0</td> <td></td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>TB3226A0</td> <td></td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB3440A0</td> <td>TB3132A L=1050mm EPDM WHITE-BLUE PIPE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1019A0</td> <td>VIBRATION DETERGENT PUMP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1047A1</td> <td>D6 PIPE HOLDER - D8 J.G. TERMINAL</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1102A1</td> <td>DETERGENT LINE FILTER + BARBED VNR 6 MM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1127A1</td> <td>6mm BARBED T-SHAPED FITTING</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VL1128A1</td> <td>D6 BARBED CHECK VALVE</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>VL1166A0</td> <td>BB6-AR6 L FITTING</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>VL1167A2</td> <td>GN21 3 ROTOR ARMS B-B FLOW RESTRICTOR</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1174C0</td> <td>D1.2 MM CALIBRATED D1.2 MM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1186A0</td> <td>3 WAYS PLUS WASHING DISTRIBUTOR</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1190A0</td> <td>PLUS WASHING SYSTEM INLET DISTRIBUTOR</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1214A0</td> <td>BAYONET - 6mm BARBED NRV VALVE</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | RC1356A0 | "STRAIGHT THREADED FEMALE END 8x1/4" BS | 1.000 | PC | TB2652A0 | | 1.000 | PC | TB2677A0 | | 1.000 | PC | TB2821A0 | EPDM 6X10 L=40MM PIPE | 6.000 | PC | TB3004A0 | TB2820A L=550mm EPDM BLACK PIPE | 2.000 | PC | TB3024C0 | | 3.000 | PC | TB3226A0 | | 1.000 | PC | TB3440A0 | TB3132A L=1050mm EPDM WHITE-BLUE PIPE | 1.000 | PC | VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC | VL1047A1 | D6 PIPE HOLDER - D8 J.G. TERMINAL | 1.000 | PC | VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | 1.000 | PC | VL1127A1 | 6mm BARBED T-SHAPED FITTING | 2.000 | PC | VL1128A1 | D6 BARBED CHECK VALVE | 3.000 | PC | VL1166A0 | BB6-AR6 L FITTING | 4.000 | PC | VL1167A2 | GN21 3 ROTOR ARMS B-B FLOW RESTRICTOR | 1.000 | PC | VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC | VL1186A0 | 3 WAYS PLUS WASHING DISTRIBUTOR | 1.000 | PC | VL1190A0 | PLUS WASHING SYSTEM INLET DISTRIBUTOR | 1.000 | PC | VL1214A0 | BAYONET - 6mm BARBED NRV VALVE | 1.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1356A0 | "STRAIGHT THREADED FEMALE END 8x1/4" BS | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB2652A0 | | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB2677A0 | | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB2821A0 | EPDM 6X10 L=40MM PIPE | 6.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3004A0 | TB2820A L=550mm EPDM BLACK PIPE | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3024C0 | | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3226A0 | | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3440A0 | TB3132A L=1050mm EPDM WHITE-BLUE PIPE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1047A1 | D6 PIPE HOLDER - D8 J.G. TERMINAL | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1127A1 | 6mm BARBED T-SHAPED FITTING | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1128A1 | D6 BARBED CHECK VALVE | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1166A0 | BB6-AR6 L FITTING | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1167A2 | GN21 3 ROTOR ARMS B-B FLOW RESTRICTOR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1186A0 | 3 WAYS PLUS WASHING DISTRIBUTOR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1190A0 | PLUS WASHING SYSTEM INLET DISTRIBUTOR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1214A0 | BAYONET - 6mm BARBED NRV VALVE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |




| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|---|--|------------|--|---|------|-------------|--|-------|----------|--------------------------------------|---------------------------------|-------|----------|--|-----------------------------|-------|----------|--|-------------------------------------|-------|----|----------|-----------------------|--------|----|----------|--------------|-------|----|----------|------------------------|-------|----|----------|--------------------|-------|----|----------|--|-------|----|----------|--------------------------|-------|----|----------|---------------------------|-------|----|----------|--|-------|----|----------|--|-------|----|----------|---|-------|----|----------|--------------------------------|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1166A | BB6-AR6 L FITTING |  | KVL1187A | 3 ROTOR ARMS PLUS EU CLEANING SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VL1398A0</td> <td>1/4 M N.O. CIL PRESSURE SWITCH</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM1605A0</td> <td>CLIP TWIST LOCK DIAM. 10,2-12,7 MM</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>VM2172A0</td> <td>LOCKING CLIP FOR PUMP WITH CIRCUIT</td> <td>5.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VL1398A0 | 1/4 M N.O. CIL PRESSURE SWITCH | 1.000 | PC | VM1605A0 | CLIP TWIST LOCK DIAM. 10,2-12,7 MM | 3.000 | PC | VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 5.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1398A0 | 1/4 M N.O. CIL PRESSURE SWITCH | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM1605A0 | CLIP TWIST LOCK DIAM. 10,2-12,7 MM | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 5.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| KVL1184A | 2 ROTOR ARMS PLUS EU CLEANING SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>0H2354A1</td> <td>XEVC-XEVL PLUS WASHING CIRCUIT PLAT</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>EL1440A0</td> <td>WATER SELF CLEANING VALVE</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>GN1526A0</td> <td>INT. D.=6.9 TH=1.8 O-RIN</td> <td>9.000</td> <td>PC</td> </tr> <tr> <td>RC1018A0</td> <td>ZINC PLATED D12 ELASTIC CLAMP</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>RC1019A0</td> <td>D=10 ELASTIC CLAMP</td> <td>15.000</td> <td>PC</td> </tr> <tr> <td>RC1130A0</td> <td>130x2,6 CLAM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>RC1131A0</td> <td>200x2,6 BLACK CLAMP</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>RC1242A0</td> <td>D=10 CLOSED CAP</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>RC1356A0</td> <td>"STRAIGHT THREADED FEMALE END 8x1/4" BS</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB2821A0</td> <td>EPDM 6X10 L=40MM PIPE</td> <td>6.000</td> <td>PC</td> </tr> <tr> <td>TB2994A0</td> <td>HOOD DETERGENT PIPE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB3004A0</td> <td>TB2820A L=550mm EPDM BLACK PIPE</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>TB3005B0</td> <td>TB3132A L=550mm EPDM WHITE-BLUE PIPE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB3440A0</td> <td>TB3132A L=1050mm EPDM WHITE-BLUE PIPE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1019A0</td> <td>VIBRATION DETERGENT PUMP</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | 0H2354A1 | XEVC-XEVL PLUS WASHING CIRCUIT PLAT | 1.000 | PC | EL1440A0 | WATER SELF CLEANING VALVE | 4.000 | PC | GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 9.000 | PC | RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 3.000 | PC | RC1019A0 | D=10 ELASTIC CLAMP | 15.000 | PC | RC1130A0 | 130x2,6 CLAM | 1.000 | PC | RC1131A0 | 200x2,6 BLACK CLAMP | 3.000 | PC | RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | RC1356A0 | "STRAIGHT THREADED FEMALE END 8x1/4" BS | 1.000 | PC | TB2821A0 | EPDM 6X10 L=40MM PIPE | 6.000 | PC | TB2994A0 | HOOD DETERGENT PIPE | 1.000 | PC | TB3004A0 | TB2820A L=550mm EPDM BLACK PIPE | 2.000 | PC | TB3005B0 | TB3132A L=550mm EPDM WHITE-BLUE PIPE | 1.000 | PC | TB3440A0 | TB3132A L=1050mm EPDM WHITE-BLUE PIPE | 1.000 | PC | VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0H2354A1 | XEVC-XEVL PLUS WASHING CIRCUIT PLAT | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| EL1440A0 | WATER SELF CLEANING VALVE | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 9.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1019A0 | D=10 ELASTIC CLAMP | 15.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1130A0 | 130x2,6 CLAM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1131A0 | 200x2,6 BLACK CLAMP | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1356A0 | "STRAIGHT THREADED FEMALE END 8x1/4" BS | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB2821A0 | EPDM 6X10 L=40MM PIPE | 6.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB2994A0 | HOOD DETERGENT PIPE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3004A0 | TB2820A L=550mm EPDM BLACK PIPE | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3005B0 | TB3132A L=550mm EPDM WHITE-BLUE PIPE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3440A0 | TB3132A L=1050mm EPDM WHITE-BLUE PIPE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |






| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|---|---|------------|--|--|------|-------------|-----|-----|----------|--|-------|----|----------|--|-------|----|----------|-----------------------------|-------|----|----------|-------------------------------------|-------|----|----------|-----------------------|--------|----|----------|----------------------------------|-------|----|----------|---------------------------------------|-------|----|----------|---|-------|----|----------|--------------------------------------|-------|----|----------|--------------------------------------|-------|----|----------|--|-------|----|----------|--|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1166A | BB6-AR6 L FITTING |  | KVL1184A | 2 ROTOR ARMS PLUS EU CLEANING SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VL1047A1</td> <td>D6 PIPE HOLDER - D8 J.G. TERMINAL</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1102A1</td> <td>DETERGENT LINE FILTER + BARBED VNR 6 MM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1128A1</td> <td>D6 BARBED CHECK VALVE</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VL1141A1</td> <td>BB6-BB6 STRAIGHT CONNECTION</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1166A0</td> <td>BB6-AR6 L FITTING</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>VL1174C0</td> <td>D1.2 MM CALIBRATED D1.2 MM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1186A0</td> <td>3 WAYS PLUS WASHING DISTRIBUTOR</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1190A0</td> <td>PLUS WASHING SYSTEM INLET DISTRIBUTOR</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1214A0</td> <td>BAYONET - 6mm BARBED NRV VALVE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1398A0</td> <td>1/4 M N.O. CIL PRESSURE SWITCH</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM1605A0</td> <td>CLIP TWIST LOCK DIAM. 10,2-12,7 MM</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>VM2172A0</td> <td>LOCKING CLIP FOR PUMP WITH CIRCUIT</td> <td>5.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VL1047A1 | D6 PIPE HOLDER - D8 J.G. TERMINAL | 1.000 | PC | VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | 1.000 | PC | VL1128A1 | D6 BARBED CHECK VALVE | 2.000 | PC | VL1141A1 | BB6-BB6 STRAIGHT CONNECTION | 1.000 | PC | VL1166A0 | BB6-AR6 L FITTING | 4.000 | PC | VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC | VL1186A0 | 3 WAYS PLUS WASHING DISTRIBUTOR | 1.000 | PC | VL1190A0 | PLUS WASHING SYSTEM INLET DISTRIBUTOR | 1.000 | PC | VL1214A0 | BAYONET - 6mm BARBED NRV VALVE | 1.000 | PC | VL1398A0 | 1/4 M N.O. CIL PRESSURE SWITCH | 1.000 | PC | VM1605A0 | CLIP TWIST LOCK DIAM. 10,2-12,7 MM | 3.000 | PC | VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 5.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1047A1 | D6 PIPE HOLDER - D8 J.G. TERMINAL | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1128A1 | D6 BARBED CHECK VALVE | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1141A1 | BB6-BB6 STRAIGHT CONNECTION | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1166A0 | BB6-AR6 L FITTING | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1186A0 | 3 WAYS PLUS WASHING DISTRIBUTOR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1190A0 | PLUS WASHING SYSTEM INLET DISTRIBUTOR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1214A0 | BAYONET - 6mm BARBED NRV VALVE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1398A0 | 1/4 M N.O. CIL PRESSURE SWITCH | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM1605A0 | CLIP TWIST LOCK DIAM. 10,2-12,7 MM | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 5.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | KVL1183A | 1 ROTOR ARM PLUS CLEANING SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>0H2354A1</td> <td>XEVC-XEVL PLUS WASHING CIRCUIT PLAT</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>EL1440A0</td> <td>WATER SELF CLEANING VALVE</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>GN1526A0</td> <td>INT. D.=6.9 TH=1.8 O-RIN</td> <td>7.000</td> <td>PC</td> </tr> <tr> <td>RC1018A0</td> <td>ZINC PLATED D12 ELASTIC CLAMP</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>RC1019A0</td> <td>D=10 ELASTIC CLAMP</td> <td>14.000</td> <td>PC</td> </tr> <tr> <td>RC1130A0</td> <td>130x2,6 CLAM</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | 0H2354A1 | XEVC-XEVL PLUS WASHING CIRCUIT PLAT | 1.000 | PC | EL1440A0 | WATER SELF CLEANING VALVE | 3.000 | PC | GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 7.000 | PC | RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 2.000 | PC | RC1019A0 | D=10 ELASTIC CLAMP | 14.000 | PC | RC1130A0 | 130x2,6 CLAM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0H2354A1 | XEVC-XEVL PLUS WASHING CIRCUIT PLAT | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| EL1440A0 | WATER SELF CLEANING VALVE | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 7.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1019A0 | D=10 ELASTIC CLAMP | 14.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1130A0 | 130x2,6 CLAM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |




| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|-------------------|---|------------|--|--|---|-------------|-----|-----|----------|---------------------|-------|----|----------|-----------------|-------|----|----------|---|-------|----|----------|-----------------------|-------|----|----------|---------------------------------|-------|----|----------|--------------------------------------|-------|----|----------|--------------------------------------|-------|----|----------|--|-------|----|----------|--------------------------|-------|----|----------|-----------------------------------|-------|----|----------|---|-------|----|----------|-----------------------|-------|----|----------|-------------------|-------|----|----------|----------------------------|-------|----|----------|---------------------------------|-------|----|----------|---------------------------------------|-------|----|----------|--------------------------------|-------|----|----------|--------------------------------|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1166A | BB6-AR6 L FITTING |  | KVL1183A | 1 ROTOR ARM PLUS CLEANING SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>RC1131A0</td> <td>200x2.6 BLACK CLAMP</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>RC1242A0</td> <td>D=10 CLOSED CAP</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>RC1356A0</td> <td>"STRAIGHT THREADED FEMALE END 8x1/4" BS</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB2821A0</td> <td>EPDM 6X10 L=40MM PIPE</td> <td>6.000</td> <td>PC</td> </tr> <tr> <td>TB3004A0</td> <td>TB2820A L=550mm EPDM BLACK PIPE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB3005B0</td> <td>TB3132A L=550mm EPDM WHITE-BLUE PIPE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB3225B0</td> <td>TB2820A-TAN K-WASHYNG SYS CONNECTION</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB3252A0</td> <td></td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1019A0</td> <td>VIBRATION DETERGENT PUMP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1047A1</td> <td>D6 PIPE HOLDER - D8 J.G. TERMINAL</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1102A1</td> <td>DETERGENT LINE FILTER + BARBED VNR 6 MM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1128A1</td> <td>D6 BARBED CHECK VALVE</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VL1166A0</td> <td>BB6-AR6 L FITTING</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>VL1174C0</td> <td>D1.2 MM CALIBRATED D1.2 MM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1185A0</td> <td>2 WAYS PLUS WASHING DISTRIBUTOR</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1190A0</td> <td>PLUS WASHING SYSTEM INLET DISTRIBUTOR</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1214A0</td> <td>BAYONET - 6mm BARBED NRV VALVE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1398A0</td> <td>1/4 M N.O. CIL PRESSURE SWITCH</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | RC1131A0 | 200x2.6 BLACK CLAMP | 2.000 | PC | RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | RC1356A0 | "STRAIGHT THREADED FEMALE END 8x1/4" BS | 1.000 | PC | TB2821A0 | EPDM 6X10 L=40MM PIPE | 6.000 | PC | TB3004A0 | TB2820A L=550mm EPDM BLACK PIPE | 1.000 | PC | TB3005B0 | TB3132A L=550mm EPDM WHITE-BLUE PIPE | 1.000 | PC | TB3225B0 | TB2820A-TAN K-WASHYNG SYS CONNECTION | 1.000 | PC | TB3252A0 | | 1.000 | PC | VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC | VL1047A1 | D6 PIPE HOLDER - D8 J.G. TERMINAL | 1.000 | PC | VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | 1.000 | PC | VL1128A1 | D6 BARBED CHECK VALVE | 2.000 | PC | VL1166A0 | BB6-AR6 L FITTING | 3.000 | PC | VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC | VL1185A0 | 2 WAYS PLUS WASHING DISTRIBUTOR | 1.000 | PC | VL1190A0 | PLUS WASHING SYSTEM INLET DISTRIBUTOR | 1.000 | PC | VL1214A0 | BAYONET - 6mm BARBED NRV VALVE | 1.000 | PC | VL1398A0 | 1/4 M N.O. CIL PRESSURE SWITCH | 1.000 | PC |
| | | | | | Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | RC1131A0 | 200x2.6 BLACK CLAMP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | RC1356A0 | "STRAIGHT THREADED FEMALE END 8x1/4" BS | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | TB2821A0 | EPDM 6X10 L=40MM PIPE | 6.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | TB3004A0 | TB2820A L=550mm EPDM BLACK PIPE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | TB3005B0 | TB3132A L=550mm EPDM WHITE-BLUE PIPE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | TB3225B0 | TB2820A-TAN K-WASHYNG SYS CONNECTION | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | TB3252A0 | | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | VL1047A1 | D6 PIPE HOLDER - D8 J.G. TERMINAL | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | VL1128A1 | D6 BARBED CHECK VALVE | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | VL1166A0 | BB6-AR6 L FITTING | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | VL1185A0 | 2 WAYS PLUS WASHING DISTRIBUTOR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | VL1190A0 | PLUS WASHING SYSTEM INLET DISTRIBUTOR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | VL1214A0 | BAYONET - 6mm BARBED NRV VALVE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | VL1398A0 | 1/4 M N.O. CIL PRESSURE SWITCH | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |








| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--------------------------------------|---|------------|--|---|------|-------------|-----|-----|----------|--------------------------------------|-------|----|----------|------------------------------------|-------|----|----------|--------------------------|-------|----|----------|-------------------------------|-------|----|----------|--------------------|--------|----|----------|--------------|-------|----|----------|-----------------|-------|----|----------|-----------------------|-------|----|----------|---------------------------------|-------|----|----------|--------------------------------|-------|----|----------|--------------------------------------|-------|----|----------|--------------------------------|-------|----|----------|--------------------------|-------|----|----------|-----------------------------------|-------|----|----------|-----------------------------------|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1166A | BB6-AR6 L FITTING |  | KVL1183A | 1 ROTOR ARM PLUS CLEANING SYSTEM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VM1605A0</td> <td>CLIP TWIST LOCK DIAM. 10,2-12,7 MM</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>VM2172A0</td> <td>LOCKING CLIP FOR PUMP WITH CIRCUIT</td> <td>4.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VM1605A0 | CLIP TWIST LOCK DIAM. 10,2-12,7 MM | 3.000 | PC | VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM1605A0 | CLIP TWIST LOCK DIAM. 10,2-12,7 MM | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | KVL1182A | ONE 1ROT CLEANING SYSTEM KIT (0311 EXC.) | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>0H2202A1</td> <td>ONE WASHING WITH STEAM VALVE SUPPORT</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>EL1440A0</td> <td>WATER SELF CLEANING VALVE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>GN1526A0</td> <td>INT. D.=6.9 TH=1.8 O-RIN</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>RC1018A0</td> <td>ZINC PLATED D12 ELASTIC CLAMP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>RC1019A0</td> <td>D=10 ELASTIC CLAMP</td> <td>14.000</td> <td>PC</td> </tr> <tr> <td>RC1130A0</td> <td>130x2,6 CLAM</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>RC1242A0</td> <td>D=10 CLOSED CAP</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>TB2821A0</td> <td>EPDM 6X10 L=40MM PIPE</td> <td>6.000</td> <td>PC</td> </tr> <tr> <td>TB3004A0</td> <td>TB2820A L=550mm EPDM BLACK PIPE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB3009B0</td> <td>TB3132A-ONE OVEN WASHING INLET</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TB3225B0</td> <td>TB2820A-TAN K-WASHYNG SYS CONNECTION</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>V11220A1</td> <td>4,2x12 TCB SELF-TAPPIN G SCREW</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1019A0</td> <td>VIBRATION DETERGENT PUMP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1047A1</td> <td>D6 PIPE HOLDER - D8 J.G. TERMINAL</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1054B0</td> <td>ONE WASHING SYS INLET DISTRIBUTOR</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | 0H2202A1 | ONE WASHING WITH STEAM VALVE SUPPORT | 1.000 | PC | EL1440A0 | WATER SELF CLEANING VALVE | 1.000 | PC | GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 3.000 | PC | RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 1.000 | PC | RC1019A0 | D=10 ELASTIC CLAMP | 14.000 | PC | RC1130A0 | 130x2,6 CLAM | 2.000 | PC | RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | TB2821A0 | EPDM 6X10 L=40MM PIPE | 6.000 | PC | TB3004A0 | TB2820A L=550mm EPDM BLACK PIPE | 1.000 | PC | TB3009B0 | TB3132A-ONE OVEN WASHING INLET | 1.000 | PC | TB3225B0 | TB2820A-TAN K-WASHYNG SYS CONNECTION | 1.000 | PC | V11220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 1.000 | PC | VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC | VL1047A1 | D6 PIPE HOLDER - D8 J.G. TERMINAL | 1.000 | PC | VL1054B0 | ONE WASHING SYS INLET DISTRIBUTOR | 1.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0H2202A1 | ONE WASHING WITH STEAM VALVE SUPPORT | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| EL1440A0 | WATER SELF CLEANING VALVE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1526A0 | INT. D.=6.9 TH=1.8 O-RIN | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1018A0 | ZINC PLATED D12 ELASTIC CLAMP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1019A0 | D=10 ELASTIC CLAMP | 14.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1130A0 | 130x2,6 CLAM | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1242A0 | D=10 CLOSED CAP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB2821A0 | EPDM 6X10 L=40MM PIPE | 6.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3004A0 | TB2820A L=550mm EPDM BLACK PIPE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3009B0 | TB3132A-ONE OVEN WASHING INLET | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TB3225B0 | TB2820A-TAN K-WASHYNG SYS CONNECTION | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| V11220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1019A0 | VIBRATION DETERGENT PUMP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1047A1 | D6 PIPE HOLDER - D8 J.G. TERMINAL | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1054B0 | ONE WASHING SYS INLET DISTRIBUTOR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--|--|------------|--|---|------|-------------|----------------------|-------|----------|--|-------|----|----------|--------------------------|-------|----|----------|----------------------|-------|----|----------|----------------------------------|-------|----|----------|--|-------|----|----------|--------------------------------------|-------|----|----------|--|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1166A | BB6-AR6 L FITTING |  | KVL1182A | ONE 1ROT CLEANING SYSTEM KIT (0311 EXC.) | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VL1102A1</td> <td>DETERGENT LINE FILTER + BARBED VNR 6 MM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1128A1</td> <td>D6 BARBED CHECK VALVE</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VL1166A0</td> <td>BB6-AR6 L FITTING</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1174C0</td> <td>D1.2 MM CALIBRATED D1.2 MM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1191A0</td> <td>ONE WASHING DISTRIBUTOR OUTLETS KIT</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VL1214A0</td> <td>BAYONET - 6mm BARBED NRV VALVE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2172A0</td> <td>LOCKING CLIP FOR PUMP WITH CIRCUIT</td> <td>2.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | 1.000 | PC | VL1128A1 | D6 BARBED CHECK VALVE | 2.000 | PC | VL1166A0 | BB6-AR6 L FITTING | 1.000 | PC | VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC | VL1191A0 | ONE WASHING DISTRIBUTOR OUTLETS KIT | 1.000 | PC | VL1214A0 | BAYONET - 6mm BARBED NRV VALVE | 1.000 | PC | VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 2.000 | PC |
| | | | Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1102A1 | DETERGENT LINE FILTER + BARBED VNR 6 MM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1128A1 | D6 BARBED CHECK VALVE | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1166A0 | BB6-AR6 L FITTING | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1174C0 | D1.2 MM CALIBRATED D1.2 MM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1191A0 | ONE WASHING DISTRIBUTOR OUTLETS KIT | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1214A0 | BAYONET - 6mm BARBED NRV VALVE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUIT | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| KVL1166A | BB6-AR6 L FITTING 5 PCS KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VL1166A0</td> <td>BB6-AR6 L FITTING</td> <td>5.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VL1166A0 | BB6-AR6 L FITTING | 5.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VL1166A0 | BB6-AR6 L FITTING | 5.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2172A | LOCKING CLIP FOR PUMP WITH CIRCUI |  | VM2172A0 | LOCKING CLIP FOR PUMP WITH CIRCUI | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0H2561A | 6 S. DOOR COUNTERBRACKET |  | 0H2561A0 | 6 S. DOOR COUNTERBRACKET | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|---|---|------------|---|---|---|-------------|-----|-----|----------|---|-------|----|----------|----------------------------------|-------|----|----------|---|-------|---|----------|-----------------------------|-------|----|----------|--|-------|----|----------|------------------------------|-------|----|----------|--|-------|----|----------|--|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VE1020B | MAGNET DOOR MICROSWITCH |  | KVE1020B | MICROSWITCH KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>CE1030A0</td> <td>FEMALE FASTON COVER 6.3X0.8 0,5-1mmq</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>CE1660A0</td> <td>6,3x0,8 FEMALE FASTON COVE</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>CE1730A0</td> <td>PVC CABLE NP 2 X AWG22 STYLE 2095</td> <td>0.150</td> <td>M</td> </tr> <tr> <td>CE1740A0</td> <td>MINIFIT MALE END FITTING</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>CE1745A0</td> <td>2 WAYS FEMALE MINIFIT CONNECTOR</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VE1020B0</td> <td>MAGNET DOOR MICROSWITC</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VE1030A1</td> <td>MAGNET FOR DOOR MICROSWITC H D=22,9mm</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VI1192A0</td> <td></td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | CE1030A0 | FEMALE FASTON COVER 6.3X0.8 0,5-1mmq | 2.000 | PC | CE1660A0 | 6,3x0,8 FEMALE FASTON COVE | 2.000 | PC | CE1730A0 | PVC CABLE NP 2 X AWG22 STYLE 2095 | 0.150 | M | CE1740A0 | MINIFIT MALE END FITTING | 2.000 | PC | CE1745A0 | 2 WAYS FEMALE MINIFIT CONNECTOR | 1.000 | PC | VE1020B0 | MAGNET DOOR MICROSWITC | 1.000 | PC | VE1030A1 | MAGNET FOR DOOR MICROSWITC H D=22,9mm | 1.000 | PC | VI1192A0 | | 1.000 | PC |
| | | | | | Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | CE1030A0 | FEMALE FASTON COVER 6.3X0.8 0,5-1mmq | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | CE1660A0 | 6,3x0,8 FEMALE FASTON COVE | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | CE1730A0 | PVC CABLE NP 2 X AWG22 STYLE 2095 | 0.150 | M | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | CE1740A0 | MINIFIT MALE END FITTING | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | CE1745A0 | 2 WAYS FEMALE MINIFIT CONNECTOR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | VE1020B0 | MAGNET DOOR MICROSWITC | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VE1030A1 | MAGNET FOR DOOR MICROSWITC H D=22,9mm | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1192A0 | | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM1240A | NYLON SUPPORT CAP |  | KVM1240A | 4 PCS COUNTER BRACKET SUPPORT CAP KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VM1240A0</td> <td>NYLON SUPPORT CAP</td> <td>4.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VM1240A0 | NYLON SUPPORT CAP | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM1240A0 | NYLON SUPPORT CAP | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VP1075A | PLUS/1/ZERO MICROSWITCH SUPPORT COVER |  | KVP1075A | -M MICROSWITCH SUPPORT PLATE KI | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VP1075A0</td> <td>PLUS/1/ZERO MICROSWITC H SUPPORT COVER</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VP1075A0 | PLUS/1/ZERO MICROSWITC H SUPPORT COVER | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VP1075A0 | PLUS/1/ZERO MICROSWITC H SUPPORT COVER | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |








| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | |
|-----------|--|---|------------|---|--|------|-------------|-----|-----|----------|--------------------------------------|-------|----|----------|--|-------|----|----------|--------------------------------------|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | |
| 0H2561A | 6 S. DOOR COUNTERBRACKET |  | 0H2561A0 | 6 S. DOOR COUNTERBRACKET | | | | | | | | | | | | | | | | | |
| VM1240A | NYLON SUPPORT CAP |  | KVM1240A | 4 PCS COUNTER BRACKET SUPPORT CAP KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VM1240A0</td> <td>NYLON SUPPORT CAP</td> <td>4.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VM1240A0 | NYLON SUPPORT CAP | 4.000 | PC | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | |
| VM1240A0 | NYLON SUPPORT CAP | 4.000 | PC | | | | | | | | | | | | | | | | | | |
| VM2310A | UPPER DOOR BRACKET HOLES COVER |  | KVM2310A | UPPER BRACKET HOLE COVER KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VM2310A0</td> <td>UPPER DOOR BRACKET HOLES COVER</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VM2310A0 | UPPER DOOR BRACKET HOLES COVER | 1.000 | PC | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | |
| VM2310A0 | UPPER DOOR BRACKET HOLES COVER | 1.000 | PC | | | | | | | | | | | | | | | | | | |
| PD1074A | H=100 SQUARE FOO |  | KPD1074A | Mind.Maps H100 FOOT KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>PD1074A0</td> <td>H=100 SQUARE FOO</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>PD1075A1</td> <td>PD1074 FOOT LOCKING BRACKET</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VI1220A1</td> <td>4,2x12 TCB SELF-TAPPIN G SCREW</td> <td>5.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | PD1074A0 | H=100 SQUARE FOO | 1.000 | PC | PD1075A1 | PD1074 FOOT LOCKING BRACKET | 1.000 | PC | VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 5.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | |
| PD1074A0 | H=100 SQUARE FOO | 1.000 | PC | | | | | | | | | | | | | | | | | | |
| PD1075A1 | PD1074 FOOT LOCKING BRACKET | 1.000 | PC | | | | | | | | | | | | | | | | | | |
| VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 5.000 | PC | | | | | | | | | | | | | | | | | | |
| PD1075A | PD1074 FOOT LOCKING BRACKET |  | KPD1075A | OVEN FOOT STOPPING BRACKET 4 PCS KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>PD1075A1</td> <td>PD1074 FOOT LOCKING BRACKET</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>VI1950A0</td> <td>ST. STEEL 4,2X13 TCB SELF-DRILLIN G SCREW</td> <td>8.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | PD1075A1 | PD1074 FOOT LOCKING BRACKET | 4.000 | PC | VI1950A0 | ST. STEEL 4,2X13 TCB SELF-DRILLIN G SCREW | 8.000 | PC | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | |
| PD1075A1 | PD1074 FOOT LOCKING BRACKET | 4.000 | PC | | | | | | | | | | | | | | | | | | |
| VI1950A0 | ST. STEEL 4,2X13 TCB SELF-DRILLIN G SCREW | 8.000 | PC | | | | | | | | | | | | | | | | | | |







| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--|-------|------------|--|---|------|-------------|-----|-----|----------|---------------------------------|-------|----|----------|----------------------------|-------|----|----------|---|-------|----|----------|---|-------|----|----------|--|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | |
| 0H2561A | 6 S. DOOR COUNTERBRACKET | | 0H2561A0 | 6 S. DOOR COUNTERBRACKET | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1995A | M5x25 ST.STEEL SCREW | | VI1995A0 | M5x25 ST.STEEL SCREW | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM1240A | NYLON SUPPORT CAP | | KVM1240A | 4 PCS COUNTER BRACKET SUPPORT CAP KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VM1240A0</td> <td>NYLON SUPPORT CAP</td> <td>4.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VM1240A0 | NYLON SUPPORT CAP | 4.000 | PC | | | | | | | | | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM1240A0 | NYLON SUPPORT CAP | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2272A | MM RIGHT INFERIOR BRACKET DOOR | | KVM2272A | MIND.Maps DOOR LOWER RIGHT BRACKET KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>0H7330A0</td> <td>DOOR LOWER BRACKET WASHER</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VI1995A0</td> <td>M5x25 ST.STEEL SCREW</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>VM2272A1</td> <td>MM RIGHT INFERIOR BRACKET DOOR</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2352A0</td> <td>MM LOWER DOOR BRACKET LEFT SCREW COVERI</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2353A0</td> <td>MM LOWER DOOR BRACKET RIGHT SCREW COVERI</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | 0H7330A0 | DOOR LOWER BRACKET WASHER | 2.000 | PC | VI1995A0 | M5x25 ST.STEEL SCREW | 4.000 | PC | VM2272A1 | MM RIGHT INFERIOR BRACKET DOOR | 1.000 | PC | VM2352A0 | MM LOWER DOOR BRACKET LEFT SCREW COVERI | 1.000 | PC | VM2353A0 | MM LOWER DOOR BRACKET RIGHT SCREW COVERI | 1.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0H7330A0 | DOOR LOWER BRACKET WASHER | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1995A0 | M5x25 ST.STEEL SCREW | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2272A1 | MM RIGHT INFERIOR BRACKET DOOR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2352A0 | MM LOWER DOOR BRACKET LEFT SCREW COVERI | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2353A0 | MM LOWER DOOR BRACKET RIGHT SCREW COVERI | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | |



| COMPONENT | | | SPARE PART | | | | | | | | | | |
|-----------|--|---|------------|--|--|------|-------------|-----|-----|----------|----------------------|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | |
| VM2352A | MM LOWER DOOR BRACKET LEFT SCREW COVERI |  | VM2352A0 | MM LOWER DOOR BRACKET LEFT SCREW COVERI | | | | | | | | | |
| VM2353A | MM LOWER DOOR BRACKET RIGHT SCREW COVERI |  | VM2353A0 | MM LOWER DOOR BRACKET RIGHT SCREW COVERI | | | | | | | | | |
| 0H2561A | 6 S. DOOR COUNTERBRACKET |  | 0H2561A0 | 6 S. DOOR COUNTERBRACKET | | | | | | | | | |
| VI1995A | M5x25 ST.STEEL SCREW |  | VI1995A0 | M5x25 ST.STEEL SCREW | | | | | | | | | |
| VM1240A | NYLON SUPPORT CAP |  | KVM1240A | 4 PCS COUNTER BRACKET SUPPORT CAP KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VM1240A0</td> <td>NYLON SUPPORT CAP</td> <td>4.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VM1240A0 | NYLON SUPPORT CAP | 4.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | |
| VM1240A0 | NYLON SUPPORT CAP | 4.000 | PC | | | | | | | | | | |



| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--|---|------------|--|---|------|-------------|-----|-----|----------|--------------------------------------|-------|----|----------|-------------------------------------|-------|----|----------|--|-------|----|----------|---|-------|----|----------|--------------------------------------|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2270A | UPPER DOOR HINGE FOR M.MAPS SERIES |  | KVM2270A | Mind.Maps RIGHT DOOR UPPER BRACKET KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VI1220A1</td> <td>4,2x12 TCB SELF-TAPPIN G SCREW</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VI1995A0</td> <td>M5x25 ST.STEEL SCREW</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>VI1997A0</td> <td>5x10X1 FLAT WASHER</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>VM2270A0</td> <td>UPPER DOOR HINGE FOR M.MAPS SERIE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2298A0</td> <td>DOOR BRACKET UPPER COVER</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 2.000 | PC | VI1995A0 | M5x25 ST.STEEL SCREW | 4.000 | PC | VI1997A0 | 5x10X1 FLAT WASHER | 4.000 | PC | VM2270A0 | UPPER DOOR HINGE FOR M.MAPS SERIE | 1.000 | PC | VM2298A0 | DOOR BRACKET UPPER COVER | 1.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1995A0 | M5x25 ST.STEEL SCREW | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1997A0 | 5x10X1 FLAT WASHER | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2270A0 | UPPER DOOR HINGE FOR M.MAPS SERIE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2298A0 | DOOR BRACKET UPPER COVER | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2298A | DOOR BRACKET UPPER COVER |  | KVM2298A | MIND.Maps DOOR UPPER BRACKET COVER KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VI1220A1</td> <td>4,2x12 TCB SELF-TAPPIN G SCREW</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VM2298A0</td> <td>DOOR BRACKET UPPER COVER</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 2.000 | PC | VM2298A0 | DOOR BRACKET UPPER COVER | 1.000 | PC | | | | | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2298A0 | DOOR BRACKET UPPER COVER | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TR1162A | TR1162A0 |  | KTR1136A | 318°C -0/+24 SAFETY THERMOSTAT KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>0H7030A0</td> <td>THERMOSTAT BULB INLET COVER</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>GN1531A0</td> <td>THERMOSTAT BULB INLET SEALING</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>SL1045A0</td> <td>S57 BLACK SILICONE - 80ml CARTRIDGE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>TR1136A0</td> <td>318°C -0/+24 1 POLE SAFETY THERMOSTAT</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VI1220A1</td> <td>4,2x12 TCB SELF-TAPPIN G SCREW</td> <td>3.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | 0H7030A0 | THERMOSTAT BULB INLET COVER | 1.000 | PC | GN1531A0 | THERMOSTAT BULB INLET SEALING | 1.000 | PC | SL1045A0 | S57 BLACK SILICONE - 80ml CARTRIDGE | 1.000 | PC | TR1136A0 | 318°C -0/+24 1 POLE SAFETY THERMOSTAT | 1.000 | PC | VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 3.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0H7030A0 | THERMOSTAT BULB INLET COVER | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1531A0 | THERMOSTAT BULB INLET SEALING | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SL1045A0 | S57 BLACK SILICONE - 80ml CARTRIDGE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TR1136A0 | 318°C -0/+24 1 POLE SAFETY THERMOSTAT | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM1992A | E SERIES BAKERTOP DRIP TRAY |  | KVM1992A | E SERIES BAKERTOP DRIP TRAY | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VM1220A0</td> <td>CLIP TO FIX DRIP TRAY C.T</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>VM1992A0</td> <td>E SERIES BAKERTOP DRIP TRAY</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2074A1</td> <td>DRAWER SUPPORT SCREW WITH CLIP</td> <td>4.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VM1220A0 | CLIP TO FIX DRIP TRAY C.T | 4.000 | PC | VM1992A0 | E SERIES BAKERTOP DRIP TRAY | 1.000 | PC | VM2074A1 | DRAWER SUPPORT SCREW WITH CLIP | 4.000 | PC | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM1220A0 | CLIP TO FIX DRIP TRAY C.T | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM1992A0 | E SERIES BAKERTOP DRIP TRAY | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2074A1 | DRAWER SUPPORT SCREW WITH CLIP | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | |




| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | |
|-----------|-------------------------------------|---|------------|---------------------------------------|--|------|-------------|-----|-----|----------|--------------------------------|-------|----|----------|-----------------------------|-------|----|----------|-------------------------------------|-------|----|----------|-------------------------------------|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | |
| VM2035A | DRAIN PIPE SUPPORT |  | KVM2035A | DRAIN PIPE SUPPORT 2 PCS. KI | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VM2035A0</td> <td>DRAIN PIPE SUPPORT</td> <td>2.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VM2035A0 | DRAIN PIPE SUPPORT | 2.000 | PC | | | | | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | |
| VM2035A0 | DRAIN PIPE SUPPORT | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| VM2061A | ACCESSORIES CABLES WALL PASSING |  | KVM1505A | THROUGH-WALL CONNECTION+DIAPHRAGM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VI1220A1</td> <td>4,2x12 TCB SELF-TAPPIN G SCREW</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM1505A0</td> <td>WALL PASSING WITH DIAPHRAGM</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>VM2055A0</td> <td>UPPER WALL PASSING ACCESSORY CABLES</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2056A0</td> <td>LOWER WALL PASSING ACCESSORY CABLES</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 1.000 | PC | VM1505A0 | WALL PASSING WITH DIAPHRAGM | 3.000 | PC | VM2055A0 | UPPER WALL PASSING ACCESSORY CABLES | 1.000 | PC | VM2056A0 | LOWER WALL PASSING ACCESSORY CABLES | 1.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | |
| VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| VM1505A0 | WALL PASSING WITH DIAPHRAGM | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| VM2055A0 | UPPER WALL PASSING ACCESSORY CABLES | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| VM2056A0 | LOWER WALL PASSING ACCESSORY CABLES | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| VM2074A | DRIP TRAY FIXING CLIP WITH SCREW |  | KVM1220A | CT/BT DRIP TRAY FIXING CLIPS 4PCS KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VI1220A1</td> <td>4,2x12 TCB SELF-TAPPIN G SCREW</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>VM1220A0</td> <td>CLIP TO FIX DRIP TRAY C.T</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>VM2074A1</td> <td>DRAWER SUPPORT SCREW WITH CLIP</td> <td>4.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 4.000 | PC | VM1220A0 | CLIP TO FIX DRIP TRAY C.T | 4.000 | PC | VM2074A1 | DRAWER SUPPORT SCREW WITH CLIP | 4.000 | PC | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | |
| VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| VM1220A0 | CLIP TO FIX DRIP TRAY C.T | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| VM2074A1 | DRAWER SUPPORT SCREW WITH CLIP | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| VM2249A | COOKING CHAMBER FRONT CORNER |  | KVM2249A | CHAMBER FRONT PROFILE CORNER KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VM2249A0</td> <td>COOKING CHAMBER FRONT CORNER</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VM2249A0 | COOKING CHAMBER FRONT CORNER | 1.000 | PC | | | | | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | |
| VM2249A0 | COOKING CHAMBER FRONT CORNER | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | |




| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | |
|-----------|---|---|------------|---|---|------|-------------|-----|-----|----------|---|-------|----|----------|----------|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | |
| VM2311A | SCREWS COVER |  | KVM2311A | SCREWS COVER PLATE KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VM2311A0</td> <td>SCREWS COVER</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VM2311A0 | SCREWS COVER | 1.000 | PC | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | |
| VM2311A0 | SCREWS COVER | 1.000 | PC | | | | | | | | | | | | | | |
| VM2450A | THROUG-WALL CONNECTION 3 PIPES |  | KVM2450A | 3 PIPES THROUGH-WALL CONNECTION KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VM2450A0</td> <td>THROUGH-WAL L CONNECTION 3 PIPES</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VM2450A0 | THROUGH-WAL L CONNECTION 3 PIPES | 1.000 | PC | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | |
| VM2450A0 | THROUGH-WAL L CONNECTION 3 PIPES | 1.000 | PC | | | | | | | | | | | | | | |
| VP1121A | LEFT-RIGHT WATER SEALING CAP |  | VP1121A0 | LEFT-RIGHT WATER SEALING CAP | | | | | | | | | | | | | |
| VP1168A | VP1168A0 |  | KVP1168A | CHIMNEY SEALING RING KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VI1220A1</td> <td>4,2x12 TCB SELF-TAPPIN G SCREW</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>VP1168A0</td> <td>VP1168A0</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 3.000 | PC | VP1168A0 | VP1168A0 | 1.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | |
| VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 3.000 | PC | | | | | | | | | | | | | | |
| VP1168A0 | VP1168A0 | 1.000 | PC | | | | | | | | | | | | | | |

ASM3334A/0.D02 - Electrical system



ASM3334A/0.D02 - Electrical system







| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | |
|-----------|-------------------------------------|---|------------|-------------------------------------|---|------|-------------|-----|-----|----------|----------------------------------|--------|----|----------|--------------------------------|-------|----|----------|--------------|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | |
| 0H7491A | XEBC-04 MM COMPONENTS HOLDING PLATE |  | 0H7491A0 | XEBC-04 MM COMPONENTS HOLDING PLATE | | | | | | | | | | | | | | | | | |
| VE1115A | 20 A 230V 4 POLES MINICONTRACTOR |  | KVE1115A | 20A 230V 4 POLES MINICONTRACTOR KI | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VE1115A0</td> <td>20 A 230V 4 POLES MINICONTRACTOR</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM1075A1</td> <td>PLASTIC CLIP TO FIX CONTACTORS</td> <td>4.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VE1115A0 | 20 A 230V 4 POLES MINICONTRACTOR | 1.000 | PC | VM1075A1 | PLASTIC CLIP TO FIX CONTACTORS | 4.000 | PC | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | |
| VE1115A0 | 20 A 230V 4 POLES MINICONTRACTOR | 1.000 | PC | | | | | | | | | | | | | | | | | | |
| VM1075A1 | PLASTIC CLIP TO FIX CONTACTORS | 4.000 | PC | | | | | | | | | | | | | | | | | | |
| VM1056A | SMALL CONTACTOR BRACKET VE1115A |  | VM1056A0 | SMALL CONTACTOR BRACKET VE1115A | | | | | | | | | | | | | | | | | |
| PE2037A | MIND.Maps ONE POWER CARD |  | KPE2037A | MIND.MAPS ONE POWER BOARD KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>PE2037A0</td> <td>MIND.Maps ONE POWER CARD</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VI1850A0</td> <td>TCB M4x6 SCREW</td> <td>9.000</td> <td>PC</td> </tr> <tr> <td>VM1745A0</td> <td>CARD SUPPORT</td> <td>9.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | PE2037A0 | MIND.Maps ONE POWER CARD | 1.000 | PC | VI1850A0 | TCB M4x6 SCREW | 9.000 | PC | VM1745A0 | CARD SUPPORT | 9.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | |
| PE2037A0 | MIND.Maps ONE POWER CARD | 1.000 | PC | | | | | | | | | | | | | | | | | | |
| VI1850A0 | TCB M4x6 SCREW | 9.000 | PC | | | | | | | | | | | | | | | | | | |
| VM1745A0 | CARD SUPPORT | 9.000 | PC | | | | | | | | | | | | | | | | | | |
| VM1745A | CARD SUPPORT |  | KVM1745A | BOARD SUPPORT 10 PCS KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VM1745A0</td> <td>CARD SUPPORT</td> <td>10.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VM1745A0 | CARD SUPPORT | 10.000 | PC | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | |
| VM1745A0 | CARD SUPPORT | 10.000 | PC | | | | | | | | | | | | | | | | | | |

| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | |
|-----------|-------------------------------------|---|------------|---------------------------------------|--|------|-------------|-----|-----|----------|-------------------------------------|-------|----|----------|---------------------------------|-------|----|----------|--------------------------------|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | |
| VE1644A | PG 29 STRAIN RELIEF NUT |  | KVE1645A | REDUCED PG 29 STRAIN RELIEF + NUT KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VE1644A0</td> <td>PG 29 STRAIN RELIEF NUT</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VE1645A1</td> <td>REDUCED PG 29 STRAIN RELIEF</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VE1644A0 | PG 29 STRAIN RELIEF NUT | 1.000 | PC | VE1645A1 | REDUCED PG 29 STRAIN RELIEF | 1.000 | PC | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | |
| VE1644A0 | PG 29 STRAIN RELIEF NUT | 1.000 | PC | | | | | | | | | | | | | | | | | | |
| VE1645A1 | REDUCED PG 29 STRAIN RELIEF | 1.000 | PC | | | | | | | | | | | | | | | | | | |
| VE1645A | REDUCED PG 29 STRAIN RELIEF |  | KVE1645A | REDUCED PG 29 STRAIN RELIEF + NUT KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VE1644A0</td> <td>PG 29 STRAIN RELIEF NUT</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VE1645A1</td> <td>REDUCED PG 29 STRAIN RELIEF</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VE1644A0 | PG 29 STRAIN RELIEF NUT | 1.000 | PC | VE1645A1 | REDUCED PG 29 STRAIN RELIEF | 1.000 | PC | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | |
| VE1644A0 | PG 29 STRAIN RELIEF NUT | 1.000 | PC | | | | | | | | | | | | | | | | | | |
| VE1645A1 | REDUCED PG 29 STRAIN RELIEF | 1.000 | PC | | | | | | | | | | | | | | | | | | |
| CE1355A | CABLE 5 X 2,5 MMQ H07RNF L = 1,5 MT |  | KCE1355A | L=1.5M 5x2.5mmq POWER CABLE KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>CE1355A1</td> <td>CABLE 5 X 2,5 MMQ H07RNF L = 1,5 MT</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | CE1355A1 | CABLE 5 X 2,5 MMQ H07RNF L = 1,5 MT | 1.000 | PC | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | |
| CE1355A1 | CABLE 5 X 2,5 MMQ H07RNF L = 1,5 MT | 1.000 | PC | | | | | | | | | | | | | | | | | | |
| CN1003A | 6,3 Uf MOTOR CAPACITOR |  | KCN1003A | 6,3 uF MOTOR CAPACITOR KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>CN1003A0</td> <td>6,3 Uf MOTOR CAPACITOR</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VI1931A0</td> <td>M8x1.65 H4 CH13 ZINC PLATED NUT</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VI1932A0</td> <td>D8 INDENTED ZINC PLATED WASHER</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | CN1003A0 | 6,3 Uf MOTOR CAPACITOR | 1.000 | PC | VI1931A0 | M8x1.65 H4 CH13 ZINC PLATED NUT | 1.000 | PC | VI1932A0 | D8 INDENTED ZINC PLATED WASHER | 1.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | |
| CN1003A0 | 6,3 Uf MOTOR CAPACITOR | 1.000 | PC | | | | | | | | | | | | | | | | | | |
| VI1931A0 | M8x1.65 H4 CH13 ZINC PLATED NUT | 1.000 | PC | | | | | | | | | | | | | | | | | | |
| VI1932A0 | D8 INDENTED ZINC PLATED WASHER | 1.000 | PC | | | | | | | | | | | | | | | | | | |
| MR1004A | 41A 450V 7 POLES TERMINAL |  | KMR1004A | 7FTW 1+2+3/4+5+6 TERMINAL BLOCK KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>MR1004A1</td> <td>41A 450V 7 POLES TERMINAL</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | MR1004A1 | 41A 450V 7 POLES TERMINAL | 1.000 | PC | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | |
| MR1004A1 | 41A 450V 7 POLES TERMINAL | 1.000 | PC | | | | | | | | | | | | | | | | | | |



| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | |
|-----------|---|---|------------|-----------------------------------|---|------|-------------|-----|-----|----------|------------------------------------|-------|----|----------|---|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | |
| VE1639A | TRANSFORMER 230-12Vac 60VA |  | KVE1639A | 230-12Vac 60VA TRANSFORMER KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VE1639A0</td> <td>TRANSFORMER R 230-12Vac 60VA</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VI1950A0</td> <td>ST. STEEL 4,2X13 TCB SELF-DRILLING G SCREW</td> <td>4.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VE1639A0 | TRANSFORMER R 230-12Vac 60VA | 1.000 | PC | VI1950A0 | ST. STEEL 4,2X13 TCB SELF-DRILLING G SCREW | 4.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | |
| VE1639A0 | TRANSFORMER R 230-12Vac 60VA | 1.000 | PC | | | | | | | | | | | | | | |
| VI1950A0 | ST. STEEL 4,2X13 TCB SELF-DRILLING G SCREW | 4.000 | PC | | | | | | | | | | | | | | |


ASM3337B/0.D02 - Door




ASM3337B/0.D02 - Door










| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--|---|------------|--|---|------|-------------|-----|-----|----------|----------------------------------|-------|----|----------|--|-------|----|----------|--|-------|----|----------|------------------------------------|-------|----|----------|--------------------------------------|-------|----|----------|---------------------------------|-------|----|----------|-------------|-------|----|----------|-----------------------------|-------|----|----------|------------|-------|----|----------|--|-------|----|----------|-------------------------|-------|----|----------|---------------------------|-------|----|----------|--------------------|-------|----|----------|--------------------------------------|-------|----|----------|------------------------------------|-------|----|----------|---|-------|----|----------|--|-------|----|-----------|--|---|------|-------------|-----|-----|----------|----------------------------------|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0B1126B | MM BT DOOR LOWER CROSS BAR |  | K0B1126BR | BAKERTOP MM -M RIGHT DOOR LOWER BEAM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>0B1126B0</td> <td>MM BT DOOR LOWER CROSS BAR</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>RC1200A0</td> <td>ED=4 WIRE D=0.5 H24 COMPRESSIO N SPRING</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VE1030A1</td> <td>MAGNET FOR DOOR MICROSWITC H D=22.9mm</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VI1103A0</td> <td>40X12 TBSP SCREW FOR PLASTIC</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VI1220A1</td> <td>4,2x12 TCB SELF-TAPPIN G SCREW</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VI1930A1</td> <td>5x20 ST. STEEL CHIP SCREW</td> <td>8.000</td> <td>PC</td> </tr> <tr> <td>VI1996A0</td> <td>M5x35 SCREW</td> <td>6.000</td> <td>PC</td> </tr> <tr> <td>VM1794A0</td> <td>250x4.8 PA66 BLACK CLAMP</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VM2103A0</td> <td>CLAMP LOCK</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VM2267A0</td> <td>INTERNAL GLASS LOCKING SYSTEM SLIDER</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2268A0</td> <td>DOOR MAGNET COVER</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2269B0</td> <td>INNER GLASS FIXING CAP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2274A0</td> <td>GROOVED BUSHING</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2305A0</td> <td>MM SERIES DOOR CAP FIXING PAWL</td> <td>7.000</td> <td>PC</td> </tr> <tr> <td>VM2384B0</td> <td>MM LEFT DOOR RIGHT LOWER CAP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2386B0</td> <td>MM -M LEFT DOOR LEFT LOWER CAP KI</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VP1081A0</td> <td>UPPER HINGE CAP FOR UPPER INNER GLASS</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | 0B1126B0 | MM BT DOOR LOWER CROSS BAR | 1.000 | PC | RC1200A0 | ED=4 WIRE D=0.5 H24 COMPRESSIO N SPRING | 2.000 | PC | VE1030A1 | MAGNET FOR DOOR MICROSWITC H D=22.9mm | 1.000 | PC | VI1103A0 | 40X12 TBSP SCREW FOR PLASTIC | 1.000 | PC | VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 1.000 | PC | VI1930A1 | 5x20 ST. STEEL CHIP SCREW | 8.000 | PC | VI1996A0 | M5x35 SCREW | 6.000 | PC | VM1794A0 | 250x4.8 PA66 BLACK CLAMP | 2.000 | PC | VM2103A0 | CLAMP LOCK | 2.000 | PC | VM2267A0 | INTERNAL GLASS LOCKING SYSTEM SLIDER | 1.000 | PC | VM2268A0 | DOOR MAGNET COVER | 1.000 | PC | VM2269B0 | INNER GLASS FIXING CAP | 1.000 | PC | VM2274A0 | GROOVED BUSHING | 1.000 | PC | VM2305A0 | MM SERIES DOOR CAP FIXING PAWL | 7.000 | PC | VM2384B0 | MM LEFT DOOR RIGHT LOWER CAP | 1.000 | PC | VM2386B0 | MM -M LEFT DOOR LEFT LOWER CAP KI | 1.000 | PC | VP1081A0 | UPPER HINGE CAP FOR UPPER INNER GLASS | 1.000 | PC | K0B1126BL | EU+2/1 MM -MLEFT DOOR LOWER BEAM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>0B1126B0</td> <td>MM BT DOOR LOWER CROSS BAR</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | 0B1126B0 | MM BT DOOR LOWER CROSS BAR | 1.000 | PC |
| | | | Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0B1126B0 | MM BT DOOR LOWER CROSS BAR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1200A0 | ED=4 WIRE D=0.5 H24 COMPRESSIO N SPRING | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VE1030A1 | MAGNET FOR DOOR MICROSWITC H D=22.9mm | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1103A0 | 40X12 TBSP SCREW FOR PLASTIC | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1930A1 | 5x20 ST. STEEL CHIP SCREW | 8.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1996A0 | M5x35 SCREW | 6.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM1794A0 | 250x4.8 PA66 BLACK CLAMP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2103A0 | CLAMP LOCK | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2267A0 | INTERNAL GLASS LOCKING SYSTEM SLIDER | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2268A0 | DOOR MAGNET COVER | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2269B0 | INNER GLASS FIXING CAP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2274A0 | GROOVED BUSHING | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2305A0 | MM SERIES DOOR CAP FIXING PAWL | 7.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2384B0 | MM LEFT DOOR RIGHT LOWER CAP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2386B0 | MM -M LEFT DOOR LEFT LOWER CAP KI | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VP1081A0 | UPPER HINGE CAP FOR UPPER INNER GLASS | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0B1126B0 | MM BT DOOR LOWER CROSS BAR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--|---|------------|--|---|------|-------------|-----|-----|----------|--|-------|----|----------|--|-------|----|----------|------------------------------------|-------|----|----------|--------------------------------------|-------|----|----------|---------------------------------|-------|----|----------|-------------|-------|----|----------|-----------------------------|-------|----|----------|------------|-------|----|----------|--|-------|----|----------|-------------------------|-------|----|----------|---------------------------|-------|----|----------|--------------------|-------|----|----------|--------------------------------------|-------|----|----------|------------------------------------|-------|----|----------|---|-------|----|----------|--|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0B1126B | MM BT DOOR LOWER CROSS BAR |  | K0B1126BL | EU+2/1 MM -MLEFT DOOR LOWER BEAM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>RC1200A0</td> <td>ED=4 WIRE D=0.5 H24 COMPRESSIO N SPRING</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VE1030A1</td> <td>MAGNET FOR DOOR MICROSWITC H D=22,9mm</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VI1103A0</td> <td>40X12 TBSP SCREW FOR PLASTIC</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VI1220A1</td> <td>4,2x12 TCB SELF-TAPPIN G SCREW</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VI1930A1</td> <td>5x20 ST. STEEL CHIP SCREW</td> <td>8.000</td> <td>PC</td> </tr> <tr> <td>VI1996A0</td> <td>M5x35 SCREW</td> <td>6.000</td> <td>PC</td> </tr> <tr> <td>VM1794A0</td> <td>250x4.8 PA66 BLACK CLAMP</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VM2103A0</td> <td>CLAMP LOCK</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VM2267A0</td> <td>INTERNAL GLASS LOCKING SYSTEM SLIDER</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2268A0</td> <td>DOOR MAGNET COVER</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2269B0</td> <td>INNER GLASS FIXING CAP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2274A0</td> <td>GROOVED BUSHING</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2305A0</td> <td>MM SERIES DOOR CAP FIXING PAWL</td> <td>7.000</td> <td>PC</td> </tr> <tr> <td>VM2384B0</td> <td>MM LEFT DOOR RIGHT LOWER CAP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2386B0</td> <td>MM -M LEFT DOOR LEFT LOWER CAP KI</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VP1081A0</td> <td>UPPER HINGE CAP FOR UPPER INNER GLASS</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | RC1200A0 | ED=4 WIRE D=0.5 H24 COMPRESSIO N SPRING | 2.000 | PC | VE1030A1 | MAGNET FOR DOOR MICROSWITC H D=22,9mm | 1.000 | PC | VI1103A0 | 40X12 TBSP SCREW FOR PLASTIC | 1.000 | PC | VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 1.000 | PC | VI1930A1 | 5x20 ST. STEEL CHIP SCREW | 8.000 | PC | VI1996A0 | M5x35 SCREW | 6.000 | PC | VM1794A0 | 250x4.8 PA66 BLACK CLAMP | 2.000 | PC | VM2103A0 | CLAMP LOCK | 2.000 | PC | VM2267A0 | INTERNAL GLASS LOCKING SYSTEM SLIDER | 1.000 | PC | VM2268A0 | DOOR MAGNET COVER | 1.000 | PC | VM2269B0 | INNER GLASS FIXING CAP | 1.000 | PC | VM2274A0 | GROOVED BUSHING | 1.000 | PC | VM2305A0 | MM SERIES DOOR CAP FIXING PAWL | 7.000 | PC | VM2384B0 | MM LEFT DOOR RIGHT LOWER CAP | 1.000 | PC | VM2386B0 | MM -M LEFT DOOR LEFT LOWER CAP KI | 1.000 | PC | VP1081A0 | UPPER HINGE CAP FOR UPPER INNER GLASS | 1.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1200A0 | ED=4 WIRE D=0.5 H24 COMPRESSIO N SPRING | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VE1030A1 | MAGNET FOR DOOR MICROSWITC H D=22,9mm | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1103A0 | 40X12 TBSP SCREW FOR PLASTIC | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1930A1 | 5x20 ST. STEEL CHIP SCREW | 8.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1996A0 | M5x35 SCREW | 6.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM1794A0 | 250x4.8 PA66 BLACK CLAMP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2103A0 | CLAMP LOCK | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2267A0 | INTERNAL GLASS LOCKING SYSTEM SLIDER | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2268A0 | DOOR MAGNET COVER | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2269B0 | INNER GLASS FIXING CAP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2274A0 | GROOVED BUSHING | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2305A0 | MM SERIES DOOR CAP FIXING PAWL | 7.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2384B0 | MM LEFT DOOR RIGHT LOWER CAP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2386B0 | MM -M LEFT DOOR LEFT LOWER CAP KI | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VP1081A0 | UPPER HINGE CAP FOR UPPER INNER GLASS | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |





| COMPONENT | | | SPARE PART | | |
|-----------|---|---|----------------|---|----------------|
| Code | Description | Image | Code | Description | Kit components |
| 0B1195B | LEFT 0511 DOOR LEFT EXT COLUMN |  | 0B1195B1 | LEFT 0511 DOOR LEFT EXT COLUMN | |
| 0B1196A | LEFT 0511 DOOR RIGHT INT COLUMN |  | OUTOFPRODUCTIO | ITEM OUT OF PRODUCTION | |
| 0B1197A | LEFT 0511 DOOR LEFT INT COLUMN |  | OUTOFPRODUCTIO | ITEM OUT OF PRODUCTION | |
| 0B1209A | 04EU LEFT - DOOR RIGHT EXT COLUMN |  | 0B1209A0 | 04EU LEFT - DOOR RIGHT EXT COLUMN | |
| 0B1218B | MM BT DOUBLE GLASS DOOR UPPER CROSS BAR |  | 0B1218B0 | MM BT DOUBLE GLASS DOOR UPPER CROSS BAR | |







| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | |
|-----------|---|---|----------------|--------------------------------------|--|------|-------------|-----|-----|----------|----------------------------------|--------|----|----------|-------------------------------|-------|----|----------|---------------------|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | |
| 0B1219A | MM DOUBLE GLASS DOOR INT UPPER BEAM 860 |  | OUTOFPRODUCTIO | ITEM OUT OF PRODUCTION | | | | | | | | | | | | | | | | | |
| VM2285B | 860 SERIES DRIP PROFILE KIT |  | KVM2285B | 860 -M SERIES DRIP PROFILE KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VM2285B0</td> <td>860 SERIES DRIP PROFILE KIT</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VM2285B0 | 860 SERIES DRIP PROFILE KIT | 1.000 | PC | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | |
| VM2285B0 | 860 SERIES DRIP PROFILE KIT | 1.000 | PC | | | | | | | | | | | | | | | | | | |
| VM2313A | MM DRIP TRAY RIGHT DRAIN PIPE |  | KVM2313A | MM DRIP PROFILE DRAIN RIGHT PIPE KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VI1220A1</td> <td>4,2x12 TCB SELF-TAPPIN G SCREW</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2313A0</td> <td>MM DRIP TRAY RIGHT DRAIN PIPE</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 1.000 | PC | VM2313A0 | MM DRIP TRAY RIGHT DRAIN PIPE | 1.000 | PC | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | |
| VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 1.000 | PC | | | | | | | | | | | | | | | | | | |
| VM2313A0 | MM DRIP TRAY RIGHT DRAIN PIPE | 1.000 | PC | | | | | | | | | | | | | | | | | | |
| VM2314A | MM DRIP PROFILE CAP |  | KVM2314A | MIND.Maps DRIP TRAY CAP | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>GN1525A0</td> <td>O-RING INT DIAM 9,5 THK 1 NBR 70</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VI1103A0</td> <td>40X12 TBSP SCREW FOR PLASTIC</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2314A0</td> <td>MM DRIP PROFILE CAP</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | GN1525A0 | O-RING INT DIAM 9,5 THK 1 NBR 70 | 1.000 | PC | VI1103A0 | 40X12 TBSP SCREW FOR PLASTIC | 1.000 | PC | VM2314A0 | MM DRIP PROFILE CAP | 1.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | |
| GN1525A0 | O-RING INT DIAM 9,5 THK 1 NBR 70 | 1.000 | PC | | | | | | | | | | | | | | | | | | |
| VI1103A0 | 40X12 TBSP SCREW FOR PLASTIC | 1.000 | PC | | | | | | | | | | | | | | | | | | |
| VM2314A0 | MM DRIP PROFILE CAP | 1.000 | PC | | | | | | | | | | | | | | | | | | |
| VM1630A | INTERNAL GLASS PUSHING CAP |  | KVM1630A | CAP FOR INTERNAL GLASS 10 PCS KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VM1630A1</td> <td>INTERNAL GLASS PUSHING CAP</td> <td>10.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VM1630A1 | INTERNAL GLASS PUSHING CAP | 10.000 | PC | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | |
| VM1630A1 | INTERNAL GLASS PUSHING CAP | 10.000 | PC | | | | | | | | | | | | | | | | | | |

| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|---|---|------------|--|---|------|-------------|-----|-----|----------|--------------------------------------|-------|----|----------|---------------------------------------|-------|----|----------|-------------------------------------|-------|----|----------|-----------------------------------|-------|----|----------|--------------------------------------|-------|----|----------|---|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2315B | S6 INTERNAL GLASS SUPPORT |  | KVM2315B | 3 PCS MM -M INTERNAL GLASS SUPPORT KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VI1220A1</td> <td>4,2x12 TCB SELF-TAPPIN G SCREW</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>VM1630A1</td> <td>INTERNAL GLASS PUSHING CAP</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>VM2315B0</td> <td>S6 INTERNAL GLASS SUPPORT</td> <td>3.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 3.000 | PC | VM1630A1 | INTERNAL GLASS PUSHING CAP | 3.000 | PC | VM2315B0 | S6 INTERNAL GLASS SUPPORT | 3.000 | PC | | | | | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM1630A1 | INTERNAL GLASS PUSHING CAP | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2315B0 | S6 INTERNAL GLASS SUPPORT | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CR1103A | INTERNAL GLASS ST. STEEL UPPER HINGE |  | KCR1103A | INTERNAL GLASS UPPER HINGE KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>CR1103A0</td> <td>INTERNAL GLASS ST. STEEL UPPER HINGE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>GN1182A1</td> <td>INTERNAL GLASS HINGE CR1103-1104 SEAL</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VI1810A0</td> <td>M6X6 STAINLESS STEEL FLATHEAD SCREW</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>VM2399A0</td> <td>DOOR HINGES HEADLESS SCREWS COVER</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2476A0</td> <td>BL SP H6 INTERNAL GLASS HINGE GASKET</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VP1163A0</td> <td>INNER GLASS HOLDING PROFILE - ONE OVENS</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | CR1103A0 | INTERNAL GLASS ST. STEEL UPPER HINGE | 1.000 | PC | GN1182A1 | INTERNAL GLASS HINGE CR1103-1104 SEAL | 1.000 | PC | VI1810A0 | M6X6 STAINLESS STEEL FLATHEAD SCREW | 3.000 | PC | VM2399A0 | DOOR HINGES HEADLESS SCREWS COVER | 1.000 | PC | VM2476A0 | BL SP H6 INTERNAL GLASS HINGE GASKET | 1.000 | PC | VP1163A0 | INNER GLASS HOLDING PROFILE - ONE OVENS | 1.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CR1103A0 | INTERNAL GLASS ST. STEEL UPPER HINGE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1182A1 | INTERNAL GLASS HINGE CR1103-1104 SEAL | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1810A0 | M6X6 STAINLESS STEEL FLATHEAD SCREW | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2399A0 | DOOR HINGES HEADLESS SCREWS COVER | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2476A0 | BL SP H6 INTERNAL GLASS HINGE GASKET | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VP1163A0 | INNER GLASS HOLDING PROFILE - ONE OVENS | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1182A | INTERNAL GLASS HINGE CR1103-1104 SEAL |  | KCR1104A | INTERNAL GLASS LOWER HINGE KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>CR1104A0</td> <td>INTERNAL GLASS ST. STEEL LOWER HINGE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>GN1182A1</td> <td>INTERNAL GLASS HINGE CR1103-1104 SEAL</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VI1810A0</td> <td>M6X6 STAINLESS STEEL FLATHEAD SCREW</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>VM2399A0</td> <td>DOOR HINGES HEADLESS SCREWS COVER</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | CR1104A0 | INTERNAL GLASS ST. STEEL LOWER HINGE | 1.000 | PC | GN1182A1 | INTERNAL GLASS HINGE CR1103-1104 SEAL | 1.000 | PC | VI1810A0 | M6X6 STAINLESS STEEL FLATHEAD SCREW | 3.000 | PC | VM2399A0 | DOOR HINGES HEADLESS SCREWS COVER | 1.000 | PC | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CR1104A0 | INTERNAL GLASS ST. STEEL LOWER HINGE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1182A1 | INTERNAL GLASS HINGE CR1103-1104 SEAL | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1810A0 | M6X6 STAINLESS STEEL FLATHEAD SCREW | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2399A0 | DOOR HINGES HEADLESS SCREWS COVER | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--|---|------------|---|--|------|-------------|---|-------|----------|---|--|-------|----------|--|---|-------|----|----------|--|-------|----|----------|---|-------|----|----------|--|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1182A | INTERNAL GLASS HINGE CR1103-1104 SEAL |  | KCR1104A | INTERNAL GLASS LOWER HINGE KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VM2476A0</td> <td>BL SP H6 INTERNAL GLASS HINGE GASKET</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VP1163A0</td> <td>INNER GLASS HOLDING PROFILE - ONE OVENS</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VM2476A0 | BL SP H6 INTERNAL GLASS HINGE GASKET | 1.000 | PC | VP1163A0 | INNER GLASS HOLDING PROFILE - ONE OVENS | 1.000 | PC | | | | | | | | | | | | | |
| | | | Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2476A0 | BL SP H6 INTERNAL GLASS HINGE GASKET | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VP1163A0 | INNER GLASS HOLDING PROFILE - ONE OVENS | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| KCR1103A | INTERNAL GLASS UPPER HINGE KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>CR1103A0</td> <td>INTERNAL GLASS ST. STEEL UPPER HINGE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>GN1182A1</td> <td>INTERNAL GLASS HINGE CR1103-1104 SEAL</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VI1810A0</td> <td>M6X6 STAINLESS STEEL FLATHEAD SCREW</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>VM2399A0</td> <td>DOOR HINGES HEADLESS SCREWS COVER</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2476A0</td> <td>BL SP H6 INTERNAL GLASS HINGE GASKET</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VP1163A0</td> <td>INNER GLASS HOLDING PROFILE - ONE OVENS</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | CR1103A0 | INTERNAL GLASS ST. STEEL UPPER HINGE | 1.000 | PC | GN1182A1 | INTERNAL GLASS HINGE CR1103-1104 SEAL | 1.000 | PC | VI1810A0 | M6X6 STAINLESS STEEL FLATHEAD SCREW | 3.000 | PC | VM2399A0 | DOOR HINGES HEADLESS SCREWS COVER | 1.000 | PC | VM2476A0 | BL SP H6 INTERNAL GLASS HINGE GASKET | 1.000 | PC | VP1163A0 | INNER GLASS HOLDING PROFILE - ONE OVENS | 1.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CR1103A0 | INTERNAL GLASS ST. STEEL UPPER HINGE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1182A1 | INTERNAL GLASS HINGE CR1103-1104 SEAL | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1810A0 | M6X6 STAINLESS STEEL FLATHEAD SCREW | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2399A0 | DOOR HINGES HEADLESS SCREWS COVER | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2476A0 | BL SP H6 INTERNAL GLASS HINGE GASKET | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VP1163A0 | INNER GLASS HOLDING PROFILE - ONE OVENS | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2399A | DOOR HINGES HEADLESS SCREWS COVER |  | VM2399A0 | DOOR HINGES HEADLESS SCREWS COVER | | | | | | | | | | | | | | | | | | | | | | | | | | |






| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|---|---|------------|--------------------------------|---|---------------------------------------|-------------|-----|-----|----------|--------------------------------------|-------|----|----------|---------------------------------------|-------|----|----------|-------------------------------------|-------|----|----------|-----------------------------------|-------|----|----------|--------------------------------------|-------|----|----------|---|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CR1104A | INTERNAL GLASS ST. STEEL LOWER HINGE |  | KCR1104A | INTERNAL GLASS LOWER HINGE KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>CR1104A0</td> <td>INTERNAL GLASS ST. STEEL LOWER HINGE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>GN1182A1</td> <td>INTERNAL GLASS HINGE CR1103-1104 SEAL</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VI1810A0</td> <td>M6X6 STAINLESS STEEL FLATHEAD SCREW</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>VM2399A0</td> <td>DOOR HINGES HEADLESS SCREWS COVER</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2476A0</td> <td>BL SP H6 INTERNAL GLASS HINGE GASKET</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VP1163A0</td> <td>INNER GLASS HOLDING PROFILE - ONE OVENS</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | CR1104A0 | INTERNAL GLASS ST. STEEL LOWER HINGE | 1.000 | PC | GN1182A1 | INTERNAL GLASS HINGE CR1103-1104 SEAL | 1.000 | PC | VI1810A0 | M6X6 STAINLESS STEEL FLATHEAD SCREW | 3.000 | PC | VM2399A0 | DOOR HINGES HEADLESS SCREWS COVER | 1.000 | PC | VM2476A0 | BL SP H6 INTERNAL GLASS HINGE GASKET | 1.000 | PC | VP1163A0 | INNER GLASS HOLDING PROFILE - ONE OVENS | 1.000 | PC |
| | | | | | Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | CR1104A0 | INTERNAL GLASS ST. STEEL LOWER HINGE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | GN1182A1 | INTERNAL GLASS HINGE CR1103-1104 SEAL | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | VI1810A0 | M6X6 STAINLESS STEEL FLATHEAD SCREW | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | VM2399A0 | DOOR HINGES HEADLESS SCREWS COVER | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | VM2476A0 | BL SP H6 INTERNAL GLASS HINGE GASKET | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | |
| VP1163A0 | INNER GLASS HOLDING PROFILE - ONE OVENS | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1182A | INTERNAL GLASS HINGE CR1103-1104 SEAL |  | KCR1104A | INTERNAL GLASS LOWER HINGE KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>CR1104A0</td> <td>INTERNAL GLASS ST. STEEL LOWER HINGE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>GN1182A1</td> <td>INTERNAL GLASS HINGE CR1103-1104 SEAL</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VI1810A0</td> <td>M6X6 STAINLESS STEEL FLATHEAD SCREW</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>VM2399A0</td> <td>DOOR HINGES HEADLESS SCREWS COVER</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2476A0</td> <td>BL SP H6 INTERNAL GLASS HINGE GASKET</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VP1163A0</td> <td>INNER GLASS HOLDING PROFILE - ONE OVENS</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | CR1104A0 | INTERNAL GLASS ST. STEEL LOWER HINGE | 1.000 | PC | GN1182A1 | INTERNAL GLASS HINGE CR1103-1104 SEAL | 1.000 | PC | VI1810A0 | M6X6 STAINLESS STEEL FLATHEAD SCREW | 3.000 | PC | VM2399A0 | DOOR HINGES HEADLESS SCREWS COVER | 1.000 | PC | VM2476A0 | BL SP H6 INTERNAL GLASS HINGE GASKET | 1.000 | PC | VP1163A0 | INNER GLASS HOLDING PROFILE - ONE OVENS | 1.000 | PC |
| | | | | | Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | CR1104A0 | INTERNAL GLASS ST. STEEL LOWER HINGE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | GN1182A1 | INTERNAL GLASS HINGE CR1103-1104 SEAL | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | VI1810A0 | M6X6 STAINLESS STEEL FLATHEAD SCREW | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | VM2399A0 | DOOR HINGES HEADLESS SCREWS COVER | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | VM2476A0 | BL SP H6 INTERNAL GLASS HINGE GASKET | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | |
| VP1163A0 | INNER GLASS HOLDING PROFILE - ONE OVENS | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |




| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|---|---|------------|-----------------------------------|---|---------------------------------------|-------------|-----|-----|----------|--------------------------------------|-------|----|----------|---------------------------------------|-------|----|----------|-------------------------------------|-------|----|----------|-----------------------------------|-------|----|----------|--------------------------------------|-------|----|----------|---|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GN1182A | INTERNAL GLASS HINGE CR1103-1104 SEAL |  | KCR1103A | INTERNAL GLASS UPPER HINGE KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>CR1103A0</td> <td>INTERNAL GLASS ST. STEEL UPPER HINGE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>GN1182A1</td> <td>INTERNAL GLASS HINGE CR1103-1104 SEAL</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VI1810A0</td> <td>M6X6 STAINLESS STEEL FLATHEAD SCREW</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>VM2399A0</td> <td>DOOR HINGES HEADLESS SCREWS COVER</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2476A0</td> <td>BL SP H6 INTERNAL GLASS HINGE GASKET</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VP1163A0</td> <td>INNER GLASS HOLDING PROFILE - ONE OVENS</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | CR1103A0 | INTERNAL GLASS ST. STEEL UPPER HINGE | 1.000 | PC | GN1182A1 | INTERNAL GLASS HINGE CR1103-1104 SEAL | 1.000 | PC | VI1810A0 | M6X6 STAINLESS STEEL FLATHEAD SCREW | 3.000 | PC | VM2399A0 | DOOR HINGES HEADLESS SCREWS COVER | 1.000 | PC | VM2476A0 | BL SP H6 INTERNAL GLASS HINGE GASKET | 1.000 | PC | VP1163A0 | INNER GLASS HOLDING PROFILE - ONE OVENS | 1.000 | PC |
| | | | | | Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | CR1103A0 | INTERNAL GLASS ST. STEEL UPPER HINGE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | GN1182A1 | INTERNAL GLASS HINGE CR1103-1104 SEAL | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | VI1810A0 | M6X6 STAINLESS STEEL FLATHEAD SCREW | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | VM2399A0 | DOOR HINGES HEADLESS SCREWS COVER | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2476A0 | BL SP H6 INTERNAL GLASS HINGE GASKET | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VP1163A0 | INNER GLASS HOLDING PROFILE - ONE OVENS | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2399A | DOOR HINGES HEADLESS SCREWS COVER |  | VM2399A0 | DOOR HINGES HEADLESS SCREWS COVER | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VT1293B | XEBC-04EU-E INNER GLASS |  | KVT1293B | 04EU INTERNAL SINGLE GLASS KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VT1293B0</td> <td>XEBC-04EU-E INNER GLASS</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VT1293B0 | XEBC-04EU-E INNER GLASS | 1.000 | PC | | | | | | | | | | | | | | | | | | | | |
| | | | | | Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | |
| VT1293B0 | XEBC-04EU-E INNER GLASS | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |




| COMPONENT | | | SPARE PART | | | | | | | | | | |
|-----------|--|---|------------|-------------------------------|---|------|-------------|-----|-----|----------|--|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | |
| VM2518A | BOARD COOLING FAN SUPPORT |  | KVM2518A | PANEL COOLING FAN SUPPORT KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VM2518A0</td> <td>BOARD COOLING FAN SUPPORT</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VM2518A0 | BOARD COOLING FAN SUPPORT | 1.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | |
| VM2518A0 | BOARD COOLING FAN SUPPORT | 1.000 | PC | | | | | | | | | | |
| VN1179A | CONTROL BOARD 40x40x20mm 12V COOLING FAN |  | KVN1179A | CONTROL BOARD COOLING FAN KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VN1179A1</td> <td>CONTROL BOARD 40x40x20mm 12V COOLING FAN</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VN1179A1 | CONTROL BOARD 40x40x20mm 12V COOLING FAN | 1.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | |
| VN1179A1 | CONTROL BOARD 40x40x20mm 12V COOLING FAN | 1.000 | PC | | | | | | | | | | |
| VI1930A | 5x20 ST. STEEL CHIP SCREW |  | VI1147A0 | 5X25 STAINLESS STEEL SCREW | | | | | | | | | |
| VI1996A | M5x35 SCREW |  | VI1996A0 | M5x35 SCREW | | | | | | | | | |
| VM2275A | SMOOTH BUSHING |  | KVM2275A | SMOOTH PIN BUSHING KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VM2275A0</td> <td>SMOOTH BUSHING</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VM2275A0 | SMOOTH BUSHING | 1.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | |
| VM2275A0 | SMOOTH BUSHING | 1.000 | PC | | | | | | | | | | |




| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|---------------------------------------|---|------------|---------------------------------------|---|------|-------------|-----|-----|----------|--------------------------------|--------|----|----------|---------------------------|-------|----|----------|-------------|-------|----|----------|----------------|-------|----|----------|--------------------------------|-------|----|----------|-------------------------------|-------|----|----------|---------------------------------------|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2305A | MM SERIES DOOR CAP FIXING PAWL |  | KVM2305A | MM FIXING DOOR THUB SCREWS 10 PCS KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VM2305A0</td> <td>MM SERIES DOOR CAP FIXING PAWL</td> <td>10.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VM2305A0 | MM SERIES DOOR CAP FIXING PAWL | 10.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2305A0 | MM SERIES DOOR CAP FIXING PAWL | 10.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2383B | MM LEFT OVENS UPPER RIGHT CAP |  | KVM2383B | MM -M LEFT DOOR RIGHT UPPER CAP KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>V11074A0</td> <td>4X16 SCREW FOR PLASTIC</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>V11930A1</td> <td>5x20 ST. STEEL CHIP SCREW</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>V11996A0</td> <td>M5x35 SCREW</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>VM2275A0</td> <td>SMOOTH BUSHING</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2305A0</td> <td>MM SERIES DOOR CAP FIXING PAWL</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>VM2383B0</td> <td>MM LEFT OVENS UPPER RIGHT CAP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VP1080A0</td> <td>UPPER HINGE CAP FOR LOWER INNER GLASS</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | V11074A0 | 4X16 SCREW FOR PLASTIC | 1.000 | PC | V11930A1 | 5x20 ST. STEEL CHIP SCREW | 4.000 | PC | V11996A0 | M5x35 SCREW | 3.000 | PC | VM2275A0 | SMOOTH BUSHING | 1.000 | PC | VM2305A0 | MM SERIES DOOR CAP FIXING PAWL | 3.000 | PC | VM2383B0 | MM LEFT OVENS UPPER RIGHT CAP | 1.000 | PC | VP1080A0 | UPPER HINGE CAP FOR LOWER INNER GLASS | 1.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| V11074A0 | 4X16 SCREW FOR PLASTIC | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| V11930A1 | 5x20 ST. STEEL CHIP SCREW | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| V11996A0 | M5x35 SCREW | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2275A0 | SMOOTH BUSHING | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2305A0 | MM SERIES DOOR CAP FIXING PAWL | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2383B0 | MM LEFT OVENS UPPER RIGHT CAP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VP1080A0 | UPPER HINGE CAP FOR LOWER INNER GLASS | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VP1080A | UPPER HINGE CAP FOR LOWER INNER GLASS |  | KVM2383B | MM -M LEFT DOOR RIGHT UPPER CAP KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>V11074A0</td> <td>4X16 SCREW FOR PLASTIC</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>V11930A1</td> <td>5x20 ST. STEEL CHIP SCREW</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>V11996A0</td> <td>M5x35 SCREW</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>VM2275A0</td> <td>SMOOTH BUSHING</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2305A0</td> <td>MM SERIES DOOR CAP FIXING PAWL</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>VM2383B0</td> <td>MM LEFT OVENS UPPER RIGHT CAP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VP1080A0</td> <td>UPPER HINGE CAP FOR LOWER INNER GLASS</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | V11074A0 | 4X16 SCREW FOR PLASTIC | 1.000 | PC | V11930A1 | 5x20 ST. STEEL CHIP SCREW | 4.000 | PC | V11996A0 | M5x35 SCREW | 3.000 | PC | VM2275A0 | SMOOTH BUSHING | 1.000 | PC | VM2305A0 | MM SERIES DOOR CAP FIXING PAWL | 3.000 | PC | VM2383B0 | MM LEFT OVENS UPPER RIGHT CAP | 1.000 | PC | VP1080A0 | UPPER HINGE CAP FOR LOWER INNER GLASS | 1.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| V11074A0 | 4X16 SCREW FOR PLASTIC | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| V11930A1 | 5x20 ST. STEEL CHIP SCREW | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| V11996A0 | M5x35 SCREW | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2275A0 | SMOOTH BUSHING | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2305A0 | MM SERIES DOOR CAP FIXING PAWL | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2383B0 | MM LEFT OVENS UPPER RIGHT CAP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VP1080A0 | UPPER HINGE CAP FOR LOWER INNER GLASS | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | KVM2259B | MM -M RIGHT DOOR LEFT LOWER CAP KI | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>V11103A0</td> <td>40X12 TBSP SCREW FOR PLASTIC</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | V11103A0 | 40X12 TBSP SCREW FOR PLASTIC | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| V11103A0 | 40X12 TBSP SCREW FOR PLASTIC | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|---|---|-----------------------|--|--|------|-------------|-----|-----|----------|---------------------------|-------|----|----------|-------------|-------|-----|----------|----------------------------|-------|----|----------|---|-------|----|----------|--------------------------------|-------|----|----------|---------------------------------------|-------|----|----------|--------------------------|-------|----|----------|------------|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VP1080A | UPPER HINGE CAP FOR LOWER INNER GLASS |  | KVM2259B | MM -M RIGHT DOOR LEFT LOWER CAP KI | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VI1930A1</td> <td>5x20 ST. STEEL CHIP SCREW</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>VI1996A0</td> <td>M5x35 SCREW</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>VM2259B0</td> <td></td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2274A0</td> <td>GROOVED BUSHING</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2305A0</td> <td>MM SERIES DOOR CAP FIXING PAWL</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>VP1080A0</td> <td>UPPER HINGE CAP FOR LOWER INNER GLASS</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VI1930A1 | 5x20 ST. STEEL CHIP SCREW | 4.000 | PC | VI1996A0 | M5x35 SCREW | 3.000 | PC | VM2259B0 | | 1.000 | PC | VM2274A0 | GROOVED BUSHING | 1.000 | PC | VM2305A0 | MM SERIES DOOR CAP FIXING PAWL | 3.000 | PC | VP1080A0 | UPPER HINGE CAP FOR LOWER INNER GLASS | 1.000 | PC | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1930A1 | 5x20 ST. STEEL CHIP SCREW | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1996A0 | M5x35 SCREW | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2259B0 | | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2274A0 | GROOVED BUSHING | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2305A0 | MM SERIES DOOR CAP FIXING PAWL | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VP1080A0 | UPPER HINGE CAP FOR LOWER INNER GLASS | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1930A | 5x20 ST. STEEL CHIP SCREW |  | VI1147A0 | 5X25 STAINLESS STEEL SCREW | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1996A | M5x35 SCREW |  | VI1996A0 | M5x35 SCREW | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2274A | GROOVED BUSHING |  | KVM2274A K0B1126AR | GROOVED PIN BUSHING KIT BAKERTOP MM RIGHT DOOR LOWER BEAM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VM2274A0</td> <td>GROOVED BUSHING</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>0B1126A1</td> <td>MM BT DOOR LOWER CROSS BAR</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>RC1200A0</td> <td>ED=4 WIRE D=0.5 H24 COMPRESSIO N SPRING</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VI1220A1</td> <td>4,2x12 TCB SELF-TAPPIN G SCREW</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VI1996A0</td> <td>M5x35 SCREW</td> <td>7.000</td> <td>PC</td> </tr> <tr> <td>VM1794A0</td> <td>250x4.8 PA66 BLACK CLAMP</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VM2103A0</td> <td>CLAMP LOCK</td> <td>2.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VM2274A0 | GROOVED BUSHING | 1.000 | PC | Code | Description | Qty | UOM | 0B1126A1 | MM BT DOOR LOWER CROSS BAR | 1.000 | PC | RC1200A0 | ED=4 WIRE D=0.5 H24 COMPRESSIO N SPRING | 2.000 | PC | VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 1.000 | PC | VI1996A0 | M5x35 SCREW | 7.000 | PC | VM1794A0 | 250x4.8 PA66 BLACK CLAMP | 2.000 | PC | VM2103A0 | CLAMP LOCK | 2.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2274A0 | GROOVED BUSHING | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0B1126A1 | MM BT DOOR LOWER CROSS BAR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1200A0 | ED=4 WIRE D=0.5 H24 COMPRESSIO N SPRING | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1996A0 | M5x35 SCREW | 7.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM1794A0 | 250x4.8 PA66 BLACK CLAMP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2103A0 | CLAMP LOCK | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--|--|------------|---|--|------|-------------|----------------------------------|-------|----------|------------------------------------|--|-------|----------|-------------------------------|--------------------------------------|-------|----------|--|-------------|-------|----------|--|-----------------------------|-------|----------|--------------------|------------|-------|----------|--------------------------------------|--|-------|----|----------|--|-------|----|----------|--------------------|-------|----|----------|--------------------------------------|-------|----|----------|------------------------------------|-------|----|----------|-----------------------------------|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2274A | GROOVED BUSHING |  | K0B1126AR | BAKERTOP MM RIGHT DOOR LOWER BEAM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VM2259A1</td> <td>6 SERIES DOOR LOWER LEFT CAP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2261A1</td> <td>MM DOOR LOWER RIGHT CAP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2267A0</td> <td>INTERNAL GLASS LOCKING SYSTEM SLIDER</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2269A0</td> <td>INTERNAL GLASS LOCKING SYSTEM CAP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2274A0</td> <td>GROOVED BUSHING</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2305A0</td> <td>MM SERIES DOOR CAP FIXING PAWL</td> <td>7.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VM2259A1 | 6 SERIES DOOR LOWER LEFT CAP | 1.000 | PC | VM2261A1 | MM DOOR LOWER RIGHT CAP | 1.000 | PC | VM2267A0 | INTERNAL GLASS LOCKING SYSTEM SLIDER | 1.000 | PC | VM2269A0 | INTERNAL GLASS LOCKING SYSTEM CAP | 1.000 | PC | VM2274A0 | GROOVED BUSHING | 1.000 | PC | VM2305A0 | MM SERIES DOOR CAP FIXING PAWL | 7.000 | PC | | | | | | | | | | | | | | | | | | | | | |
| | | | Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2259A1 | 6 SERIES DOOR LOWER LEFT CAP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2261A1 | MM DOOR LOWER RIGHT CAP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2267A0 | INTERNAL GLASS LOCKING SYSTEM SLIDER | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2269A0 | INTERNAL GLASS LOCKING SYSTEM CAP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2274A0 | GROOVED BUSHING | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2305A0 | MM SERIES DOOR CAP FIXING PAWL | 7.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| K0B1126AL | EU AND 2/1 MM LEFT DOOR LOWER BEAM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>0B1126A1</td> <td>MM BT DOOR LOWER CROSS BAR</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>RC1200A0</td> <td>ED=4 WIRE D=0.5 H24 COMPRESSIO N SPRING</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VI1220A1</td> <td>4,2x12 TCB SELF-TAPPIN G SCREW</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VI1996A0</td> <td>M5x35 SCREW</td> <td>7.000</td> <td>PC</td> </tr> <tr> <td>VM1794A0</td> <td>250x4.8 PA66 BLACK CLAMP</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VM2103A0</td> <td>CLAMP LOCK</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VM2267A0</td> <td>INTERNAL GLASS LOCKING SYSTEM SLIDER</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2269A0</td> <td>INTERNAL GLASS LOCKING SYSTEM CAP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2274A0</td> <td>GROOVED BUSHING</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2305A0</td> <td>MM SERIES DOOR CAP FIXING PAWL</td> <td>7.000</td> <td>PC</td> </tr> <tr> <td>VM2384A0</td> <td>MM LEFT DOOR RIGHT LOWER CAP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2386A1</td> <td>LEFT MM DOOR LOWER LEFT CAP</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | 0B1126A1 | MM BT DOOR LOWER CROSS BAR | 1.000 | PC | RC1200A0 | ED=4 WIRE D=0.5 H24 COMPRESSIO N SPRING | 2.000 | PC | VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 1.000 | PC | VI1996A0 | M5x35 SCREW | 7.000 | PC | VM1794A0 | 250x4.8 PA66 BLACK CLAMP | 2.000 | PC | VM2103A0 | CLAMP LOCK | 2.000 | PC | VM2267A0 | INTERNAL GLASS LOCKING SYSTEM SLIDER | 1.000 | PC | VM2269A0 | INTERNAL GLASS LOCKING SYSTEM CAP | 1.000 | PC | VM2274A0 | GROOVED BUSHING | 1.000 | PC | VM2305A0 | MM SERIES DOOR CAP FIXING PAWL | 7.000 | PC | VM2384A0 | MM LEFT DOOR RIGHT LOWER CAP | 1.000 | PC | VM2386A1 | LEFT MM DOOR LOWER LEFT CAP | 1.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0B1126A1 | MM BT DOOR LOWER CROSS BAR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1200A0 | ED=4 WIRE D=0.5 H24 COMPRESSIO N SPRING | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1996A0 | M5x35 SCREW | 7.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM1794A0 | 250x4.8 PA66 BLACK CLAMP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2103A0 | CLAMP LOCK | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2267A0 | INTERNAL GLASS LOCKING SYSTEM SLIDER | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2269A0 | INTERNAL GLASS LOCKING SYSTEM CAP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2274A0 | GROOVED BUSHING | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2305A0 | MM SERIES DOOR CAP FIXING PAWL | 7.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2384A0 | MM LEFT DOOR RIGHT LOWER CAP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2386A1 | LEFT MM DOOR LOWER LEFT CAP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |





| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--|---|------------|--|--|------|-------------|-----|-----|----------|------------------------------------|-------|----|----------|--|-------|----|----------|--------------------------------------|-------|----|----------|-------------|-------|----|----------|-----------------------------|-------|----|----------|------------|-------|----|----------|------------------------------------|-------|----|----------|-------------------------------|-------|----|----------|--|-------|----|----------|--|-------|----|----------|--------------------|-------|----|----------|--------------------------------------|-------|----|-----------|---|---|------|-------------|-----|-----|----------|------------------------------------|-------|----|----------|--|-------|----|----------|--------------------------------------|-------|----|----------|-------------|-------|----|----------|-----------------------------|-------|----|----------|------------|-------|----|----------|--|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2274A | GROOVED BUSHING |  | K0B1122AR | CHEFTOP MM RIGHT DOOR LOWER BEAM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>0B1122A1</td> <td>750MM DOOR LOWER FRAME SHAPE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>RC1200A0</td> <td>ED=4 WIRE D=0.5 H24 COMPRESSIO N SPRING</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>V11220A1</td> <td>4,2x12 TCB SELF-TAPPIN G SCREW</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>V11996A0</td> <td>M5x35 SCREW</td> <td>7.000</td> <td>PC</td> </tr> <tr> <td>VM1794A0</td> <td>250x4.8 PA66 BLACK CLAMP</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VM2103A0</td> <td>CLAMP LOCK</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VM2259A1</td> <td>6 SERIES DOOR LOWER LEFT CAP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2261A1</td> <td>MM DOOR LOWER RIGHT CAP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2267A0</td> <td>INTERNAL GLASS LOCKING SYSTEM SLIDER</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2269A0</td> <td>INTERNAL GLASS LOCKING SYSTEM CAP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2274A0</td> <td>GROOVED BUSHING</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2305A0</td> <td>MM SERIES DOOR CAP FIXING PAWL</td> <td>7.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | 0B1122A1 | 750MM DOOR LOWER FRAME SHAPE | 1.000 | PC | RC1200A0 | ED=4 WIRE D=0.5 H24 COMPRESSIO N SPRING | 2.000 | PC | V11220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 1.000 | PC | V11996A0 | M5x35 SCREW | 7.000 | PC | VM1794A0 | 250x4.8 PA66 BLACK CLAMP | 2.000 | PC | VM2103A0 | CLAMP LOCK | 2.000 | PC | VM2259A1 | 6 SERIES DOOR LOWER LEFT CAP | 1.000 | PC | VM2261A1 | MM DOOR LOWER RIGHT CAP | 1.000 | PC | VM2267A0 | INTERNAL GLASS LOCKING SYSTEM SLIDER | 1.000 | PC | VM2269A0 | INTERNAL GLASS LOCKING SYSTEM CAP | 1.000 | PC | VM2274A0 | GROOVED BUSHING | 1.000 | PC | VM2305A0 | MM SERIES DOOR CAP FIXING PAWL | 7.000 | PC | K0B1122AL | CHEFTOP MM LEFT DOOR LOWER BEAM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>0B1122A1</td> <td>750MM DOOR LOWER FRAME SHAPE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>RC1200A0</td> <td>ED=4 WIRE D=0.5 H24 COMPRESSIO N SPRING</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>V11220A1</td> <td>4,2x12 TCB SELF-TAPPIN G SCREW</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>V11996A0</td> <td>M5x35 SCREW</td> <td>7.000</td> <td>PC</td> </tr> <tr> <td>VM1794A0</td> <td>250x4.8 PA66 BLACK CLAMP</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VM2103A0</td> <td>CLAMP LOCK</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VM2267A0</td> <td>INTERNAL GLASS LOCKING SYSTEM SLIDER</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | 0B1122A1 | 750MM DOOR LOWER FRAME SHAPE | 1.000 | PC | RC1200A0 | ED=4 WIRE D=0.5 H24 COMPRESSIO N SPRING | 2.000 | PC | V11220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 1.000 | PC | V11996A0 | M5x35 SCREW | 7.000 | PC | VM1794A0 | 250x4.8 PA66 BLACK CLAMP | 2.000 | PC | VM2103A0 | CLAMP LOCK | 2.000 | PC | VM2267A0 | INTERNAL GLASS LOCKING SYSTEM SLIDER | 1.000 | PC |
| | | | Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0B1122A1 | 750MM DOOR LOWER FRAME SHAPE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1200A0 | ED=4 WIRE D=0.5 H24 COMPRESSIO N SPRING | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| V11220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| V11996A0 | M5x35 SCREW | 7.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM1794A0 | 250x4.8 PA66 BLACK CLAMP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2103A0 | CLAMP LOCK | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2259A1 | 6 SERIES DOOR LOWER LEFT CAP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2261A1 | MM DOOR LOWER RIGHT CAP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2267A0 | INTERNAL GLASS LOCKING SYSTEM SLIDER | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2269A0 | INTERNAL GLASS LOCKING SYSTEM CAP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2274A0 | GROOVED BUSHING | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2305A0 | MM SERIES DOOR CAP FIXING PAWL | 7.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0B1122A1 | 750MM DOOR LOWER FRAME SHAPE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1200A0 | ED=4 WIRE D=0.5 H24 COMPRESSIO N SPRING | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| V11220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| V11996A0 | M5x35 SCREW | 7.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM1794A0 | 250x4.8 PA66 BLACK CLAMP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2103A0 | CLAMP LOCK | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2267A0 | INTERNAL GLASS LOCKING SYSTEM SLIDER | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |







| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|---|---|------------|---------------------------------------|--|------|-------------|-----|-----|----------|---|--------|----|----------|---------------------------|-------|----|----------|---|-------|----|----------|------------------------------|-------|----|----------|---|-------|----|----------|------------------------------|-------|----|----------|---------------------------------------|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2274A | GROOVED BUSHING |  | K0B1122AL | CHEFTOP MM LEFT DOOR LOWER BEAM KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VM2269A0</td> <td>INTERNAL GLASS LOCKING SYSTEM CAP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2274A0</td> <td>GROOVED BUSHING</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2305A0</td> <td>MM SERIES DOOR CAP DOOR CAP FIXING PAWL</td> <td>7.000</td> <td>PC</td> </tr> <tr> <td>VM2384A0</td> <td>MM LEFT DOOR RIGHT LOWER CAP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2386A1</td> <td>LEFT MM DOOR LOWER LEFT CAP</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VM2269A0 | INTERNAL GLASS LOCKING SYSTEM CAP | 1.000 | PC | VM2274A0 | GROOVED BUSHING | 1.000 | PC | VM2305A0 | MM SERIES DOOR CAP DOOR CAP FIXING PAWL | 7.000 | PC | VM2384A0 | MM LEFT DOOR RIGHT LOWER CAP | 1.000 | PC | VM2386A1 | LEFT MM DOOR LOWER LEFT CAP | 1.000 | PC | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2269A0 | INTERNAL GLASS LOCKING SYSTEM CAP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2274A0 | GROOVED BUSHING | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2305A0 | MM SERIES DOOR CAP DOOR CAP FIXING PAWL | 7.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2384A0 | MM LEFT DOOR RIGHT LOWER CAP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2386A1 | LEFT MM DOOR LOWER LEFT CAP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2305A | MM SERIES DOOR CAP FIXING PAWL |  | KVM2305A | MM FIXING DOOR THUB SCREWS 10 PCS KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VM2305A0</td> <td>MM SERIES DOOR CAP DOOR CAP FIXING PAWL</td> <td>10.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VM2305A0 | MM SERIES DOOR CAP DOOR CAP FIXING PAWL | 10.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2305A0 | MM SERIES DOOR CAP DOOR CAP FIXING PAWL | 10.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2384B | MM LEFT DOOR RIGHT LOWER CAP |  | KVM2384B | MM- M LEFT DOOR RIGHT LOWER CAP KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>V11074A0</td> <td>4X16 SCREW FOR PLASTIC</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>V11930A1</td> <td>5x20 ST. STEEL CHIP SCREW</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>V11996A0</td> <td>M5x35 SCREW</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>VM2274A0</td> <td>GROOVED BUSHING</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2305A0</td> <td>MM SERIES DOOR CAP DOOR CAP FIXING PAWL</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>VM2384B0</td> <td>MM LEFT DOOR RIGHT LOWER CAP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VP1081A0</td> <td>UPPER HINGE CAP FOR UPPER INNER GLASS</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | V11074A0 | 4X16 SCREW FOR PLASTIC | 1.000 | PC | V11930A1 | 5x20 ST. STEEL CHIP SCREW | 4.000 | PC | V11996A0 | M5x35 SCREW | 3.000 | PC | VM2274A0 | GROOVED BUSHING | 1.000 | PC | VM2305A0 | MM SERIES DOOR CAP DOOR CAP FIXING PAWL | 3.000 | PC | VM2384B0 | MM LEFT DOOR RIGHT LOWER CAP | 1.000 | PC | VP1081A0 | UPPER HINGE CAP FOR UPPER INNER GLASS | 1.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| V11074A0 | 4X16 SCREW FOR PLASTIC | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| V11930A1 | 5x20 ST. STEEL CHIP SCREW | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| V11996A0 | M5x35 SCREW | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2274A0 | GROOVED BUSHING | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2305A0 | MM SERIES DOOR CAP DOOR CAP FIXING PAWL | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2384B0 | MM LEFT DOOR RIGHT LOWER CAP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VP1081A0 | UPPER HINGE CAP FOR UPPER INNER GLASS | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |




| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|---------------------------------------|---|------------|-------------------------------------|---|------|-------------|--------------------------------------|-------|----------|---------------------------------------|---------------------------|-------|----------|--------------------------------|-------------|-------|----------|-------------|-------------------|-------|----------|-----------------|----------------|-------|----------|--------------------------------|--------------------------------|-------|----------|------------------------------|---------------------------------------|-------|----------|---------------------------------------|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VP1081A | UPPER HINGE CAP FOR UPPER INNER GLASS |  | KVM2384B | MM- M LEFT DOOR RIGHT LOWER CAP KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VI1074A0</td> <td>4X16 SCREW FOR PLASTIC</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VI1930A1</td> <td>5x20 ST. STEEL CHIP SCREW</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>VI1996A0</td> <td>M5x35 SCREW</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>VM2274A0</td> <td>GROOVED BUSHING</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2305A0</td> <td>MM SERIES DOOR CAP FIXING PAWL</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>VM2384B0</td> <td>MM LEFT DOOR RIGHT LOWER CAP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VP1081A0</td> <td>UPPER HINGE CAP FOR UPPER INNER GLASS</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VI1074A0 | 4X16 SCREW FOR PLASTIC | 1.000 | PC | VI1930A1 | 5x20 ST. STEEL CHIP SCREW | 4.000 | PC | VI1996A0 | M5x35 SCREW | 3.000 | PC | VM2274A0 | GROOVED BUSHING | 1.000 | PC | VM2305A0 | MM SERIES DOOR CAP FIXING PAWL | 3.000 | PC | VM2384B0 | MM LEFT DOOR RIGHT LOWER CAP | 1.000 | PC | VP1081A0 | UPPER HINGE CAP FOR UPPER INNER GLASS | 1.000 | PC |
| | | | Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1074A0 | 4X16 SCREW FOR PLASTIC | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1930A1 | 5x20 ST. STEEL CHIP SCREW | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1996A0 | M5x35 SCREW | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2274A0 | GROOVED BUSHING | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2305A0 | MM SERIES DOOR CAP FIXING PAWL | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2384B0 | MM LEFT DOOR RIGHT LOWER CAP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VP1081A0 | UPPER HINGE CAP FOR UPPER INNER GLASS | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| KVM2260B | MM M RIGHT DOOR -LEFT UPPER CAP KI | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VI1103A0</td> <td>40X12 TBSP SCREW FOR PLASTIC</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VI1930A1</td> <td>5x20 ST. STEEL CHIP SCREW</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>VI1996A0</td> <td>M5x35 SCREW</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VM2260B0</td> <td>S6 LEFT UPPER CAP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2275A0</td> <td>SMOOTH BUSHING</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2305A0</td> <td>MM SERIES DOOR CAP FIXING PAWL</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>VP1081A0</td> <td>UPPER HINGE CAP FOR UPPER INNER GLASS</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VI1103A0 | 40X12 TBSP SCREW FOR PLASTIC | 1.000 | PC | VI1930A1 | 5x20 ST. STEEL CHIP SCREW | 4.000 | PC | VI1996A0 | M5x35 SCREW | 2.000 | PC | VM2260B0 | S6 LEFT UPPER CAP | 1.000 | PC | VM2275A0 | SMOOTH BUSHING | 1.000 | PC | VM2305A0 | MM SERIES DOOR CAP FIXING PAWL | 3.000 | PC | VP1081A0 | UPPER HINGE CAP FOR UPPER INNER GLASS | 1.000 | PC | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1103A0 | 40X12 TBSP SCREW FOR PLASTIC | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1930A1 | 5x20 ST. STEEL CHIP SCREW | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1996A0 | M5x35 SCREW | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2260B0 | S6 LEFT UPPER CAP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2275A0 | SMOOTH BUSHING | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2305A0 | MM SERIES DOOR CAP FIXING PAWL | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VP1081A0 | UPPER HINGE CAP FOR UPPER INNER GLASS | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VE1030A | MAGNET FOR DOOR MICROSWITCH D=22,9mm |  | KVE1030A | 2 PCS MAGNET KIT FOR DOOR SWITCH | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VE1030A1</td> <td>MAGNET FOR DOOR MICROSWITC H D=22,9mm</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VI1220A1</td> <td>4,2x12 TCB SELF-TAPPIN G SCREW</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VE1030A1 | MAGNET FOR DOOR MICROSWITC H D=22,9mm | 2.000 | PC | VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 1.000 | PC | | | | | | | | | | | | | | | | | | | | |
| | | | Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VE1030A1 | MAGNET FOR DOOR MICROSWITC H D=22,9mm | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| KVE1020B | MICROSWITCH KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>CE1030A0</td> <td>FEMALE FASTON COVER 6.3X0.8 0,5-1mmq</td> <td>2.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | CE1030A0 | FEMALE FASTON COVER 6.3X0.8 0,5-1mmq | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CE1030A0 | FEMALE FASTON COVER 6.3X0.8 0,5-1mmq | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |




| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--|---|------------|--------------------------------------|---|--|-------------|-----|-----|----------|--|-------|----|----------|--|-------|----|----------|--------------------------------------|-------|----|----------|--|-------|----|----------|------------------------------|-------|----|----------|--|-------|----|----------|--|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VE1030A | MAGNET FOR DOOR MICROSWITCH D=22,9mm |  | KVE1020B | MICROSWITCH KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>CE1660A0</td> <td>6,3x0,8 FEMALE FASTON COVE</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>CE1730A0</td> <td>PVC CABLE NP 2 X AWG22 STYLE 2095</td> <td>0.150</td> <td>M</td> </tr> <tr> <td>CE1740A0</td> <td>MINIFIT MALE END FITTING</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>CE1745A0</td> <td>2 WAYS FEMALE MINIFIT CONNECTOR</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VE1020B0</td> <td>MAGNET DOOR MICROSWITC</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VE1030A1</td> <td>MAGNET FOR DOOR MICROSWITC H D=22,9mm</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VI1192A0</td> <td></td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | CE1660A0 | 6,3x0,8 FEMALE FASTON COVE | 2.000 | PC | CE1730A0 | PVC CABLE NP 2 X AWG22 STYLE 2095 | 0.150 | M | CE1740A0 | MINIFIT MALE END FITTING | 2.000 | PC | CE1745A0 | 2 WAYS FEMALE MINIFIT CONNECTOR | 1.000 | PC | VE1020B0 | MAGNET DOOR MICROSWITC | 1.000 | PC | VE1030A1 | MAGNET FOR DOOR MICROSWITC H D=22,9mm | 1.000 | PC | VI1192A0 | | 1.000 | PC |
| | | | | | Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | CE1660A0 | 6,3x0,8 FEMALE FASTON COVE | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | CE1730A0 | PVC CABLE NP 2 X AWG22 STYLE 2095 | 0.150 | M | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | CE1740A0 | MINIFIT MALE END FITTING | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | CE1745A0 | 2 WAYS FEMALE MINIFIT CONNECTOR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | VE1020B0 | MAGNET DOOR MICROSWITC | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | VE1030A1 | MAGNET FOR DOOR MICROSWITC H D=22,9mm | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1192A0 | | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1930A | 5x20 ST. STEEL CHIP SCREW |  | VI1147A0 | 5X25 STAINLESS STEEL SCREW | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1996A | M5x35 SCREW |  | VI1996A0 | M5x35 SCREW | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2267A | INTERNAL GLASS LOCKING SYSTEM SLIDER |  | KVM2386B | MM -M LEFT DOOR LEFT LOWER CAP KI | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>RC1200A0</td> <td>ED=4 WIRE D=0.5 H24 COMPRESSIO N SPRING</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VE1030A1</td> <td>MAGNET FOR DOOR MICROSWITC H D=22,9mm</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VI1220A1</td> <td>4,2x12 TCB SELF-TAPPIN G SCREW</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | RC1200A0 | ED=4 WIRE D=0.5 H24 COMPRESSIO N SPRING | 2.000 | PC | VE1030A1 | MAGNET FOR DOOR MICROSWITC H D=22,9mm | 1.000 | PC | VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 1.000 | PC | | | | | | | | | | | | | | | | |
| | | | | | Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | RC1200A0 | ED=4 WIRE D=0.5 H24 COMPRESSIO N SPRING | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VE1030A1 | MAGNET FOR DOOR MICROSWITC H D=22,9mm | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |





| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--|--|------------|--------------------------------------|---|------|-------------|--|-------|----------|---------------------------------|--|-------|----------|-------------|--------------------------------------|-------|----------|--|---------------------------------|-------|----------|-------------------------|-------------|-------|----------|---------------------------|--|-------|----------|--------------------------------------|-------------------------|-------|----------|---|---------------------------|-------|----|----------|--------------------------------------|-------|----|----------|------------------------------------|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2267A | INTERNAL GLASS LOCKING SYSTEM SLIDER |  | KVM2386B | MM -M LEFT DOOR LEFT LOWER CAP KI | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VI1930A1</td> <td>5x20 ST. STEEL CHIP SCREW</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>VI1996A0</td> <td>M5x35 SCREW</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>VM2267A0</td> <td>INTERNAL GLASS LOCKING SYSTEM SLIDER</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2268A0</td> <td>DOOR MAGNET COVER</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2269B0</td> <td>INNER GLASS FIXING CAP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2305A0</td> <td>MM SERIES DOOR CAP FIXING PAWL</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>VM2386B0</td> <td>MM -M LEFT DOOR LEFT LOWER CAP KI</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VI1930A1 | 5x20 ST. STEEL CHIP SCREW | 4.000 | PC | VI1996A0 | M5x35 SCREW | 4.000 | PC | VM2267A0 | INTERNAL GLASS LOCKING SYSTEM SLIDER | 1.000 | PC | VM2268A0 | DOOR MAGNET COVER | 1.000 | PC | VM2269B0 | INNER GLASS FIXING CAP | 1.000 | PC | VM2305A0 | MM SERIES DOOR CAP FIXING PAWL | 4.000 | PC | VM2386B0 | MM -M LEFT DOOR LEFT LOWER CAP KI | 1.000 | PC | | | | | | | | | |
| | | | Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1930A1 | 5x20 ST. STEEL CHIP SCREW | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1996A0 | M5x35 SCREW | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2267A0 | INTERNAL GLASS LOCKING SYSTEM SLIDER | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2268A0 | DOOR MAGNET COVER | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2269B0 | INNER GLASS FIXING CAP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2305A0 | MM SERIES DOOR CAP FIXING PAWL | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2386B0 | MM -M LEFT DOOR LEFT LOWER CAP KI | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| KVM2385B | MM -M LEFT DOOR LEFT UPPER CAP KI | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>RC1200A0</td> <td>ED=4 WIRE D=0.5 H24 COMPRESSIO N SPRING</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VE1030A1</td> <td>MAGNET FOR DOOR MICROSWITC H D=22,9mm</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VI1220A1</td> <td>4,2x12 TCB SELF-TAPPIN G SCREW</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VI1930A1</td> <td>5x20 ST. STEEL CHIP SCREW</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>VI1996A0</td> <td>M5x35 SCREW</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>VM2267A0</td> <td>INTERNAL GLASS LOCKING SYSTEM SLIDER</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2268A0</td> <td>DOOR MAGNET COVER</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2269B0</td> <td>INNER GLASS FIXING CAP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2305A0</td> <td>MM SERIES DOOR CAP FIXING PAWL</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>VM2385B0</td> <td>MM LEFT OVENS UPPER LEFT CAP</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | RC1200A0 | ED=4 WIRE D=0.5 H24 COMPRESSIO N SPRING | 2.000 | PC | VE1030A1 | MAGNET FOR DOOR MICROSWITC H D=22,9mm | 1.000 | PC | VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 1.000 | PC | VI1930A1 | 5x20 ST. STEEL CHIP SCREW | 4.000 | PC | VI1996A0 | M5x35 SCREW | 4.000 | PC | VM2267A0 | INTERNAL GLASS LOCKING SYSTEM SLIDER | 1.000 | PC | VM2268A0 | DOOR MAGNET COVER | 1.000 | PC | VM2269B0 | INNER GLASS FIXING CAP | 1.000 | PC | VM2305A0 | MM SERIES DOOR CAP FIXING PAWL | 4.000 | PC | VM2385B0 | MM LEFT OVENS UPPER LEFT CAP | 1.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1200A0 | ED=4 WIRE D=0.5 H24 COMPRESSIO N SPRING | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VE1030A1 | MAGNET FOR DOOR MICROSWITC H D=22,9mm | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1930A1 | 5x20 ST. STEEL CHIP SCREW | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1996A0 | M5x35 SCREW | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2267A0 | INTERNAL GLASS LOCKING SYSTEM SLIDER | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2268A0 | DOOR MAGNET COVER | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2269B0 | INNER GLASS FIXING CAP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2305A0 | MM SERIES DOOR CAP FIXING PAWL | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2385B0 | MM LEFT OVENS UPPER LEFT CAP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--|---|------------|---|--|------|-------------|-----|-----|----------|--|-------|----|----------|--|-------|----|----------|--------------------------------------|-------|----|----------|---------------------------------|-------|----|----------|-------------|-------|----|----------|----------------------------------|-------|----|----------|--|-------|----|----------|-------------------------|-------|----|----------|---------------------------|-------|----|----------|--------------------------------------|-------|----|----------|---|---|------|-------------|-----|-----|----------|--|-------|----|----------|--|-------|----|----------|--------------------------------------|-------|----|----------|---------------------------------|-------|----|----------|-------------|-------|----|----------|----------------------------------|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2267A | INTERNAL GLASS LOCKING SYSTEM SLIDER |  | KVM2262B | MIND.MAPS -M DOOR RIGHT UPPER CAP KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>RC1200A0</td> <td>ED=4 WIRE D=0.5 H24 COMPRESSIO N SPRING</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VE1030A1</td> <td>MAGNET FOR DOOR MICROSWITC H D=22.9mm</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VI1220A1</td> <td>4,2x12 TCB SELF-TAPPIN G SCREW</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VI1930A1</td> <td>5x20 ST. STEEL CHIP SCREW</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>VI1996A0</td> <td>M5x35 SCREW</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>VM2262B0</td> <td>MM -M DOOR RIGHT UPPER CAP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2267A0</td> <td>INTERNAL GLASS LOCKING SYSTEM SLIDER</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2268A0</td> <td>DOOR MAGNET COVER</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2269B0</td> <td>INNER GLASS FIXING CAP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2305A0</td> <td>MM SERIES DOOR CAP FIXING PAWL</td> <td>4.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | RC1200A0 | ED=4 WIRE D=0.5 H24 COMPRESSIO N SPRING | 2.000 | PC | VE1030A1 | MAGNET FOR DOOR MICROSWITC H D=22.9mm | 1.000 | PC | VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 1.000 | PC | VI1930A1 | 5x20 ST. STEEL CHIP SCREW | 4.000 | PC | VI1996A0 | M5x35 SCREW | 4.000 | PC | VM2262B0 | MM -M DOOR RIGHT UPPER CAP | 1.000 | PC | VM2267A0 | INTERNAL GLASS LOCKING SYSTEM SLIDER | 1.000 | PC | VM2268A0 | DOOR MAGNET COVER | 1.000 | PC | VM2269B0 | INNER GLASS FIXING CAP | 1.000 | PC | VM2305A0 | MM SERIES DOOR CAP FIXING PAWL | 4.000 | PC | KVM2261B | MIND.MAPS -M DOOR RIGHT LOWER CAP KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>RC1200A0</td> <td>ED=4 WIRE D=0.5 H24 COMPRESSIO N SPRING</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VE1030A1</td> <td>MAGNET FOR DOOR MICROSWITC H D=22.9mm</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VI1220A1</td> <td>4,2x12 TCB SELF-TAPPIN G SCREW</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VI1930A1</td> <td>5x20 ST. STEEL CHIP SCREW</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>VI1996A0</td> <td>M5x35 SCREW</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>VM2261B0</td> <td>MM -M DOOR RIGHT LOWER CAP</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | RC1200A0 | ED=4 WIRE D=0.5 H24 COMPRESSIO N SPRING | 2.000 | PC | VE1030A1 | MAGNET FOR DOOR MICROSWITC H D=22.9mm | 1.000 | PC | VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 1.000 | PC | VI1930A1 | 5x20 ST. STEEL CHIP SCREW | 4.000 | PC | VI1996A0 | M5x35 SCREW | 4.000 | PC | VM2261B0 | MM -M DOOR RIGHT LOWER CAP | 1.000 | PC |
| | | | Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1200A0 | ED=4 WIRE D=0.5 H24 COMPRESSIO N SPRING | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VE1030A1 | MAGNET FOR DOOR MICROSWITC H D=22.9mm | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1930A1 | 5x20 ST. STEEL CHIP SCREW | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1996A0 | M5x35 SCREW | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2262B0 | MM -M DOOR RIGHT UPPER CAP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2267A0 | INTERNAL GLASS LOCKING SYSTEM SLIDER | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2268A0 | DOOR MAGNET COVER | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2269B0 | INNER GLASS FIXING CAP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2305A0 | MM SERIES DOOR CAP FIXING PAWL | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1200A0 | ED=4 WIRE D=0.5 H24 COMPRESSIO N SPRING | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VE1030A1 | MAGNET FOR DOOR MICROSWITC H D=22.9mm | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1930A1 | 5x20 ST. STEEL CHIP SCREW | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1996A0 | M5x35 SCREW | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2261B0 | MM -M DOOR RIGHT LOWER CAP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |




| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | |
|-----------|---|---|------------|---------------------------------------|--|--------------------------------------|-------------|-----|-----|----------|---|--------|----|----------|---------------------------------------|-------|----|----------|------------------------|-------|----|----------|--------------------------------|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | |
| VM2267A | INTERNAL GLASS LOCKING SYSTEM SLIDER |  | KVM2261B | MIND.MAPS -M DOOR RIGHT LOWER CAP KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VM2267A0</td> <td>INTERNAL GLASS LOCKING SYSTEM SLIDER</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2268A0</td> <td>DOOR MAGNET COVER</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2269B0</td> <td>INNER GLASS FIXING CAP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2305A0</td> <td>MM SERIES DOOR CAP FIXING PAWL</td> <td>4.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VM2267A0 | INTERNAL GLASS LOCKING SYSTEM SLIDER | 1.000 | PC | VM2268A0 | DOOR MAGNET COVER | 1.000 | PC | VM2269B0 | INNER GLASS FIXING CAP | 1.000 | PC | VM2305A0 | MM SERIES DOOR CAP FIXING PAWL | 4.000 | PC |
| | | | | | Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | |
| | | | | | VM2267A0 | INTERNAL GLASS LOCKING SYSTEM SLIDER | 1.000 | PC | | | | | | | | | | | | | | | | | |
| | | | | | VM2268A0 | DOOR MAGNET COVER | 1.000 | PC | | | | | | | | | | | | | | | | | |
| VM2269B0 | INNER GLASS FIXING CAP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| VM2305A0 | MM SERIES DOOR CAP FIXING PAWL | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| VM2268A | DOOR MAGNET COVER |  | KVM2268A | DOOR MAGNET COVER KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VM2268A0</td> <td>DOOR MAGNET COVER</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VM2268A0 | DOOR MAGNET COVER | 1.000 | PC | | | | | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | |
| VM2268A0 | DOOR MAGNET COVER | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| VM2269B | INNER GLASS FIXING CAP |  | KVM2269B | INNER GLASS FIXING CAP KIT -M | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VM2269B0</td> <td>INNER GLASS FIXING CAP</td> <td>2.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VM2269B0 | INNER GLASS FIXING CAP | 2.000 | PC | | | | | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | |
| VM2269B0 | INNER GLASS FIXING CAP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| VM2305A | MM SERIES DOOR CAP FIXING PAWL |  | KVM2305A | MM FIXING DOOR THUB SCREWS 10 PCS KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VM2305A0</td> <td>MM SERIES DOOR CAP FIXING PAWL</td> <td>10.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VM2305A0 | MM SERIES DOOR CAP FIXING PAWL | 10.000 | PC | | | | | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | |
| VM2305A0 | MM SERIES DOOR CAP FIXING PAWL | 10.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| VM2385B | MM LEFT OVENS UPPER LEFT CAP |  | KVM2385B | MM -M LEFT DOOR LEFT UPPER CAP KI | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>RC1200A0</td> <td>ED=4 WIRE D=0.5 H24 COMPRESSIO N SPRING</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VE1030A1</td> <td>MAGNET FOR DOOR MICROSWITC H D=22,9mm</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | RC1200A0 | ED=4 WIRE D=0.5 H24 COMPRESSIO N SPRING | 2.000 | PC | VE1030A1 | MAGNET FOR DOOR MICROSWITC H D=22,9mm | 1.000 | PC | | | | | | | | |
| | | | | | Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | |
| RC1200A0 | ED=4 WIRE D=0.5 H24 COMPRESSIO N SPRING | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| VE1030A1 | MAGNET FOR DOOR MICROSWITC H D=22,9mm | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| VE1030A1 | MAGNET FOR DOOR MICROSWITC H D=22,9mm | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | |


| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--|--|------------|--------------------------------------|--|------|-------------|---|-------|----------|--|----------------------------------|-------|----------|--------------------------------------|---|-------|----------|-------------|-----------------------------|-------|----------|--|--|-------|----------|-------------------------|------------------------------|-------|----------|---------------------------|-------|----|----------|--------------------------------------|-------|----|----------|------------------------------------|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2385B | MM LEFT OVENS UPPER LEFT CAP |  | KVM2385B | MM -M LEFT DOOR LEFT UPPER CAP KI | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VI1220A1</td> <td>4,2x12 TCB SELF-TAPPIN G SCREW</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VI1930A1</td> <td>5x20 ST. STEEL CHIP SCREW</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>VI1996A0</td> <td>M5x35 SCREW</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>VM2267A0</td> <td>INTERNAL GLASS LOCKING SYSTEM SLIDER</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2268A0</td> <td>DOOR MAGNET COVER</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2269B0</td> <td>INNER GLASS FIXING CAP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2305A0</td> <td>MM SERIES DOOR CAP FIXING PAWL</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>VM2385B0</td> <td>MM LEFT OVENS UPPER LEFT CAP</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 1.000 | PC | VI1930A1 | 5x20 ST. STEEL CHIP SCREW | 4.000 | PC | VI1996A0 | M5x35 SCREW | 4.000 | PC | VM2267A0 | INTERNAL GLASS LOCKING SYSTEM SLIDER | 1.000 | PC | VM2268A0 | DOOR MAGNET COVER | 1.000 | PC | VM2269B0 | INNER GLASS FIXING CAP | 1.000 | PC | VM2305A0 | MM SERIES DOOR CAP FIXING PAWL | 4.000 | PC | VM2385B0 | MM LEFT OVENS UPPER LEFT CAP | 1.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1930A1 | 5x20 ST. STEEL CHIP SCREW | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1996A0 | M5x35 SCREW | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2267A0 | INTERNAL GLASS LOCKING SYSTEM SLIDER | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2268A0 | DOOR MAGNET COVER | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2269B0 | INNER GLASS FIXING CAP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2305A0 | MM SERIES DOOR CAP FIXING PAWL | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2385B0 | MM LEFT OVENS UPPER LEFT CAP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VE1030A | MAGNET FOR DOOR MICROSWITCH D=22,9mm |  | KVE1030A | 2 PCS MAGNET KIT FOR DOOR SWITCH | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VE1030A1</td> <td>MAGNET FOR DOOR MICROSWITC H D=22,9mm</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VI1220A1</td> <td>4,2x12 TCB SELF-TAPPIN G SCREW</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VE1030A1 | MAGNET FOR DOOR MICROSWITC H D=22,9mm | 2.000 | PC | VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | Code | | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VE1030A1 | MAGNET FOR DOOR MICROSWITC H D=22,9mm | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| KVE1020B | MICROSWITCH KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>CE1030A0</td> <td>FEMALE FASTON COVER 6.3X0.8 0,5-1mmq</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>CE1660A0</td> <td>6,3x0,8 FEMALE FASTON COVE</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>CE1730A0</td> <td>PVC CABLE NP 2 X AWG22 STYLE 2095</td> <td>0.150</td> <td>M</td> </tr> <tr> <td>CE1740A0</td> <td>MINIFIT MALE END FITTING</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>CE1745A0</td> <td>2 WAYS FEMALE MINIFIT CONNECTOR</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VE1020B0</td> <td>MAGNET DOOR MICROSWITC</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | CE1030A0 | FEMALE FASTON COVER 6.3X0.8 0,5-1mmq | 2.000 | PC | CE1660A0 | 6,3x0,8 FEMALE FASTON COVE | 2.000 | PC | CE1730A0 | PVC CABLE NP 2 X AWG22 STYLE 2095 | 0.150 | M | CE1740A0 | MINIFIT MALE END FITTING | 2.000 | PC | CE1745A0 | 2 WAYS FEMALE MINIFIT CONNECTOR | 1.000 | PC | VE1020B0 | MAGNET DOOR MICROSWITC | 1.000 | PC | | | | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CE1030A0 | FEMALE FASTON COVER 6.3X0.8 0,5-1mmq | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CE1660A0 | 6,3x0,8 FEMALE FASTON COVE | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CE1730A0 | PVC CABLE NP 2 X AWG22 STYLE 2095 | 0.150 | M | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CE1740A0 | MINIFIT MALE END FITTING | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CE1745A0 | 2 WAYS FEMALE MINIFIT CONNECTOR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VE1020B0 | MAGNET DOOR MICROSWITC | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--|---|------------|--------------------------------------|--|------|-------------|-----|-----|----------|--|-------|----|----------|---|-------|----|----------|--------------------------------------|-------|----|----------|---------------------------------|-------|----|----------|-------------|-------|----|----------|--|-------|----|----------|-------------------------|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VE1030A | MAGNET FOR DOOR MICROSWITCH D=22,9mm |  | KVE1020B | MICROSWITCH KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VE1030A1</td> <td>MAGNET FOR DOOR MICROSWITC H D=22,9mm</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VI1192A0</td> <td></td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VE1030A1 | MAGNET FOR DOOR MICROSWITC H D=22,9mm | 1.000 | PC | VI1192A0 | | 1.000 | PC | | | | | | | | | | | | | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VE1030A1 | MAGNET FOR DOOR MICROSWITC H D=22,9mm | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1192A0 | | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1930A | 5x20 ST. STEEL CHIP SCREW |  | VI1147A0 | 5X25 STAINLESS STEEL SCREW | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1996A | M5x35 SCREW |  | VI1996A0 | M5x35 SCREW | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2267A | INTERNAL GLASS LOCKING SYSTEM SLIDER |  | KVM2386B | MM -M LEFT DOOR LEFT LOWER CAP KI | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>RC1200A0</td> <td>ED=4 WIRE D=0.5 H24 COMPRESSIO N SPRING</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VE1030A1</td> <td>MAGNET FOR DOOR MICROSWITC H D=22,9mm</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VI1220A1</td> <td>4,2x12 TCB SELF-TAPPIN G SCREW</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VI1930A1</td> <td>5x20 ST. STEEL CHIP SCREW</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>VI1996A0</td> <td>M5x35 SCREW</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>VM2267A0</td> <td>INTERNAL GLASS LOCKING SYSTEM SLIDER</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2268A0</td> <td>DOOR MAGNET COVER</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | RC1200A0 | ED=4 WIRE D=0.5 H24 COMPRESSIO N SPRING | 2.000 | PC | VE1030A1 | MAGNET FOR DOOR MICROSWITC H D=22,9mm | 1.000 | PC | VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 1.000 | PC | VI1930A1 | 5x20 ST. STEEL CHIP SCREW | 4.000 | PC | VI1996A0 | M5x35 SCREW | 4.000 | PC | VM2267A0 | INTERNAL GLASS LOCKING SYSTEM SLIDER | 1.000 | PC | VM2268A0 | DOOR MAGNET COVER | 1.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1200A0 | ED=4 WIRE D=0.5 H24 COMPRESSIO N SPRING | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VE1030A1 | MAGNET FOR DOOR MICROSWITC H D=22,9mm | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1930A1 | 5x20 ST. STEEL CHIP SCREW | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1996A0 | M5x35 SCREW | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2267A0 | INTERNAL GLASS LOCKING SYSTEM SLIDER | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2268A0 | DOOR MAGNET COVER | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |





| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--|--|------------|--------------------------------------|--|------|-------------|--|-------|----------|---------------------------|--|-------|----------|--------------------------------------|--------------------------------------|-------|----------|---|---------------------------------|-------|----|----------|-------------|-------|----|----------|--|-------|----|----------|-------------------------|-------|----|----------|---------------------------|-------|----|----------|--------------------------------------|-------|----|----------|------------------------------------|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2267A | INTERNAL GLASS LOCKING SYSTEM SLIDER |  | KVM2386B | MM -M LEFT DOOR LEFT LOWER CAP KI | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VM2269B0</td> <td>INNER GLASS FIXING CAP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2305A0</td> <td>MM SERIES DOOR CAP FIXING PAWL</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>VM2386B0</td> <td>MM -M LEFT DOOR LEFT LOWER CAP KI</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VM2269B0 | INNER GLASS FIXING CAP | 1.000 | PC | VM2305A0 | MM SERIES DOOR CAP FIXING PAWL | 4.000 | PC | VM2386B0 | MM -M LEFT DOOR LEFT LOWER CAP KI | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | VM2269B0 | INNER GLASS FIXING CAP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2305A0 | MM SERIES DOOR CAP FIXING PAWL | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2386B0 | MM -M LEFT DOOR LEFT LOWER CAP KI | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| KVM2385B | MM -M LEFT DOOR LEFT UPPER CAP KI | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>RC1200A0</td> <td>ED=4 WIRE D=0.5 H24 COMPRESSIO N SPRING</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VE1030A1</td> <td>MAGNET FOR DOOR MICROSWITC H D=22,9mm</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VI1220A1</td> <td>4,2x12 TCB SELF-TAPPIN G SCREW</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VI1930A1</td> <td>5x20 ST. STEEL CHIP SCREW</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>VI1996A0</td> <td>M5x35 SCREW</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>VM2267A0</td> <td>INTERNAL GLASS LOCKING SYSTEM SLIDER</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2268A0</td> <td>DOOR MAGNET COVER</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2269B0</td> <td>INNER GLASS FIXING CAP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2305A0</td> <td>MM SERIES DOOR CAP FIXING PAWL</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>VM2385B0</td> <td>MM LEFT OVENS UPPER LEFT CAP</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | RC1200A0 | ED=4 WIRE D=0.5 H24 COMPRESSIO N SPRING | 2.000 | PC | VE1030A1 | MAGNET FOR DOOR MICROSWITC H D=22,9mm | 1.000 | PC | VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 1.000 | PC | VI1930A1 | 5x20 ST. STEEL CHIP SCREW | 4.000 | PC | VI1996A0 | M5x35 SCREW | 4.000 | PC | VM2267A0 | INTERNAL GLASS LOCKING SYSTEM SLIDER | 1.000 | PC | VM2268A0 | DOOR MAGNET COVER | 1.000 | PC | VM2269B0 | INNER GLASS FIXING CAP | 1.000 | PC | VM2305A0 | MM SERIES DOOR CAP FIXING PAWL | 4.000 | PC | VM2385B0 | MM LEFT OVENS UPPER LEFT CAP | 1.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1200A0 | ED=4 WIRE D=0.5 H24 COMPRESSIO N SPRING | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VE1030A1 | MAGNET FOR DOOR MICROSWITC H D=22,9mm | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1930A1 | 5x20 ST. STEEL CHIP SCREW | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1996A0 | M5x35 SCREW | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2267A0 | INTERNAL GLASS LOCKING SYSTEM SLIDER | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2268A0 | DOOR MAGNET COVER | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2269B0 | INNER GLASS FIXING CAP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2305A0 | MM SERIES DOOR CAP FIXING PAWL | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2385B0 | MM LEFT OVENS UPPER LEFT CAP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| KVM2262B | MIND.MAPS -M DOOR RIGHT UPPER CAP KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>RC1200A0</td> <td>ED=4 WIRE D=0.5 H24 COMPRESSIO N SPRING</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VE1030A1</td> <td>MAGNET FOR DOOR MICROSWITC H D=22,9mm</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VI1220A1</td> <td>4,2x12 TCB SELF-TAPPIN G SCREW</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | RC1200A0 | ED=4 WIRE D=0.5 H24 COMPRESSIO N SPRING | 2.000 | PC | VE1030A1 | MAGNET FOR DOOR MICROSWITC H D=22,9mm | 1.000 | PC | VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1200A0 | ED=4 WIRE D=0.5 H24 COMPRESSIO N SPRING | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VE1030A1 | MAGNET FOR DOOR MICROSWITC H D=22,9mm | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |





| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--|--|------------|---|--|------|-------------|--|-------|----------|---------------------------------|--|-------|----------|-------------|--------------------------------------|-------|----------|----------------------------------|---------------------------------|-------|----------|--|-------------|-------|----------|-------------------------|----------------------------------|-------|----------|---------------------------|--|-------|----------|--------------------------------------|-------------------------|-------|----|----------|---------------------------|-------|----|----------|--------------------------------------|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2267A | INTERNAL GLASS LOCKING SYSTEM SLIDER |  | KVM2262B | MIND.MAPS -M DOOR RIGHT UPPER CAP KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VI1930A1</td> <td>5x20 ST. STEEL CHIP SCREW</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>VI1996A0</td> <td>M5x35 SCREW</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>VM2262B0</td> <td>MM -M DOOR RIGHT UPPER CAP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2267A0</td> <td>INTERNAL GLASS LOCKING SYSTEM SLIDER</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2268A0</td> <td>DOOR MAGNET COVER</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2269B0</td> <td>INNER GLASS FIXING CAP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2305A0</td> <td>MM SERIES DOOR CAP FIXING PAWL</td> <td>4.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VI1930A1 | 5x20 ST. STEEL CHIP SCREW | 4.000 | PC | VI1996A0 | M5x35 SCREW | 4.000 | PC | VM2262B0 | MM -M DOOR RIGHT UPPER CAP | 1.000 | PC | VM2267A0 | INTERNAL GLASS LOCKING SYSTEM SLIDER | 1.000 | PC | VM2268A0 | DOOR MAGNET COVER | 1.000 | PC | VM2269B0 | INNER GLASS FIXING CAP | 1.000 | PC | VM2305A0 | MM SERIES DOOR CAP FIXING PAWL | 4.000 | PC | | | | | | | | | |
| | | | Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1930A1 | 5x20 ST. STEEL CHIP SCREW | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1996A0 | M5x35 SCREW | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2262B0 | MM -M DOOR RIGHT UPPER CAP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2267A0 | INTERNAL GLASS LOCKING SYSTEM SLIDER | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2268A0 | DOOR MAGNET COVER | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2269B0 | INNER GLASS FIXING CAP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2305A0 | MM SERIES DOOR CAP FIXING PAWL | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| KVM2261B | MIND.MAPS -M DOOR RIGHT LOWER CAP KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>RC1200A0</td> <td>ED=4 WIRE D=0.5 H24 COMPRESSIO N SPRING</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VE1030A1</td> <td>MAGNET FOR DOOR MICROSWITC H D=22,9mm</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VI1220A1</td> <td>4,2x12 TCB SELF-TAPPIN G SCREW</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VI1930A1</td> <td>5x20 ST. STEEL CHIP SCREW</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>VI1996A0</td> <td>M5x35 SCREW</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>VM2261B0</td> <td>MM -M DOOR RIGHT LOWER CAP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2267A0</td> <td>INTERNAL GLASS LOCKING SYSTEM SLIDER</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2268A0</td> <td>DOOR MAGNET COVER</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2269B0</td> <td>INNER GLASS FIXING CAP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2305A0</td> <td>MM SERIES DOOR CAP FIXING PAWL</td> <td>4.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | RC1200A0 | ED=4 WIRE D=0.5 H24 COMPRESSIO N SPRING | 2.000 | PC | VE1030A1 | MAGNET FOR DOOR MICROSWITC H D=22,9mm | 1.000 | PC | VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 1.000 | PC | VI1930A1 | 5x20 ST. STEEL CHIP SCREW | 4.000 | PC | VI1996A0 | M5x35 SCREW | 4.000 | PC | VM2261B0 | MM -M DOOR RIGHT LOWER CAP | 1.000 | PC | VM2267A0 | INTERNAL GLASS LOCKING SYSTEM SLIDER | 1.000 | PC | VM2268A0 | DOOR MAGNET COVER | 1.000 | PC | VM2269B0 | INNER GLASS FIXING CAP | 1.000 | PC | VM2305A0 | MM SERIES DOOR CAP FIXING PAWL | 4.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1200A0 | ED=4 WIRE D=0.5 H24 COMPRESSIO N SPRING | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VE1030A1 | MAGNET FOR DOOR MICROSWITC H D=22,9mm | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1930A1 | 5x20 ST. STEEL CHIP SCREW | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1996A0 | M5x35 SCREW | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2261B0 | MM -M DOOR RIGHT LOWER CAP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2267A0 | INTERNAL GLASS LOCKING SYSTEM SLIDER | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2268A0 | DOOR MAGNET COVER | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2269B0 | INNER GLASS FIXING CAP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2305A0 | MM SERIES DOOR CAP FIXING PAWL | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |








| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--|---|------------|---------------------------------------|---|------|-------------|-----|-----|----------|--|--------|----|----------|--|-------|----|----------|-------------------------------|-------|----|----------|---------------------------|-------|----|----------|-------------|-------|----|----------|--------------------------------------|-------|----|----------|-------------------|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2268A | DOOR MAGNET COVER |  | KVM2268A | DOOR MAGNET COVER KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VM2268A0</td> <td>DOOR MAGNET COVER</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VM2268A0 | DOOR MAGNET COVER | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2268A0 | DOOR MAGNET COVER | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2269B | INNER GLASS FIXING CAP |  | KVM2269B | INNER GLASS FIXING CAP KIT -M | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VM2269B0</td> <td>INNER GLASS FIXING CAP</td> <td>2.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VM2269B0 | INNER GLASS FIXING CAP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2269B0 | INNER GLASS FIXING CAP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2305A | MM SERIES DOOR CAP FIXING PAWL |  | KVM2305A | MM FIXING DOOR THUB SCREWS 10 PCS KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VM2305A0</td> <td>MM SERIES DOOR CAP FIXING PAWL</td> <td>10.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VM2305A0 | MM SERIES DOOR CAP FIXING PAWL | 10.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2305A0 | MM SERIES DOOR CAP FIXING PAWL | 10.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2386B | MM -M LEFT DOOR LEFT LOWER CAP KI |  | KVM2386B | MM -M LEFT DOOR LEFT LOWER CAP KI | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>RC1200A0</td> <td>ED=4 WIRE D=0.5 H24 COMPRESSION SPRING</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VE1030A1</td> <td>MAGNET FOR DOOR MICROSWITCH H D=22.9mm</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VI1220A1</td> <td>4,2x12 TCB SELF-TAPPING SCREW</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VI1930A1</td> <td>5x20 ST. STEEL CHIP SCREW</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>VI1996A0</td> <td>M5x35 SCREW</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>VM2267A0</td> <td>INTERNAL GLASS LOCKING SYSTEM SLIDER</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2268A0</td> <td>DOOR MAGNET COVER</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | RC1200A0 | ED=4 WIRE D=0.5 H24 COMPRESSION SPRING | 2.000 | PC | VE1030A1 | MAGNET FOR DOOR MICROSWITCH H D=22.9mm | 1.000 | PC | VI1220A1 | 4,2x12 TCB SELF-TAPPING SCREW | 1.000 | PC | VI1930A1 | 5x20 ST. STEEL CHIP SCREW | 4.000 | PC | VI1996A0 | M5x35 SCREW | 4.000 | PC | VM2267A0 | INTERNAL GLASS LOCKING SYSTEM SLIDER | 1.000 | PC | VM2268A0 | DOOR MAGNET COVER | 1.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1200A0 | ED=4 WIRE D=0.5 H24 COMPRESSION SPRING | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VE1030A1 | MAGNET FOR DOOR MICROSWITCH H D=22.9mm | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1220A1 | 4,2x12 TCB SELF-TAPPING SCREW | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1930A1 | 5x20 ST. STEEL CHIP SCREW | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1996A0 | M5x35 SCREW | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2267A0 | INTERNAL GLASS LOCKING SYSTEM SLIDER | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2268A0 | DOOR MAGNET COVER | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |




| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | |
|-----------|---|---|------------|--|--|--------------------------|-------------|-----|-----|----------|--|-------|----|----------|---|-------|----|----------|---|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | |
| VM2386B | MM -M LEFT DOOR LEFT LOWER CAP KI |  | KVM2386B | MM -M LEFT DOOR LEFT LOWER CAP KI | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VM2269B0</td> <td>INNER GLASS FIXING CAP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2305A0</td> <td>MM SERIES DOOR CAP FIXING PAWL</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>VM2386B0</td> <td>MM -M LEFT DOOR LEFT LOWER CAP KI</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VM2269B0 | INNER GLASS FIXING CAP | 1.000 | PC | VM2305A0 | MM SERIES DOOR CAP FIXING PAWL | 4.000 | PC | VM2386B0 | MM -M LEFT DOOR LEFT LOWER CAP KI | 1.000 | PC |
| | | | | | Code | Description | Qty | UOM | | | | | | | | | | | | | |
| VM2269B0 | INNER GLASS FIXING CAP | 1.000 | PC | | | | | | | | | | | | | | | | | | |
| VM2305A0 | MM SERIES DOOR CAP FIXING PAWL | 4.000 | PC | | | | | | | | | | | | | | | | | | |
| VM2386B0 | MM -M LEFT DOOR LEFT LOWER CAP KI | 1.000 | PC | | | | | | | | | | | | | | | | | | |
| CE1097A | 4M SIHF 4 POLES MICROFIT CANBUS |  | KCE1097A | POWER-CONTROL 4POLES 4M BUS CABLE KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>CE1097A0</td> <td>4M SIHF 4 POLES MICROFIT CANBUS</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>CE1285A0</td> <td>EMI ROUND FERRITE MOD.26438015 02</td> <td>2.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | CE1097A0 | 4M SIHF 4 POLES MICROFIT CANBUS | 1.000 | PC | CE1285A0 | EMI ROUND FERRITE MOD.26438015 02 | 2.000 | PC | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | |
| CE1097A0 | 4M SIHF 4 POLES MICROFIT CANBUS | 1.000 | PC | | | | | | | | | | | | | | | | | | |
| CE1285A0 | EMI ROUND FERRITE MOD.26438015 02 | 2.000 | PC | | | | | | | | | | | | | | | | | | |
| CE1285A | EMI ROUND FERRITE MOD.2643801502 |  | KCE1285A | ROUND FERRITE ELECTROMAGN PROT. 2PCS KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>CE1285A0</td> <td>EMI ROUND FERRITE MOD.26438015 02</td> <td>2.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | CE1285A0 | EMI ROUND FERRITE MOD.26438015 02 | 2.000 | PC | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | |
| CE1285A0 | EMI ROUND FERRITE MOD.26438015 02 | 2.000 | PC | | | | | | | | | | | | | | | | | | |
| VI1074A | 4X16 SCREW FOR PLASTIC |  | VI1074A0 | 4X16 SCREW FOR PLASTIC | | | | | | | | | | | | | | | | | |
| MG1099A | MM COMPLETE HANDLE |  | KMG1099A | MIND.Maps SERIES HANDLE KIT -M | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>MG1099A1</td> <td>MM COMPLETE HANDLE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VI0239A1</td> <td>SELF-TAPPIN G SCREW 4.2X25 TCB+ INOX</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>VM1490A0</td> <td>CHEFTOP/BAK ERTOP HANDLE SCREWS COVER</td> <td>2.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | MG1099A1 | MM COMPLETE HANDLE | 1.000 | PC | VI0239A1 | SELF-TAPPIN G SCREW 4.2X25 TCB+ INOX | 4.000 | PC | VM1490A0 | CHEFTOP/BAK ERTOP HANDLE SCREWS COVER | 2.000 | PC |
| | | | | | Code | Description | Qty | UOM | | | | | | | | | | | | | |
| | | | | | MG1099A1 | MM COMPLETE HANDLE | 1.000 | PC | | | | | | | | | | | | | |
| VI0239A1 | SELF-TAPPIN G SCREW 4.2X25 TCB+ INOX | 4.000 | PC | | | | | | | | | | | | | | | | | | |
| VM1490A0 | CHEFTOP/BAK ERTOP HANDLE SCREWS COVER | 2.000 | PC | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | |




| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|---|---|------------|--|--|------|-------------|-----|-----|----------|--|-------|----|----------|----------|-------|----|----------|------------------------|-------|----|----------|--------------------------------------|-------|----|----------|-------------------------------------|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | |
| CE1052A | MM USB-CONTROL PANEL CONNECTING CABL |  | KCE1052A | CONTROL BOARD-USB 650 CONN. CABLE KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>CE1052A1</td> <td>MM USB-CONTROL PANEL CONNECTING CABLE</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | CE1052A1 | MM USB-CONTROL PANEL CONNECTING CABLE | 1.000 | PC | | | | | | | | | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CE1052A1 | MM USB-CONTROL PANEL CONNECTING CABLE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CE1053B | MM MICROFIT LED BAR POWER SUPPLY CABLE |  | KCE1053B | LED BAR EXTENSION CABLE KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>CE1053B0</td> <td>MM MICROFIT LED BAR POWER SUPPLY CABL</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | CE1053B0 | MM MICROFIT LED BAR POWER SUPPLY CABL | 1.000 | PC | | | | | | | | | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CE1053B0 | MM MICROFIT LED BAR POWER SUPPLY CABL | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | |
| LP1019A | 6 SERIES L200 LED LIGHT BAR - E415 |  | KLP1019A | L200 E415 LED LIGHT BAR KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>LP1019A0</td> <td>6 SERIES L200 LED LIGHT BAR - E415</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | LP1019A0 | 6 SERIES L200 LED LIGHT BAR - E415 | 1.000 | PC | | | | | | | | | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| LP1019A0 | 6 SERIES L200 LED LIGHT BAR - E415 | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | |
| LP1025A | L=415 LED LIGHT BAR COVER |  | KLP1025A | L415 MM NO LED LIGHT HOLDER KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>LP1025A0</td> <td>L=415 LED LIGHT BAR COVER</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | LP1025A0 | L=415 LED LIGHT BAR COVER | 1.000 | PC | | | | | | | | | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| LP1025A0 | L=415 LED LIGHT BAR COVER | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | |
| PE1058A | PE1058A2 |  | KPE1058A | MM ONE CONTROL BOARD KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>CE2007A0</td> <td>4PM-MINIFIT 4PF 100mm MICROFIT CABLE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>PE1058A2</td> <td>PE1058A2</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VI1074A0</td> <td>4X16 SCREW FOR PLASTIC</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VP1005A0</td> <td>BIG-L DOOR CONTROL BOARD SUPPPORT</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VP1005B0</td> <td>70 MM BIG-L DOOR CONTROL SUPPORT</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | CE2007A0 | 4PM-MINIFIT 4PF 100mm MICROFIT CABLE | 1.000 | PC | PE1058A2 | PE1058A2 | 1.000 | PC | VI1074A0 | 4X16 SCREW FOR PLASTIC | 2.000 | PC | VP1005A0 | BIG-L DOOR CONTROL BOARD SUPPPORT | 1.000 | PC | VP1005B0 | 70 MM BIG-L DOOR CONTROL SUPPORT | 1.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CE2007A0 | 4PM-MINIFIT 4PF 100mm MICROFIT CABLE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | |
| PE1058A2 | PE1058A2 | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1074A0 | 4X16 SCREW FOR PLASTIC | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VP1005A0 | BIG-L DOOR CONTROL BOARD SUPPPORT | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VP1005B0 | 70 MM BIG-L DOOR CONTROL SUPPORT | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | |




| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | |
|-----------|---|---|------------|---|---|------|-------------|-----|-----|----------|---------------------------------------|-------|----|----------|--------------------------------------|-------|----|----------|-------------------------------------|-------|----|----------|----------------------------|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | |
| PE1058A | PE1058A2 |  | KPE1058A | MM ONE CONTROL BOARD KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VP1067A0</td> <td>MM CONTROL BOARD RETROFIT SPACER</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VP1078A0</td> <td>MM CONTROL BOARD RETROFIT FRAME</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VP1067A0 | MM CONTROL BOARD RETROFIT SPACER | 1.000 | PC | VP1078A0 | MM CONTROL BOARD RETROFIT FRAME | 1.000 | PC | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | |
| VP1067A0 | MM CONTROL BOARD RETROFIT SPACER | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| VP1078A0 | MM CONTROL BOARD RETROFIT FRAME | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| PE1059A | MM USB-RESET SUPPORT |  | KPE1059A | MM USB-RESET SUPPORT KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>PE1059A0</td> <td>MM USB-RESET SUPPORT</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VI1220A1</td> <td>4,2x12 TCB SELF-TAPPIN G SCREW</td> <td>2.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | PE1059A0 | MM USB-RESET SUPPORT | 1.000 | PC | VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 2.000 | PC | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | |
| PE1059A0 | MM USB-RESET SUPPORT | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| VP1163A | INNER GLASS HOLDING PROFILE - ONE OVENS |  | VP1163A0 | INNER GLASS HOLDING PROFILE - ONE OVENS | | | | | | | | | | | | | | | | | | | | | |
| VT1290A | EXTERNAL GLASS XEBC-04EU-E |  | KVT1290A | 04EU EXTERNAL GLASS KIT | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>0B1166A1</td> <td>XEVC-0511-E EXT GLASS SUPPORT PROFILE</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>SL1222A0</td> <td>0511 EXTERNAL GLASS LATERAL SILICONE</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>SL1229A0</td> <td>BAKER EXTERNAL GLASS UPPER SILICONE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VT1290A0</td> <td>EXTERNAL GLASS XEBC-04EU-E</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | 0B1166A1 | XEVC-0511-E EXT GLASS SUPPORT PROFILE | 2.000 | PC | SL1222A0 | 0511 EXTERNAL GLASS LATERAL SILICONE | 4.000 | PC | SL1229A0 | BAKER EXTERNAL GLASS UPPER SILICONE | 1.000 | PC | VT1290A0 | EXTERNAL GLASS XEBC-04EU-E | 1.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | |
| 0B1166A1 | XEVC-0511-E EXT GLASS SUPPORT PROFILE | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| SL1222A0 | 0511 EXTERNAL GLASS LATERAL SILICONE | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| SL1229A0 | BAKER EXTERNAL GLASS UPPER SILICONE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| VT1290A0 | EXTERNAL GLASS XEBC-04EU-E | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | |
| | | | KDR1272B | BT-04 -M EXTERNAL LEFT DOOR | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>0B1126B0</td> <td>MM BT DOOR LOWER CROSS BAR</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | 0B1126B0 | MM BT DOOR LOWER CROSS BAR | 1.000 | PC | | | | | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | |
| 0B1126B0 | MM BT DOOR LOWER CROSS BAR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | |




| COMPONENT | | | SPARE PART | | | | | |
|-----------|--|---|------------|--------------------------------|----------------|---|------------|------------|
| Code | Description | Image | Code | Description | Kit components | | | |
| VT1290A | EXTERNAL GLASS XEBC-04EU-E |  | KDR1272B | BT-04 -M EXTERNAL LEFT DOOR | Code | Description | Qty | UOM |
| | | | | | 0B1166A1 | XEVC-0511-E EXT GLASS SUPPORT PROFILE | 2.000 | PC |
| | | | | | 0B1195B1 | LEFT 0511 DOOR LEFT EXT COLUMN | 1.000 | PC |
| | | | | | 0B1196A1 | LEFT 0511 DOOR RIGHT INT COLUMN | 1.000 | PC |
| | | | | | 0B1197A1 | LEFT 0511 DOOR LEFT INT COLUMN | 1.000 | PC |
| | | | | | 0B1209A0 | 04EU LEFT - DOOR RIGHT EXT COLUMN | 1.000 | PC |
| | | | | | 0B1218B0 | MM BT DOUBLE GLASS DOOR UPPER CROSS BAR | 1.000 | PC |
| | | | | | 0B1219A1 | MM DOUBLE GLASS DOOR INT UPPER BEAM 860 | 1.000 | PC |
| | | | | | CE1052A1 | MM USB-CONTRO L PANEL CONNECTING CABLE | 1.000 | PC |
| | | | | | CE1053B0 | MM MICROFIT LED BAR POWER SUPPLY CABL | 1.000 | PC |
| | | | | | CE1097A0 | 4M SIHF 4 POLES MICROFIT CANBUS | 1.000 | PC |
| | | | | | CE1285A0 | EMI ROUND FERRITE MOD.26438015 02 | 2.000 | PC |
| | | | | | LP1019A0 | 6 SERIES L200 LED LIGHT BAR - E415 | 1.000 | PC |
| | | | | | LP1025A0 | L=415 LED LIGHT BAR COVER | 1.000 | PC |
| | | | | | MG1099A1 | MM COMPLETE HANDLE | 1.000 | PC |
| RC1200A0 | ED=4 WIRE D=0.5 H24 COMPRESSIO N SPRING | 4.000 | PC | | | | | |




| COMPONENT | | | SPARE PART | | | | | |
|-----------|-------------------------------|---|------------|--------------------------------|----------------|---|------------|------------|
| Code | Description | Image | Code | Description | Kit components | | | |
| VT1290A | EXTERNAL GLASS XEBC-04EU-E |  | KDR1272B | BT-04 -M EXTERNAL LEFT DOOR | Code | Description | Qty | UOM |
| | | | | | SL1170A1 | S57 BLACK SILICON - 310ml CARTRIDGE | 35.000 | ML |
| | | | | | SL1222A0 | 0511 EXTERNAL GLASS LATERAL SILICONE | 4.000 | PC |
| | | | | | SL1229A0 | BAKER EXTERNAL GLASS UPPER SILICONE | 1.000 | PC |
| | | | | | VE1030A1 | MAGNET FOR DOOR MICROSWITC H D=22,9mm | 1.000 | PC |
| | | | | | VI0239A1 | SELF-TAPPIN G SCREW 4.2X25 TCB+ INOX | 4.000 | PC |
| | | | | | VI1103A0 | 40X12 TBSP SCREW FOR PLASTIC | 2.000 | PC |
| | | | | | VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 26.000 | PC |
| | | | | | VI1930A1 | 5x20 ST. STEEL CHIP SCREW | 16.000 | PC |
| | | | | | VI1996A0 | M5x35 SCREW | 13.000 | PC |
| | | | | | VI2070A0 | SHEETTRACS TCB+ 40x8 SELF-THREAD SCREW | 6.000 | PC |
| | | | | | VM1490A0 | CHEFTOP/BAK ERTOP HANDLE SCREWS COVER | 2.000 | PC |
| | | | | | VM1630A1 | INTERNAL GLASS PUSHING CAP | 3.000 | PC |
| | | | | | VM1631A0 | PLUS INNER GLASS PUSHING CAP | 3.000 | PC |
| | | | | | VM2267A0 | INTERNAL GLASS LOCKING SYSTEM SLIDER | 2.000 | PC |
| VM2268A0 | DOOR MAGNET COVER | 2.000 | PC | | | | | |




| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--|---|------------|--------------------------------|---|------|-------------|-----|-----|----------|---------------------------|-------|----|----------|--------------------|-------|----|----------|-------------------|-------|----|----------|-----------------------------------|-------|----|----------|--------------------------------------|--------|----|----------|-------------------------------------|-------|----|----------|------------------------|-------|----|----------|---------------------------------|-------|----|----------|-------------------------------------|-------|----|----------|------------------------------------|-------|----|----------|------------------------------------|-------|----|----------|---|-------|----|----------|---|-------|----|----------|--|-------|----|----------|--|-------|----|----------|----------------------------------|-------|----|----------|-----------------------------|---|------|-------------|-----|-----|----------|----------------------------------|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VT1290A | EXTERNAL GLASS XEBC-04EU-E |  | KDR1272B | BT-04 -M EXTERNAL LEFT DOOR | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VM2269B0</td> <td>INNER GLASS FIXING CAP</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VM2274A0</td> <td>GROOVED BUSHING</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2275A0</td> <td>SMOOTH BUSHING</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2285B0</td> <td>860 SERIES DRIP PROFILE KIT</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2305A0</td> <td>MM SERIES DOOR CAP FIXING PAWL</td> <td>14.000</td> <td>PC</td> </tr> <tr> <td>VM2313A0</td> <td>MM DRIP TRAY RIGHT DRAIN PIPE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2314A0</td> <td>MM DRIP PROFILE CAP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2315B0</td> <td>S6 INTERNAL GLASS SUPPORT</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>VM2383B0</td> <td>MM LEFT OVENS UPPER RIGHT CAP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2384B0</td> <td>MM LEFT DOOR RIGHT LOWER CAP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2385B0</td> <td>MM LEFT OVENS UPPER LEFT CAP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2386B0</td> <td>MM -M LEFT DOOR LEFT LOWER CAP KI</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2505B1</td> <td>MM PLUS INTERNAL GLASS SUPPORT</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>VP1080A0</td> <td>UPPER HINGE CAP FOR LOWER INNER GLASS</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VP1081A0</td> <td>UPPER HINGE CAP FOR UPPER INNER GLASS</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VT1290A0</td> <td>EXTERNAL GLASS XEBC-04EU-E</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VM2269B0 | INNER GLASS FIXING CAP | 2.000 | PC | VM2274A0 | GROOVED BUSHING | 1.000 | PC | VM2275A0 | SMOOTH BUSHING | 1.000 | PC | VM2285B0 | 860 SERIES DRIP PROFILE KIT | 1.000 | PC | VM2305A0 | MM SERIES DOOR CAP FIXING PAWL | 14.000 | PC | VM2313A0 | MM DRIP TRAY RIGHT DRAIN PIPE | 1.000 | PC | VM2314A0 | MM DRIP PROFILE CAP | 1.000 | PC | VM2315B0 | S6 INTERNAL GLASS SUPPORT | 3.000 | PC | VM2383B0 | MM LEFT OVENS UPPER RIGHT CAP | 1.000 | PC | VM2384B0 | MM LEFT DOOR RIGHT LOWER CAP | 1.000 | PC | VM2385B0 | MM LEFT OVENS UPPER LEFT CAP | 1.000 | PC | VM2386B0 | MM -M LEFT DOOR LEFT LOWER CAP KI | 1.000 | PC | VM2505B1 | MM PLUS INTERNAL GLASS SUPPORT | 3.000 | PC | VP1080A0 | UPPER HINGE CAP FOR LOWER INNER GLASS | 1.000 | PC | VP1081A0 | UPPER HINGE CAP FOR UPPER INNER GLASS | 1.000 | PC | VT1290A0 | EXTERNAL GLASS XEBC-04EU-E | 1.000 | PC | KDR1272A | BT-04 EXTERNAL LEFT DOOR | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>0B1126A1</td> <td>MM BT DOOR LOWER CROSS BAR</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | 0B1126A1 | MM BT DOOR LOWER CROSS BAR | 1.000 | PC |
| | | | Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2269B0 | INNER GLASS FIXING CAP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2274A0 | GROOVED BUSHING | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2275A0 | SMOOTH BUSHING | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2285B0 | 860 SERIES DRIP PROFILE KIT | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2305A0 | MM SERIES DOOR CAP FIXING PAWL | 14.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2313A0 | MM DRIP TRAY RIGHT DRAIN PIPE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2314A0 | MM DRIP PROFILE CAP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2315B0 | S6 INTERNAL GLASS SUPPORT | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2383B0 | MM LEFT OVENS UPPER RIGHT CAP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2384B0 | MM LEFT DOOR RIGHT LOWER CAP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2385B0 | MM LEFT OVENS UPPER LEFT CAP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2386B0 | MM -M LEFT DOOR LEFT LOWER CAP KI | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2505B1 | MM PLUS INTERNAL GLASS SUPPORT | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VP1080A0 | UPPER HINGE CAP FOR LOWER INNER GLASS | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VP1081A0 | UPPER HINGE CAP FOR UPPER INNER GLASS | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VT1290A0 | EXTERNAL GLASS XEBC-04EU-E | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0B1126A1 | MM BT DOOR LOWER CROSS BAR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |




| COMPONENT | | | SPARE PART | | | |
|-----------|-------------------------------|---|------------|-----------------------------|----------------|--|
| Code | Description | Image | Code | Description | Kit components | |
| VT1290A | EXTERNAL GLASS XEBC-04EU-E |  | KDR1272A | BT-04 EXTERNAL LEFT DOOR | Code | Description Qty UOM |
| | | | | | 0B1166A1 | XEVC-0511-E 2.000 PC EXT GLASS SUPPORT PROFILE |
| | | | | | 0B1195B1 | LEFT 0511 1.000 PC DOOR LEFT EXT COLUMN |
| | | | | | 0B1196A1 | LEFT 0511 1.000 PC DOOR RIGHT INT COLUMN |
| | | | | | 0B1197A1 | LEFT 0511 1.000 PC DOOR LEFT INT COLUMN |
| | | | | | 0B1209A0 | 04EU LEFT - 1.000 PC DOOR RIGHT EXT COLUMN |
| | | | | | 0B1218A1 | MM BT 1.000 PC DOUBLE GLASS DOOR UPPER CROSS BAR |
| | | | | | 0B1219A1 | MM DOUBLE 1.000 PC GLASS DOOR INT UPPER BEAM 860 |
| | | | | | CE1052A1 | MM 1.000 PC USB-CONTRO L PANEL CONNECTING CABLE |
| | | | | | CE1053B0 | MM MICROFIT 1.000 PC LED BAR POWER SUPPLY CABL |
| | | | | | CE1285A0 | EMI ROUND 1.000 PC FERRITE MOD.26438015 02 |
| | | | | | CE1290A0 | EXTRACTABL 1.000 PC E FEMALE TERMINAL CPF 5/4 |
| | | | | | CE1310A1 | POWER - 1.000 PC CONTROL BOARD CONNECTING CABLE |
| | | | | | LP1019A0 | 6 SERIES L200 1.000 PC LED LIGHT BAR - E415 |
| | | | | | LP1025A0 | L=415 LED 1.000 PC LIGHT BAR COVER |




| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--|---|------------|-----------------------------|--|------|-------------|-----|-----|----------|--------------------------|-------|----|----------|--|--------|----|----------|--|-------|----|----------|----------------------------------|--------|----|----------|--------------------------------------|--------|----|----------|-------------|--------|----|----------|----------------------------------|-------|----|----------|------------------------------------|-------|----|----------|--|-------|----|----------|-------------------------|-------|----|----------|--|-------|----|----------|--------------------|-------|----|----------|-------------------|-------|----|----------|----------------------------|-------|----|----------|--------------------------------------|--------|----|----------|--|-------|----|----------|-------------------------------------|-------|----|----------|------------------------|-------|----|--|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VT1290A | EXTERNAL GLASS XEBC-04EU-E |  | KDR1272A | BT-04 EXTERNAL LEFT DOOR | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>MG1083A2</td> <td>MM COMPLETE HANDLE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>SL1170A1</td> <td>S57 BLACK SILICON - 310ml CARTRIDGE</td> <td>30.000</td> <td>ML</td> </tr> <tr> <td>VE1030A1</td> <td>MAGNET FOR DOOR MICROSWITC H D=22,9mm</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VI1147A0</td> <td>5X25 STAINLESS STEEL SCREW</td> <td>16.000</td> <td>PC</td> </tr> <tr> <td>VI1220A1</td> <td>4,2x12 TCB SELF-TAPPIN G SCREW</td> <td>25.000</td> <td>PC</td> </tr> <tr> <td>VI1996A0</td> <td>M5x35 SCREW</td> <td>13.000</td> <td>PC</td> </tr> <tr> <td>VM1630A1</td> <td>INTERNAL GLASS PUSHING CAP</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>VM1631A0</td> <td>PLUS INNER GLASS PUSHING CAP</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VM2267A0</td> <td>INTERNAL GLASS LOCKING SYSTEM SLIDER</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VM2268A0</td> <td>DOOR MAGNET COVER</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VM2269A0</td> <td>INTERNAL GLASS LOCKING SYSTEM CAP</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VM2274A0</td> <td>GROOVED BUSHING</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2275A0</td> <td>SMOOTH BUSHING</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2285A0</td> <td>860 SERIES DRIP PROFILE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2305A0</td> <td>MM SERIES DOOR CAP FIXING PAWL</td> <td>14.000</td> <td>PC</td> </tr> <tr> <td>VM2312A0</td> <td>MM DRIP PROFILE DRAIN LEFT PIPE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2313A0</td> <td>MM DRIP TRAY RIGHT DRAIN PIPE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2314A0</td> <td>MM DRIP PROFILE CAP</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | MG1083A2 | MM COMPLETE HANDLE | 1.000 | PC | SL1170A1 | S57 BLACK SILICON - 310ml CARTRIDGE | 30.000 | ML | VE1030A1 | MAGNET FOR DOOR MICROSWITC H D=22,9mm | 1.000 | PC | VI1147A0 | 5X25 STAINLESS STEEL SCREW | 16.000 | PC | VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 25.000 | PC | VI1996A0 | M5x35 SCREW | 13.000 | PC | VM1630A1 | INTERNAL GLASS PUSHING CAP | 3.000 | PC | VM1631A0 | PLUS INNER GLASS PUSHING CAP | 2.000 | PC | VM2267A0 | INTERNAL GLASS LOCKING SYSTEM SLIDER | 2.000 | PC | VM2268A0 | DOOR MAGNET COVER | 2.000 | PC | VM2269A0 | INTERNAL GLASS LOCKING SYSTEM CAP | 2.000 | PC | VM2274A0 | GROOVED BUSHING | 1.000 | PC | VM2275A0 | SMOOTH BUSHING | 1.000 | PC | VM2285A0 | 860 SERIES DRIP PROFILE | 1.000 | PC | VM2305A0 | MM SERIES DOOR CAP FIXING PAWL | 14.000 | PC | VM2312A0 | MM DRIP PROFILE DRAIN LEFT PIPE | 1.000 | PC | VM2313A0 | MM DRIP TRAY RIGHT DRAIN PIPE | 1.000 | PC | VM2314A0 | MM DRIP PROFILE CAP | 1.000 | PC | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MG1083A2 | MM COMPLETE HANDLE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SL1170A1 | S57 BLACK SILICON - 310ml CARTRIDGE | 30.000 | ML | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VE1030A1 | MAGNET FOR DOOR MICROSWITC H D=22,9mm | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1147A0 | 5X25 STAINLESS STEEL SCREW | 16.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1220A1 | 4,2x12 TCB SELF-TAPPIN G SCREW | 25.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VI1996A0 | M5x35 SCREW | 13.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM1630A1 | INTERNAL GLASS PUSHING CAP | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM1631A0 | PLUS INNER GLASS PUSHING CAP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2267A0 | INTERNAL GLASS LOCKING SYSTEM SLIDER | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2268A0 | DOOR MAGNET COVER | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2269A0 | INTERNAL GLASS LOCKING SYSTEM CAP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2274A0 | GROOVED BUSHING | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2275A0 | SMOOTH BUSHING | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2285A0 | 860 SERIES DRIP PROFILE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2305A0 | MM SERIES DOOR CAP FIXING PAWL | 14.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2312A0 | MM DRIP PROFILE DRAIN LEFT PIPE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2313A0 | MM DRIP TRAY RIGHT DRAIN PIPE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2314A0 | MM DRIP PROFILE CAP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |




| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--|---|------------|-----------------------------|--|------|-------------|---------------------------------------|-------|----------|---|--|-------|----------|------------------------------------|--|-------|----------|------------------------------------|----------------------------------|-------|----------|-----------------------------------|--|-------|----------|-----------------------------------|---------------------------------------|-------|----------|---|-------|----|----------|---------------------------------|-------|----|----------|--|-------|----|----------|----------------------------------|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VT1290A | EXTERNAL GLASS XEBC-04EU-E |  | KDR1272A | BT-04 EXTERNAL LEFT DOOR | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VM2315A0</td> <td>MIND.Maps INTERNAL GLASS CAP SUPPORT</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>VM2383A0</td> <td>MM LEFT DOOR RIGHT UPPER CAP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2384A0</td> <td>MM LEFT DOOR RIGHT LOWER CAP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2385A1</td> <td>LEFT MM DOOR UPPER LEFT CAP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2386A1</td> <td>LEFT MM DOOR LOWER LEFT CAP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2505A0</td> <td>MM PLUS INTERNAL GLASS SUPPORT</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VM2518A0</td> <td>BOARD COOLING FAN SUPPORT</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VN1179A1</td> <td>CONTROL BOARD 40x40x20mm 12V COOLING FAN</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VT1290A0</td> <td>EXTERNAL GLASS XEBC-04EU-E</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VM2315A0 | MIND.Maps INTERNAL GLASS CAP SUPPORT | 3.000 | PC | VM2383A0 | MM LEFT DOOR RIGHT UPPER CAP | 1.000 | PC | VM2384A0 | MM LEFT DOOR RIGHT LOWER CAP | 1.000 | PC | VM2385A1 | LEFT MM DOOR UPPER LEFT CAP | 1.000 | PC | VM2386A1 | LEFT MM DOOR LOWER LEFT CAP | 1.000 | PC | VM2505A0 | MM PLUS INTERNAL GLASS SUPPORT | 2.000 | PC | VM2518A0 | BOARD COOLING FAN SUPPORT | 1.000 | PC | VN1179A1 | CONTROL BOARD 40x40x20mm 12V COOLING FAN | 1.000 | PC | VT1290A0 | EXTERNAL GLASS XEBC-04EU-E | 1.000 | PC |
| | | | Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2315A0 | MIND.Maps INTERNAL GLASS CAP SUPPORT | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2383A0 | MM LEFT DOOR RIGHT UPPER CAP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2384A0 | MM LEFT DOOR RIGHT LOWER CAP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2385A1 | LEFT MM DOOR UPPER LEFT CAP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2386A1 | LEFT MM DOOR LOWER LEFT CAP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2505A0 | MM PLUS INTERNAL GLASS SUPPORT | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2518A0 | BOARD COOLING FAN SUPPORT | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VN1179A1 | CONTROL BOARD 40x40x20mm 12V COOLING FAN | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VT1290A0 | EXTERNAL GLASS XEBC-04EU-E | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| KDR1269B | BT-04 -M EXTERNAL RIGHT DOOR | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>0B1107A1</td> <td>XEVC-0511-E LEFT INT DOOR COLUM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>0B1108B1</td> <td>XEVC-0511 DOOR EXTERNAL RIGHT COLUM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>0B1109A1</td> <td>XEVC-0511-E RIGHT INT DOOR COLUM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>0B1126B0</td> <td>MM BT DOOR LOWER CROSS BAR</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>0B1166A1</td> <td>XEVC-0511-E EXT GLASS SUPPORT PROFILE</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>0B1174A0</td> <td>XEBC-04EU-E LEFT EXT DOOR COLUM</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | 0B1107A1 | XEVC-0511-E LEFT INT DOOR COLUM | 1.000 | PC | 0B1108B1 | XEVC-0511 DOOR EXTERNAL RIGHT COLUM | 1.000 | PC | 0B1109A1 | XEVC-0511-E RIGHT INT DOOR COLUM | 1.000 | PC | 0B1126B0 | MM BT DOOR LOWER CROSS BAR | 1.000 | PC | 0B1166A1 | XEVC-0511-E EXT GLASS SUPPORT PROFILE | 2.000 | PC | 0B1174A0 | XEBC-04EU-E LEFT EXT DOOR COLUM | 1.000 | PC | | | | | | | | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0B1107A1 | XEVC-0511-E LEFT INT DOOR COLUM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0B1108B1 | XEVC-0511 DOOR EXTERNAL RIGHT COLUM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0B1109A1 | XEVC-0511-E RIGHT INT DOOR COLUM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0B1126B0 | MM BT DOOR LOWER CROSS BAR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0B1166A1 | XEVC-0511-E EXT GLASS SUPPORT PROFILE | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0B1174A0 | XEBC-04EU-E LEFT EXT DOOR COLUM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |




| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|---|---|------------|---------------------------------|---|------|-------------|-----|-----|----------|---|-------|----|----------|--|-------|----|----------|--|-------|----|----------|--|-------|----|----------|--|-------|----|----------|--|-------|----|----------|--|-------|----|----------|---------------------------------|-------|----|----------|--------------------------|-------|----|----------|--|-------|----|----------|--|--------|----|----------|--|-------|----|----------|--|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VT1290A | EXTERNAL GLASS XEBC-04EU-E |  | KDR1269B | BT-04 -M EXTERNAL RIGHT DOOR | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>0B1218B0</td> <td>MM BT DOUBLE GLASS DOOR UPPER CROSS BAR</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>0B1219A1</td> <td>MM DOUBLE GLASS DOOR INT UPPER BEAM 860</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>CE1052A1</td> <td>MM USB-CONTRO L PANEL CONNECTING CABLE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>CE1053B0</td> <td>MM MICROFIT LED BAR POWER SUPPLY CABL</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>CE1097A0</td> <td>4M SIHF 4 POLES MICROFIT CANBUS</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>CE1285A0</td> <td>EMI ROUND FERRITE MOD.26438015 02</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>LP1019A0</td> <td>6 SERIES L200 LED LIGHT BAR - E415</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>LP1025A0</td> <td>L=415 LED LIGHT BAR COVER</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>MG1099A1</td> <td>MM COMPLETE HANDLE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>RC1200A0</td> <td>ED=4 WIRE D=0.5 H24 COMPRESSIO N SPRING</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>SL1170A1</td> <td>S57 BLACK SILICON - 310ml CARTRIDGE</td> <td>35.000</td> <td>ML</td> </tr> <tr> <td>SL1222A0</td> <td>0511 EXTERNAL GLASS LATERAL SILICONE</td> <td>4.000</td> <td>PC</td> </tr> <tr> <td>SL1229A0</td> <td>BAKER EXTERNAL GLASS UPPER SILICONE</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | 0B1218B0 | MM BT DOUBLE GLASS DOOR UPPER CROSS BAR | 1.000 | PC | 0B1219A1 | MM DOUBLE GLASS DOOR INT UPPER BEAM 860 | 1.000 | PC | CE1052A1 | MM USB-CONTRO L PANEL CONNECTING CABLE | 1.000 | PC | CE1053B0 | MM MICROFIT LED BAR POWER SUPPLY CABL | 1.000 | PC | CE1097A0 | 4M SIHF 4 POLES MICROFIT CANBUS | 1.000 | PC | CE1285A0 | EMI ROUND FERRITE MOD.26438015 02 | 2.000 | PC | LP1019A0 | 6 SERIES L200 LED LIGHT BAR - E415 | 1.000 | PC | LP1025A0 | L=415 LED LIGHT BAR COVER | 1.000 | PC | MG1099A1 | MM COMPLETE HANDLE | 1.000 | PC | RC1200A0 | ED=4 WIRE D=0.5 H24 COMPRESSIO N SPRING | 4.000 | PC | SL1170A1 | S57 BLACK SILICON - 310ml CARTRIDGE | 35.000 | ML | SL1222A0 | 0511 EXTERNAL GLASS LATERAL SILICONE | 4.000 | PC | SL1229A0 | BAKER EXTERNAL GLASS UPPER SILICONE | 1.000 | PC |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0B1218B0 | MM BT DOUBLE GLASS DOOR UPPER CROSS BAR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0B1219A1 | MM DOUBLE GLASS DOOR INT UPPER BEAM 860 | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CE1052A1 | MM USB-CONTRO L PANEL CONNECTING CABLE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CE1053B0 | MM MICROFIT LED BAR POWER SUPPLY CABL | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CE1097A0 | 4M SIHF 4 POLES MICROFIT CANBUS | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CE1285A0 | EMI ROUND FERRITE MOD.26438015 02 | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| LP1019A0 | 6 SERIES L200 LED LIGHT BAR - E415 | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| LP1025A0 | L=415 LED LIGHT BAR COVER | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MG1099A1 | MM COMPLETE HANDLE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC1200A0 | ED=4 WIRE D=0.5 H24 COMPRESSIO N SPRING | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SL1170A1 | S57 BLACK SILICON - 310ml CARTRIDGE | 35.000 | ML | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SL1222A0 | 0511 EXTERNAL GLASS LATERAL SILICONE | 4.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SL1229A0 | BAKER EXTERNAL GLASS UPPER SILICONE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |




| COMPONENT | | | SPARE PART | | | | | |
|-----------|-------------------------------|---|------------|---------------------------------|----------------|---|------------|------------|
| Code | Description | Image | Code | Description | Kit components | | | |
| VT1290A | EXTERNAL GLASS XEBC-04EU-E |  | KDR1269B | BT-04 -M EXTERNAL RIGHT DOOR | Code | Description | Qty | UOM |
| | | | | | VE1030A1 | MAGNET FOR DOOR MICROSWITC H D=22.9mm | 1.000 | PC |
| | | | | | VI0239A1 | SELF-TAPPIN G SCREW 4.2X25 TCB+ INOX | 4.000 | PC |
| | | | | | VI1074A0 | 4X16 SCREW FOR PLASTIC | 2.000 | PC |
| | | | | | VI1103A0 | 40X12 TBSP SCREW FOR PLASTIC | 4.000 | PC |
| | | | | | VI1220A1 | 4.2x12 TCB SELF-TAPPIN G SCREW | 28.000 | PC |
| | | | | | VI1930A1 | 5x20 ST. STEEL CHIP SCREW | 16.000 | PC |
| | | | | | VI1996A0 | M5x35 SCREW | 13.000 | PC |
| | | | | | VI2070A0 | SHEETTRACS TCB+ 40x8 SELF-THREAD SCREW | 6.000 | PC |
| | | | | | VM1490A0 | CHEFTOP/BAK ERTOP HANDLE SCREWS COVER | 2.000 | PC |
| | | | | | VM1630A1 | INTERNAL GLASS PUSHING CAP | 3.000 | PC |
| | | | | | VM1631A0 | PLUS INNER GLASS PUSHING CAP | 3.000 | PC |
| | | | | | VM2259B0 | | 1.000 | PC |
| | | | | | VM2260B0 | S6 LEFT UPPER CAP | 1.000 | PC |
| | | | | | VM2261B0 | MM -M DOOR RIGHT LOWER CAP | 1.000 | PC |
| | | | | | VM2262B0 | MM -M DOOR RIGHT UPPER CAP | 1.000 | PC |
| | | | | | VM2267A0 | INTERNAL GLASS LOCKING SYSTEM SLIDER | 2.000 | PC |
| | | | | | VM2268A0 | DOOR MAGNET COVER | 2.000 | PC |
| | | | | | VM2269B0 | INNER GLASS FIXING CAP | 2.000 | PC |




| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--|---|------------|---------------------------------|--|------|-------------|-----|-----|----------|-----------------|-------|----|----------|----------------|-------|----|----------|-----------------------------|-------|----|----------|--------------------------------|--------|----|----------|---------------------------------|-------|----|----------|---------------------|-------|----|----------|---------------------------|-------|----|----------|--------------------------------|-------|----|----------|---------------------------|-------|----|----------|--|-------|----|----------|---------------------------------------|-------|----|----------|---------------------------------------|-------|----|----------|----------------------------|-------|----|----------|------------------------------|---|------|-------------|-----|-----|----------|---------------------------------|-------|----|----------|-------------------------------------|-------|----|----------|----------------------------------|-------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VT1290A | EXTERNAL GLASS XEBC-04EU-E |  | KDR1269B | BT-04 -M EXTERNAL RIGHT DOOR | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VM2274A0</td> <td>GROOVED BUSHING</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2275A0</td> <td>SMOOTH BUSHING</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2285B0</td> <td>860 SERIES DRIP PROFILE KIT</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2305A0</td> <td>MM SERIES DOOR CAP FIXING PAWL</td> <td>14.000</td> <td>PC</td> </tr> <tr> <td>VM2312A0</td> <td>MM DRIP PROFILE DRAIN LEFT PIPE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2314A0</td> <td>MM DRIP PROFILE CAP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2315B0</td> <td>S6 INTERNAL GLASS SUPPORT</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>VM2505B1</td> <td>MM PLUS INTERNAL GLASS SUPPORT</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>VM2518A0</td> <td>BOARD COOLING FAN SUPPORT</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VN1179A1</td> <td>CONTROL BOARD 40x40x20mm 12V COOLING FAN</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VP1080A0</td> <td>UPPER HINGE CAP FOR LOWER INNER GLASS</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VP1081A0</td> <td>UPPER HINGE CAP FOR UPPER INNER GLASS</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VT1290A0</td> <td>EXTERNAL GLASS XEBC-04EU-E</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VM2274A0 | GROOVED BUSHING | 1.000 | PC | VM2275A0 | SMOOTH BUSHING | 1.000 | PC | VM2285B0 | 860 SERIES DRIP PROFILE KIT | 1.000 | PC | VM2305A0 | MM SERIES DOOR CAP FIXING PAWL | 14.000 | PC | VM2312A0 | MM DRIP PROFILE DRAIN LEFT PIPE | 1.000 | PC | VM2314A0 | MM DRIP PROFILE CAP | 1.000 | PC | VM2315B0 | S6 INTERNAL GLASS SUPPORT | 3.000 | PC | VM2505B1 | MM PLUS INTERNAL GLASS SUPPORT | 3.000 | PC | VM2518A0 | BOARD COOLING FAN SUPPORT | 1.000 | PC | VN1179A1 | CONTROL BOARD 40x40x20mm 12V COOLING FAN | 1.000 | PC | VP1080A0 | UPPER HINGE CAP FOR LOWER INNER GLASS | 1.000 | PC | VP1081A0 | UPPER HINGE CAP FOR UPPER INNER GLASS | 1.000 | PC | VT1290A0 | EXTERNAL GLASS XEBC-04EU-E | 1.000 | PC | KDR1269A | BT-04 EXTERNAL RIGHT DOOR | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>0B1107A1</td> <td>XEVC-0511-E LEFT INT DOOR COLUM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>0B1108B1</td> <td>XEVC-0511 DOOR EXTERNAL RIGHT COLUM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>0B1109A1</td> <td>XEVC-0511-E RIGHT INT DOOR COLUM</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | 0B1107A1 | XEVC-0511-E LEFT INT DOOR COLUM | 1.000 | PC | 0B1108B1 | XEVC-0511 DOOR EXTERNAL RIGHT COLUM | 1.000 | PC | 0B1109A1 | XEVC-0511-E RIGHT INT DOOR COLUM | 1.000 | PC |
| | | | Code | | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2274A0 | GROOVED BUSHING | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2275A0 | SMOOTH BUSHING | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2285B0 | 860 SERIES DRIP PROFILE KIT | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2305A0 | MM SERIES DOOR CAP FIXING PAWL | 14.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2312A0 | MM DRIP PROFILE DRAIN LEFT PIPE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2314A0 | MM DRIP PROFILE CAP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2315B0 | S6 INTERNAL GLASS SUPPORT | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2505B1 | MM PLUS INTERNAL GLASS SUPPORT | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2518A0 | BOARD COOLING FAN SUPPORT | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VN1179A1 | CONTROL BOARD 40x40x20mm 12V COOLING FAN | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VP1080A0 | UPPER HINGE CAP FOR LOWER INNER GLASS | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VP1081A0 | UPPER HINGE CAP FOR UPPER INNER GLASS | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VT1290A0 | EXTERNAL GLASS XEBC-04EU-E | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0B1107A1 | XEVC-0511-E LEFT INT DOOR COLUM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0B1108B1 | XEVC-0511 DOOR EXTERNAL RIGHT COLUM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0B1109A1 | XEVC-0511-E RIGHT INT DOOR COLUM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |




| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|---|---|------------|------------------------------|--|------|-------------|-----|-----|----------|----------------------------------|-------|----|----------|--|-------|----|----------|---------------------------------------|-------|----|----------|---|-------|----|----------|--|-------|----|----------|--|-------|----|----------|--|-------|----|----------|--|-------|----|----------|---|-------|----|----------|--|-------|----|----------|--|-------|----|----------|---------------------------------|-------|----|----------|--------------------------|-------|----|----------|--|--------|----|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VT1290A | EXTERNAL GLASS XEBC-04EU-E |  | KDR1269A | BT-04 EXTERNAL RIGHT DOOR | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>0B1126A1</td> <td>MM BT DOOR LOWER CROSS BAR</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>0B1166A1</td> <td>XEVC-0511-E EXT GLASS SUPPORT PROFILE</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>0B1174A0</td> <td>XEBC-04EU-E LEFT EXT DOOR COLUM</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>0B1218A1</td> <td>MM BT DOUBLE GLASS DOOR UPPER CROSS BAR</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>0B1219A1</td> <td>MM DOUBLE GLASS DOOR INT UPPER BEAM 860</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>CE1052A1</td> <td>MM USB-CONTRO L PANEL CONNECTING CABLE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>CE1053B0</td> <td>MM MICROFIT LED BAR POWER SUPPLY CABL</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>CE1285A0</td> <td>EMI ROUND FERRITE MOD.26438015 02</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>CE1290A0</td> <td>EXTRACTABL E FEMALE TERMINAL CPF 5/4</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>CE1310A1</td> <td>POWER - CONTROL BOARD CONNECTING CABLE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>LP1019A0</td> <td>6 SERIES L200 LED LIGHT BAR - E415</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>LP1025A0</td> <td>L=415 LED LIGHT BAR COVER</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>MG1083A2</td> <td>MM COMPLETE HANDLE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>SL1170A1</td> <td>S57 BLACK SILICON - 310ml CARTRIDGE</td> <td>30.000</td> <td>ML</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | 0B1126A1 | MM BT DOOR LOWER CROSS BAR | 1.000 | PC | 0B1166A1 | XEVC-0511-E EXT GLASS SUPPORT PROFILE | 2.000 | PC | 0B1174A0 | XEBC-04EU-E LEFT EXT DOOR COLUM | 1.000 | PC | 0B1218A1 | MM BT DOUBLE GLASS DOOR UPPER CROSS BAR | 1.000 | PC | 0B1219A1 | MM DOUBLE GLASS DOOR INT UPPER BEAM 860 | 1.000 | PC | CE1052A1 | MM USB-CONTRO L PANEL CONNECTING CABLE | 1.000 | PC | CE1053B0 | MM MICROFIT LED BAR POWER SUPPLY CABL | 1.000 | PC | CE1285A0 | EMI ROUND FERRITE MOD.26438015 02 | 1.000 | PC | CE1290A0 | EXTRACTABL E FEMALE TERMINAL CPF 5/4 | 1.000 | PC | CE1310A1 | POWER - CONTROL BOARD CONNECTING CABLE | 1.000 | PC | LP1019A0 | 6 SERIES L200 LED LIGHT BAR - E415 | 1.000 | PC | LP1025A0 | L=415 LED LIGHT BAR COVER | 1.000 | PC | MG1083A2 | MM COMPLETE HANDLE | 1.000 | PC | SL1170A1 | S57 BLACK SILICON - 310ml CARTRIDGE | 30.000 | ML |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0B1126A1 | MM BT DOOR LOWER CROSS BAR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0B1166A1 | XEVC-0511-E EXT GLASS SUPPORT PROFILE | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0B1174A0 | XEBC-04EU-E LEFT EXT DOOR COLUM | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0B1218A1 | MM BT DOUBLE GLASS DOOR UPPER CROSS BAR | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0B1219A1 | MM DOUBLE GLASS DOOR INT UPPER BEAM 860 | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CE1052A1 | MM USB-CONTRO L PANEL CONNECTING CABLE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CE1053B0 | MM MICROFIT LED BAR POWER SUPPLY CABL | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CE1285A0 | EMI ROUND FERRITE MOD.26438015 02 | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CE1290A0 | EXTRACTABL E FEMALE TERMINAL CPF 5/4 | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CE1310A1 | POWER - CONTROL BOARD CONNECTING CABLE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| LP1019A0 | 6 SERIES L200 LED LIGHT BAR - E415 | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| LP1025A0 | L=415 LED LIGHT BAR COVER | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MG1083A2 | MM COMPLETE HANDLE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SL1170A1 | S57 BLACK SILICON - 310ml CARTRIDGE | 30.000 | ML | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| COMPONENT | | | SPARE PART | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--|---|------------|------------------------------|--|------|-------------|-----|-----|----------|--|-------|----|----------|----------------------------|--------|----|----------|--------------------------------|--------|----|----------|-------------|--------|----|----------|----------------------------|-------|----|----------|------------------------------|-------|----|----------|------------------------------|-------|----|----------|------------------------------|-------|----|----------|-------------------------|-------|----|----------|-------------------------|-------|----|----------|--------------------------------------|-------|----|----------|-------------------|-------|----|----------|-----------------------------------|-------|----|----------|-----------------|-------|----|----------|----------------|-------|----|----------|-------------------------|-------|----|----------|--------------------------------|--------|----|----------|---------------------------------|-------|----|--|
| Code | Description | Image | Code | Description | Kit components | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VT1290A | EXTERNAL GLASS XEBC-04EU-E |  | KDR1269A | BT-04 EXTERNAL RIGHT DOOR | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>VE1030A1</td> <td>MAGNET FOR DOOR MICROSWITC H D=22.9mm</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>V11147A0</td> <td>5X25 STAINLESS STEEL SCREW</td> <td>16.000</td> <td>PC</td> </tr> <tr> <td>V11220A1</td> <td>4,2x12 TOB SELF-TAPPIN G SCREW</td> <td>25.000</td> <td>PC</td> </tr> <tr> <td>V11996A0</td> <td>M5x35 SCREW</td> <td>13.000</td> <td>PC</td> </tr> <tr> <td>VM1630A1</td> <td>INTERNAL GLASS PUSHING CAP</td> <td>3.000</td> <td>PC</td> </tr> <tr> <td>VM1631A0</td> <td>PLUS INNER GLASS PUSHING CAP</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VM2259A1</td> <td>6 SERIES DOOR LOWER LEFT CAP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2260A1</td> <td>6 SERIES DOOR UPPER LEFT CAP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2261A1</td> <td>MM DOOR LOWER RIGHT CAP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2262A1</td> <td>MM DOOR UPPER RIGHT CAP</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2267A0</td> <td>INTERNAL GLASS LOCKING SYSTEM SLIDER</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VM2268A0</td> <td>DOOR MAGNET COVER</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VM2269A0</td> <td>INTERNAL GLASS LOCKING SYSTEM CAP</td> <td>2.000</td> <td>PC</td> </tr> <tr> <td>VM2274A0</td> <td>GROOVED BUSHING</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2275A0</td> <td>SMOOTH BUSHING</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2285A0</td> <td>860 SERIES DRIP PROFILE</td> <td>1.000</td> <td>PC</td> </tr> <tr> <td>VM2305A0</td> <td>MM SERIES DOOR CAP FIXING PAWL</td> <td>14.000</td> <td>PC</td> </tr> <tr> <td>VM2312A0</td> <td>MM DRIP PROFILE DRAIN LEFT PIPE</td> <td>1.000</td> <td>PC</td> </tr> </tbody> </table> | Code | Description | Qty | UOM | VE1030A1 | MAGNET FOR DOOR MICROSWITC H D=22.9mm | 1.000 | PC | V11147A0 | 5X25 STAINLESS STEEL SCREW | 16.000 | PC | V11220A1 | 4,2x12 TOB SELF-TAPPIN G SCREW | 25.000 | PC | V11996A0 | M5x35 SCREW | 13.000 | PC | VM1630A1 | INTERNAL GLASS PUSHING CAP | 3.000 | PC | VM1631A0 | PLUS INNER GLASS PUSHING CAP | 2.000 | PC | VM2259A1 | 6 SERIES DOOR LOWER LEFT CAP | 1.000 | PC | VM2260A1 | 6 SERIES DOOR UPPER LEFT CAP | 1.000 | PC | VM2261A1 | MM DOOR LOWER RIGHT CAP | 1.000 | PC | VM2262A1 | MM DOOR UPPER RIGHT CAP | 1.000 | PC | VM2267A0 | INTERNAL GLASS LOCKING SYSTEM SLIDER | 2.000 | PC | VM2268A0 | DOOR MAGNET COVER | 2.000 | PC | VM2269A0 | INTERNAL GLASS LOCKING SYSTEM CAP | 2.000 | PC | VM2274A0 | GROOVED BUSHING | 1.000 | PC | VM2275A0 | SMOOTH BUSHING | 1.000 | PC | VM2285A0 | 860 SERIES DRIP PROFILE | 1.000 | PC | VM2305A0 | MM SERIES DOOR CAP FIXING PAWL | 14.000 | PC | VM2312A0 | MM DRIP PROFILE DRAIN LEFT PIPE | 1.000 | PC | |
| Code | Description | Qty | UOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VE1030A1 | MAGNET FOR DOOR MICROSWITC H D=22.9mm | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| V11147A0 | 5X25 STAINLESS STEEL SCREW | 16.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| V11220A1 | 4,2x12 TOB SELF-TAPPIN G SCREW | 25.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| V11996A0 | M5x35 SCREW | 13.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM1630A1 | INTERNAL GLASS PUSHING CAP | 3.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM1631A0 | PLUS INNER GLASS PUSHING CAP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2259A1 | 6 SERIES DOOR LOWER LEFT CAP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2260A1 | 6 SERIES DOOR UPPER LEFT CAP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2261A1 | MM DOOR LOWER RIGHT CAP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2262A1 | MM DOOR UPPER RIGHT CAP | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2267A0 | INTERNAL GLASS LOCKING SYSTEM SLIDER | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2268A0 | DOOR MAGNET COVER | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2269A0 | INTERNAL GLASS LOCKING SYSTEM CAP | 2.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2274A0 | GROOVED BUSHING | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2275A0 | SMOOTH BUSHING | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2285A0 | 860 SERIES DRIP PROFILE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2305A0 | MM SERIES DOOR CAP FIXING PAWL | 14.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VM2312A0 | MM DRIP PROFILE DRAIN LEFT PIPE | 1.000 | PC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| COMPONENT | | | SPARE PART | | | | | |
|-----------|-------------------------------|---|------------|------------------------------|----------------|--|------------|------------|
| Code | Description | Image | Code | Description | Kit components | | | |
| VT1290A | EXTERNAL GLASS XEBC-04EU-E |  | KDR1269A | BT-04 EXTERNAL RIGHT DOOR | Code | Description | Qty | UOM |
| | | | | | VM2313A0 | MM DRIP TRAY RIGHT DRAIN PIPE | 1.000 | PC |
| | | | | | VM2314A0 | MM DRIP PROFILE CAP | 1.000 | PC |
| | | | | | VM2315A0 | MIND.Maps INTERNAL GLASS CAP SUPPORT | 3.000 | PC |
| | | | | | VM2505A0 | MM PLUS INTERNAL GLASS SUPPORT | 2.000 | PC |
| | | | | | VM2518A0 | BOARD COOLING FAN SUPPORT | 1.000 | PC |
| | | | | | VN1179A1 | CONTROL BOARD 40x40x20mm 12V COOLING FAN | 1.000 | PC |
| | | | | | VT1290A0 | EXTERNAL GLASS XEBC-04EU-E | 1.000 | PC |